

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
I	Plough													
A	Plough (Bullock Drawn)													
1	Plough 6" Casting set with spare kit	FMT&Tis/SAUs	IS:6288:1971 IS:2192:1998	Without beam 11.7 Kg, With beam 19.4 Kg, Size 152 to 155 mm	775	872		800	800	3.23	800	Bothra, Fulhar		--
2	Plough 8" Casting set with spare kit	FMT&Tis/SAUs	IS:6288:1971 IS:2192:1998	Without beam 14.100 to 15.900 Kg, With beam 20.500 to 40.00 Kg, Size 187 to 202mm	890	1001	1060	900	900	1.12	900	Bothra, Fulhar, Shri Vynkataswara Dandekar		
3	Plough 9" Casting set with spare kit	FMT&Tis/SAUs	IS:6288:1971 IS:2192:1998	Without beam 17.900 to 19.500 Kg, With beam 25.700 to 42.00 Kg, Size 229 to 230 mm	1080	1214	1350	1100	1100	1.85	1100	Bothra, Fulhar, Dandekar		--
4	Plough 11" Casting set with spare kit	FMT&Tis/SAUs	IS:6288:1971 IS:2192:1998	Without beam 19.500 to 20.400 Kg, With beam 27.300 to 31.900 Kg, Size 271.30 to 280mm	1130	1272	1400	1250	1250	10.62	1215	Bothra, Fulhar		--
5	4 bullock plough 39 "	FMT&Tis/SAUs	IS:6459:1990 IS:2192:1990	Wt.55.700 Kg, Size of plough 172 mm	3465	3899			3899	12.53	3810	Bothra	--	--
6	4 bullock plough 43 "	FMT&Tis/SAUs	IS:6459:1990 IS:2192:1990	Wt.60.000 Kg, Size of plough 180 mm	3365	3786			3786	12.51	3700	Fulhar	--	--
7.a	4 bullock plough 51 "	FMT&Tis/SAUs	IS:6459:1990 IS:2192:1990	Wt.58.500 Kg, Size of plough 195 mm	3750	4219			4219	12.51	4000	Bothra, Fulhar,	--	--
b	4 bullock Reversible plough 51 "	FMT&Tis/SAUs	Not mentioned	Wt.53.500 Kg w/o spare kit, 56 Kg with spare kit,	New		4500	4500	4500	New	3825	Venkatesh Agro		
8.a	Kokan Plough (Fabricated)	FMT&Tis/SAUs	IS:6288:1971 IS:2192:1998	Wt .7.300 Kg without beam, Wt 13.000 Kg with Beam, Length of share 260 mm	970	1090	1150	1150	1090	12.37	1060	Star		
b	Sindhu Kokan Plough (with handle)	FMT&Tis/SAUs	Not mentioned	Wt.4.400 Kg without Beam, Wt.10 Kg with Beam, Size of plough 250x200mm	900	1013	1080	1080	1013	12.56	990	Star		
c	Sindhu Kokan Plough (without handle)	FMT&Tis/SAUs	Not mentioned	Total Wt.4.400 Kg without Beam.	735	827	900	900	827	12.52	800	Star		
B	Mould Board Plough (Tractor Drawn)													
1	Mould Board Plough Two Furrow 35 HP	FMT&Tis/SAUs	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.208 to 255.00 Kg, Size of plough 312 to 335 mm,	22410	25212	55400	24500	24500	9.33	24000	Bothra, Jadhav Agro, Agro Tech.		--
2	Mould Board Plough Three Furrow 35 HP	FMT&Tis/SAUs	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.190.000 Kg, Size of plough 320 mm	20790	23389		25000	23389	12.50	22800	Jadhav Agro		--
C	Reversible M. B. Plough (Tractor Drawn)													
1.a	Reversible plough Single Furrow 35 HP	FMT&Tis/SAUs	IS:6288:1971 IS:10691:1983 IS:4468:1997	Wt.240.000 Kg, size of plough 390 mm	37650	42355		42500	42355	12.50	41000	Bothra		--
b	Reversible plough Single Furrow 45 HP	FMT&Tis/SAUs	IS:6288:1971 IS:10691:1983 IS:4468:1997	Wt. 237 to 260.000 Kg, Size of plough 405 to 470 mm,	37650	42355		45045	42355	12.50	41000	Bothra, Popular Steel,		--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
2.a	Reverseible Plough Two Furrow 35 HP Heavy Duty	FMT&TIs/SAUs	IS:6288:1971 IS:10691:1983 IS:4468:1997	Wt. 350.000 Kg, Size of plough 305 mm (12")	New	45045		45045	45045	New	42700	Bothra		--
b	Reverseible Plough Two Furrow 45 HP Heavy duty	FMT&TIs/SAUs	IS:6288:1971 IS:10691:1983 IS:4468:1997	Wt.350.00 to 380.00 Kg, Size of plough 330 to 360 mm	44625	50203		48940	48940	9.67	47900	Bothra, Prabhu Agro, Popoular, Shri Vynkateshwara,		--
3	Reverseible Plough Two Furrow 50 HP Heavy duty	FMT&TIs/SAUs	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.345.00 to 380.00 Kg, Size of plough 350 to 365 mm	46200	51975		48900	48900	5.84	48500	Jadhav Agro, Popular, Bothra, Sai Sonalika, Bhansali,		--
4	Hydraulically reversible 2 MB Plough 45 HP	FMT&TIs/SAUs	IS:6288:1971 IS:4468:2007 IS:10691:2001	Wt.365.00 to 410.00 Kg, Size of plough 325 to 360 mm	73315	82479	96873	75800	75800	3.39	75800	Bothra, Prabhu Agro		--
5	Disc Plough Two Bottom 35 HP	FMT&TIs/SAUs	IS:6288:1971, IS:10233:1982 IS:4366:1972	Wt.262.00 Kg, Size of plough 2 x 390 mm	35225	41580		41580	41580	18.04	38700	Popular		--
II	Rotavator (Tractor Drawn) Gear Drive													
1	1.00 m PTO shaft & blade L & J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt.170.00 to 300.00 Kg, No. of blades L=24 to 30	71440	80370		78500	78500	9.88	76700	MAIDC, Popular, Sonalika Agro, Tirth Agro		--
2	1.25 m PTO shaft & blade L & T type/J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt. 306 to 440 Kg, No.of blades L=30 to 36	74340	83633	89134	89134	83633	12.50	79000	MAIDC, Deccan Farm, Tirth Agro, Sonalika Agro, Ahtarv, New Swan, Mahendra & Mahendra, Prabhu, Tata Steel,		
3	1.50 m PTO shaft & blade L & T type/J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt.310.00 to 476.000 Kg, No.of blades L=36 to 48	80500	90563	88900	82500	82500	2.48	82500	MAIDC, Farm Tech, Deccan Farm, Sonalika, Tirth Agro, Popular, Atharv, New Swan, Prabhu, Mahendra & Mahendra, Tata Steel, Bhansali, Shri Vynkateshwara		
4	1.65 m PTO shaft & blade L & T type/J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS 11531:2001	Wt. 336 Kg, No of blades L=48	New			87675	87675	New	82500	Mahendra & Mahendra,		--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
5	1.75 m PTO shaft & blade L & T type/J type Gear Drive	FMT&Tis/ SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt.310 .00 to 507.80 Kg, No.of blades L=42	81900	92138		86800	86800	5.98	85900	MAIDC, Sonalika, Popular, Farm tech, Tirth Agro, Atharv, New Swan, Prabhu, Bhansali		
6	1.80 m PTO shaft & blade L & T type/J type Gear Drive	FMT&Tis/ SAUs	IS 6690:1981 IS 4931:1995 IS 4468:1997 IS: 11531:2001	Wt. 364.00 to 392 Kg, No.of blades L=42 to 54	New		94471	88500	88500	New	85900	Deccan Farm, Mahendra & Mahendra, Farm Tech		
III	Disc Harrow (Tractor Drawn)													
1	Offset Disc Harrow (Tractor Mounted) 12 Disc	FMT&Tis/ SAUs	IS:4468:1997 IS:7640:1999 IS:6635:1995 IS:4366:1995 IS:7230:1995	Wt.360.00 Kg, No. of gangs-2, No. of disc in each gang-6	41000	46125		47150	46125	12.50	45000	Jadhav Agro		--
2	Offset Disc Harrow (Tractor Mounted) 14 Disc Without tyre	FMT&Tis/ SAUs	IS:7640:1975 IS:6635:1972 IS:4366:1985	Wt.397.000 Kg, No.of gang 2 , No of Disc in each gang 7	41000	56700		56700	56700	38.29	45000	Popular		--
3	Disc Harrow Ball bearing 14 Disc (Tyre type)	FMT&Tis/ SAUs	IS:7640:1975 IS:6635:1972 IS:4366:1985 IS:7230:1974 IS10225:1982	Wt.660.000 Kg, No.of gangs-2, 7 disc in each gang.	60490	68052		75000	68052	12.50	66500	Jadhav Agro		--
IV	Powertiller with rotary (List of Power tillers eligible for grant of subsidy as per Gol letter No.13-37/200-My(I&P) dated 18.12.2012)													
1	mitsubishi shakti vvh 120	FMT&Tis	IS:9935:2002 IS:9980:2002	8.44 HP, Wt.445.00 kg (With rotary), 325.00 kg (Without rotary), SFC 0.310 Kg/kWh at 6.3 kW	131850	147500			147500	11.87	145000	VST	--	--
2	KAMCO KMB-200	FMT&Tis	IS:9935:2002 IS:9980:2002	9.92 HP, Wt.490.000 kg (With rotary), SFC 0.260 Kg/kWh at 7.4 kW	New	153683			153683	New	145000	KAMCO	--	--
3	Power Tiller Texmaco Dhanwan	FMT&Tis	IS:9935:2002 IS:9980:2002	10.09 HP, Wt.450.00 kg (With rotary), 350.00 kg (Without rotary), SFC 0.293 Kg/kWh at 7.53 kW	New	159428			159428	New	150000	Texmaco	--	--
4	Power Tiller Garuda 3 PT 1200 D	FMT&Tis	IS:9935:2002 IS:9980:2002	10.46 HP, Wt.406.00 kg (With rotary), 323.00 kg (Without rotary), SFC 0.255 Kg/kWh at 7.8 kW	New	159095			159095	New	150000	Premier Power	--	--
5	Power Tiller Manum MCF 121	FMT&Tis	IS:9935:2002 IS:9980:2002	11.39 HP, Wt.411.00 kg (With rotary), 320.00 kg (Without rotary), SFC 0.291 Kg/kWh at 8.5kW	New	153675		161000	153675	New	145000	Southern Agro		--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
6	SCHRACHI KUBOTA DF 12 L	FMT&TI's	IS:9935:2002 IS:9980:2002	11.66 HP, Wt.435.00 kg (With rotary), 335.00 kg (Without rotary), SFC 0.292 Kg/kWh at 8.7 kW	119780	178500			178500	49.02	130000	Bengal Tools	--	--
7	KAMCO Super DI	FMT&TI's	IS:9935:2002 IS:9980:2002	11.80 HP, Wt.530.000 Kg (with rotavator), 490.000 Kg (without rotavator), SFC 0.256 at 8.8 kW	147600	160465			160465	8.72	158000	KAMCO	--	--
8	Power Tiller GS 12 DLX	FMT&TI's	IS:9935:2007 IS:9980:2009 IS:13539:2008	12.06 HP, Wt.426.000 Kg (with rotavator), 328.000 Kg (without rotavator), SFC 0.353 at 9 kW	New	142227		149000	142227	New	135000	Greaves		--
9	VST SHAKTI 130 DI	FMT&TI's	IS:9935:2002 IS:9980:2002	12.06 HP, Wt.445.000 kg (With rotary), SFC 0.288 Kg/kWh at 9.0 kW	135370	152500			152500	12.65	148000	VST	--	--
10	Power Tiller Divya Shakti	FMT&TI's	IS:9935:2003	12.20 HP, Wt.500.000 Kg (with rotavator), 386.000 Kg (without rotavator), SFC 0.277 at 9.1 kW	New	138815			138815	New	130000	Chirag Corpo	--	--
11	Power Tiller Vijay Samurai PT 03	FMT&TI's	IS:9935:2002 IS:9980:2002	12.86 HP, Wt.534.000 kg (With rotary), 414.000 Kg (without rotary) SFC 0.268 Kg/kWh at 9.6 kW	New	130365		137000	130365	New	123000	Southern Agro		--
13	Ganga Sifang GN-121-(15)	FMT&TI's	IS:9935:2002	13.00 HP, Wt.535.000 kg (With rotary), 440.000 kg (Without rotary), SFC 0.255 Kg/kWh at 9.7 kW	New	147955			147955	New	140000	Padgilwar	--	--
13	Power Tiller Shrachhi Champion	FMT&TI's	IS:9935:2003	13.14 HP, Wt.480.000 kg (With rotary), 396.000 kg (Without rotary), SFC 0.267 Kg/kWh at 9.8 kW	New	138409			138409	New	130000	Bengal Tools	--	--
14	GS 14 DIL	FMT&TI's	IS:9935:2002 IS:9980:2002	13.54 HP, Wt.496.000 kg (With rotary), 372.000 kg (Without rotary), SFC 0.277 Kg/kWh at 10.1 kW	127000	145948		139000	139000	9.45	133000	Greaves		--
15	GS 14 DIL X	FMT&TI's	IS:9935:2002 IS:9980:2003	13.54 HP, Wt.496.000 kg (With rotary), 372.000 kg (Without rotary), SFC 0.277 Kg/kWh at 10.1 kW	New	139364		146000	139364	New	132000	Greaves		--
16	VIJAY VR 15 L	FMT&TI's	IS:9935:2002 IS:9980:2002	13.67 HP, Wt.490 kg (With rotary), 370.00 kg (Without rotary), SFC 0.327 Kg/kWh at 10.2 kW	109250	156446		149000	149000	36.38	120000	Vijay		--
17	Souza Sifang GN-121	FMT&TI's	IS 9935 -2002 IS 12239-1998	14.34 HP, 520.000 Kg with Ratory, wt. 425.00 without Ratory SFC 0.276 Kg/KW.Hr at 10.7 KW	110200	127985			127985	16.14	120000	Souza Sifang	--	--
18	Power Tiller Rhino 15 DI	FMT&TI's	IS 9935 -2002 IS:12239-1998	14.34 HP, 472.000 Kg with Ratory, wt. 386.00 without Ratory SFC 0.267 Kg/KW.Hr at 10.7 KW	New	133636			133636	New	126000	Assam Sai	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
19	DRAGAN SHAKTI 150 DL	FMT&TI's	IS:9935:2002 IS:9980:2002	14.75 HP, Wt. 509.000 kg(With rotary), 398.000 kg (Without rotary), SFC 0.335 Kg/kWh at 11 kW	108528	124500			124500	14.72	119000	VST	--	--
20	GS 15 DIL-S	FMT&TI's	IS:9935:2002 IS:9980:2002 IS 12239:1998	14.75 HP, Wt.515.000 kg (With rotary), 390.000 kg (Without rotary), SFC 0.272 Kg/kWh at 11.0 kW	115600	139645		133000	133000	15.05	127000	Greaves		--
21	GS 15 DIL	FMT&TI's	IS:9935:2002 IS:9980:2002	14.75 HP, Wt.496.000 kg (With rotary), 394.000 kg (Without rotary), SFC 0.259 Kg/kWh at 11.0 kW	114000	137550		131000	131000	14.91	124000	Greaves		--
22	SCHRACHI SF 15 DI	FMT&TI's	IS:9935:2002 IS:9980:2002	14.88HP, Wt.490.000 kg (With rotary), 395.000 kg (Without rotary), SFC 0.289 Kg/kWh at 11.1 kW	113125	162750			162750	43.87	124000	Bengal Tools	--	--
V	Land Levellers													
1	6 Feet Leveller	FMT&Tis/ SAUs	IS:9813:1994 IS:7353:1974 IS:10221:1982	Wt.187.5 Kg	21650	24357			24357	12.50	23000	Fulhar	--	--
VI	Cultivators													
A	Cultivators (Bullok Drawn)													
1	3 tyne Cultivator without beam	FMT&Tis/ SAUs	IS 3342:1990	Wt.21.400 Kg without beam	2130	2396			2396	12.49	2300	MAIDC,	--	--
2	3 tyne Cultivator Wheel Type	FMT&Tis/ SAUs	Not mentioned	Wt.39.680 Kg	3880	4365		5500	4365	12.50	4200	Sai Agro	--	--
3	Cultivator Multi Purpose 4 in One (adjustable)	FMT&Tis/ SAUs	Not mentioned	Wt 44.350 Kg (Seed drill, Cultivator, Blade harrow, Ridger)	4040	4545	4500	4500	4500	11.39	4400	Venkatesh Agro		
4	Cultivator Multi Purpose 5 in One	FMT&Tis/ SAUs	IS:3342:1990, IS:2564:1990	Wt. 66.000 kg (Seed drill, Cultivator, Blade harrow, Ridger, Twin Dawara)	New	7840			7840	New	7400	Swastic Ind.	--	--
B	Cultivators (Tractor Drawn)													
1	5 Tyne Panji Cultivator Tractor operated	FMT&Tis/ SAUs	IS:4468:1997	Wt.235 to 240.000 Kg	20700	23287	23300	22500	22500	8.70	21700	Bohra, Jadhav		--
2	9 Tyne Cultivator Tractor operated	FMT&Tis/ SAUs	IS 6316:1999 IS:6638:1972 IS:7565:1975 IS:6023:1970 IS:4468:1997	Wt.187 to 295.000 Kg	20300	22838		21915	21915	7.96	21300	Bohra, Fulhar, Jadhav Agro, Popular, Shri Vyankataswara, Agro Tech, Bhansali,		--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
VII V Pass														
1	V Pass Heavy Duty	FMT&TIs/SAUs	IS:3342:1998 IS:4468:1997	Wt.162.000 Kg	16400	18450			18450	12.50	18000	Jadhav Agro	--	--
VIII Surry Ridger														
A Ridger (Bullock Drawn)														
1	Dandekar Type ridger MS with handle without beam	FMT&TIs/SAUs	IS:2565:1979 IS:10254:1999	Wt.35.500 to 38.500 Kg without Beam	2400	2700	4800	4800	2700	12.50	2600	Bothra, Fulhar, Dandekar, Varun Agro,		
2	Baliram Ridger MS With Handle Without Beam	FMT&TIs/SAUs	IS:2192:1976 IS:6288:1971	Wt.35.500 Kg without Beam	New	3189		3050	3050	New	2600	Bothra		--
B Surry Ridger (Tractor Drawn)														
1	Two furrow surry ridger	FMT&TIs/SAUs	IS:2565:1979 IS:4468:1997 IS:3342:1998	Wt. 213.5 Kg	New	27500		26200	26200	New	24000	Shri Vynkateshwara	--	--
2	Three furrow surry ridger	FMT&TIs/SAUs	Not mentioned	Wt.228.500 Kg	26200	28917		26200	26200	0.00	26200	Popular		--
IX Seed Drill														
A Seed cum fert. Drill (Bullock Drawn)														
1.a	Seed Cum Fert. Drill (2 Bowl, 3/4 Coulters Adj.)	FMT&TIs/SAUs	IS:9219:1993	Wt.21.350 to 45 Kg with beam and 3 Coulters Draft 20-25Kg	2780	3127	3200	3200	3127	12.48	3000	MAIDC, Shri Vynkateshwara, Venkatesh Agro,		
2.a	3 tyne auto Mechanical seed cum fert.drill (Bullock drawn)	FMT&TIs/SAUs	Not mentioned	Wt.44.00 to 62.00 Kg	6800	7073	8160	8160	7073	4.01	7000	Sai Agro, Shri Vynkateshwara, Dharti Agro,		
b	Three tyne Seed drill cum cultivator cum blade harrow. Adjustable	FMT&TIs/SAUs	Not mentioned	Total Wt. 25.850 to 45.00 Kg	3800	4275	4300	4300	4275	12.50	4000	Jalamkar, Venkatesh Agro		
B Seed cum fertilizer drill (Tractor drawn)														
1	Seed cum fertilizer drill 9 tyne 8" long	FMT&TIs	IS:6316:1993 IS:6813:2000 IS:4468:1997	Wt.245 to 464 Kg (Without seed & fert.) 360 to 520 kg (With seed & fert.)	43000	48375		46200	46200	7.44	45000	Jadhav, Anurag, Prabhu, Shri Vynkateshwa, Benson Agro, Dharti, Ram Durga, Bothra, Agro Tech., Bhansali.		--
Zero Till Drill														
1	Zero Till Drill (9 Tyne) &(9", 11", 13" Row Adj.)	FMT&TIs/SAUs	IS:6316:1993, IS:6813:2000,	Wt.o 354 Kg For 9 row,	New	51600		38880	38880	New	36000	Ram Durga	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Sarate														
1	Sarate (Set of 3 HDPE pipes)	FMT&TIs/SAUs	Not mentioned	Wt. of each sarate 0.94 Kg, for 3 sarate Wt.2.82 Kg	345	388			388	12.46	380	Tatiwar	--	--
Planters														
1.a	Manual Operated Rice Planter	FMT&TIs/SAUs	Not mentioned	Wt.18.600 Kg	New	23000	22000	22000	22000	New	15000	Shri. Vynkateshwara		
b	Cotton Planter Manually operated	FMT&TIs/SAUs	IS 9855:1981 IS 9856:1981 IS 11271:1985 IS 6813:2000 IS 816:1960	Wt. 12.00 Kg, with seed & beam	New			4160	4160	New	3900	Jai Baba Tractor		--
2.a	Paddy Transplanter 4 Row (Walk behind Type) Self Propelled 1.74 HP	FMT&TIs	As per testing authority.	Wt.163 to 175 kg SFC 0.399 to 0.562 Kg/kWh	New	216515		233154	216515	New	150000	Greaves, Premier Power		--
b	Paddy Transplanter 8 Row Riding Type, Self Propelled, (4.02 HP) (Model- Yanji Shakti - 2 Z T-238-8,	FMT&TIs	As per testing authority.	Wt. 319 Kg, SFC 0.318 Kg/kWh at 3.0 kW,	162750	177214			177214	8.89	170000	VST	--	--
3	Four Row Broad Bed Furrow Planter (Tractor Drawn)	MOU of agency with SAU	--	Wt.286.00 Kg	39300	50985		43800	43800	11.45	43000	MAIDC	--	--
4	Potato Planter (Automatic)	FMTTI/SAU	IS:11893:1997 IS 9856:1999 IS:4468:2007	Wt.375.00 Kg	New			88000	88000	New	75000	Ganesh Agro		--
5	Bund Former - Model - KBF--505	FMTTI/SAU	IS:12337:1988, IS:3372:1965, IS: 4468: 1997	Wt.155.00 Kg, No of Blades-2,	New	24800		25200	24800	New	23000	S.R.Engineering		--
X Sarayantra														
1	Sarayantra (Bullock Drawn)	FMT&TIs/SAUs	IS:3372:1999	Wt. 26.0 to 28.00 Kg	1750	1969	2050	2200	1969	12.51	1900	MAIDC, Shri Datta, Venkatesh Agro, Kisan Agro		
XI Sugarcane Interculturing Implement (Bullok Drawn)														
1	Sugarcane Interculturing & Fertilizer application (Kisan Oujar)	FMT&TIs/SAUs	Not mentioned	Wt.45.000 Kg	6150	7266		6950	6950	13.01	6700	Kisan Agro		--
2	Sugar Cane Bandhani Yantra/ Ridger with beam	FMT&TIs/SAUs	IS:2565:1979 IS 10254:1982	With beam Wt.34.000 Kg, Without beam Wt.24.500 Kg	3040	3419	3648	3800	3419	12.47	3300	Sriram		
3.a	3 Tyne Cultivator (Bar Bandage) with beam	FMT&TIs/SAUs	IS:3342:1998	Wt. With beam 25.500 Kg Wt. Without beam 17.000 Kg	2400	2700	2880	3000	2700	12.50	2600	Sriram		
b	3 Tyne Cultivator (Bar Bandage) without beam	FMT&TIs/SAUs	IS:3342:1998	Wt.21.00 Kg without Beam	New	1255			1255	New	1000	Fulhar	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XII	Dawara (Bullok Drawn)													
1	Dawara set 6",9",12" with M.S.beam (Adjustable)	FMT&TIs/SAUs	IS:2564 :1990	Wt.14.400 to 18.500 Kg with 305 mm blade.	1390	1564	1690	1690	1564	12.52	1500	MAIDC,Shri, Vynkateswara, Shri Datta	--	
2	Dawara set 9",12",15 "with M.S.beam (Adjustable)	FMT&TIs/SAUs	IS:2564:1990	Wt.14.9 Kg with 3 blade	1280	1440	1480	1480	1440	12.50	1400	Venkatesh Agro,		
3	Dawara Set (15" 18" 21") With MS Beam (Adjustable)	FMT&TIs/SAUs	Not mentioned	Wt.18.600 Kg with 3 blades	1600	1800	1800		1800	12.50	1700	MAIDC,	--	--
4	Adjustable Folding Dawara (6" to 21" without Blade)	FMT&TIs/SAUs	Not mentioned	Wt. 15.31 Kg with 3 blades	1300	1462		1450	1450	11.54	1400	Shri. Vynkateswara	--	--
5	U type 9" Dawara	FMT&TIs/SAUs	Not mentioned	Wt. 12.00 Kg, Draft 41 Kg	925	1040	1512		1040	12.43	1000	Godawari	--	
XIII	Wakhar (Harrow)													
1	U type wakhar 24" With MS beam	FMT&TIs/SAUs	IS:2564:1979	Wt.19.200 Kg to 25.850 kg	1450	1631	1768	1768	1631	12.48	1550	MAIDC, Venkatesh Agro, Shri, Vynkateshwara, Shri Datta		
2	U type Wakhar cum Cultivator 21" 3 tyne with beam	FMT&TIs/SAUs	IS:2564:1979, IS:3142:1998	Wt.with beam 29.00 Kg Wt. without beam 21.500 Kg.	1425	2875			2875	101.75	2300	Gadawari,	--	--
3	Wakhar cum Cultivator 4 tyne with beam	FMT&TIs/SAUs	IS:2564:1979, IS:3342:1998	Wt.with beam 36.00 Kg Wt. without beam 29.00 Kg.	3230	3634	3876	4038	3634	12.51	3500	Sriram		
4	Adjustable Blade Harrow 15",18,"24" & 18'21'24"	FMT&TIs/SAUs	Not mentioned	Wt.16.00 to 21.750 Kg	2200	2718	2400	2400	2400	9.09	2300	Venkatesh Agro, Varun		
5	Adjustable Blade Harrow 24",30",36"	FMT&TIs/SAUs	Not mentioned	Wt.31.750 Kg	2800		3050	3050	3050	8.93	2900	Venkatesh Agro		
XIV	Fertilizer Brodcaster (ISI Mark)													
1	Fertilizer Broadcaster with Aluminium Hopper (ISI Mark)	BIS	IS:12337:1988	---	1958	2013		1958	1958	0.00	1958	Hymatic Agro, Neptune, Satish, Mitushi, Adarsh,		--
2	Fertilizer Broadcaster with Fibreglass reinforced Plastic Hopper (ISI Mark)	BIS	IS:12337:1988	---	1750	1696		1750	1696	-3.09	1696	Hymatic Agro, Satish		--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XV	Urea Briquetter Machine													
1	Urea Briquetter Machine with 5 HP Motor	FMT&TIs/ SAU	As per testing authority	Wt.345.000 to 350.00 Kg	150000	166136	175000	180000	166136	10.76	160000	Shri Vynkateshwara, Bhaktaraj Agro, Vijay Engg., Shriram agri.Impliments		
2	Urea Briquetter Applicator	FMT&TIs/ SAU	Not mentioned	Wt.1.300 Kg	780	1076	975	975	975	25.00	850	Vijay Engg.		
3	Crow Bar for Fertilizer Application	FMT&TIs/ SAU	Not mentioned	Wt.1.600 to 2.080 Kg	300	333	300	300	300	0.00	300	Shri Enterprises, Rajmati, Shyamdatta,		
XVI	Weeder													
A	Weeder (Manually Operated)													
1.a	Cycle kolpe	FMT&TIs/ SAU	IS:14540:1998	Wt.7.100 to 9.500 Kg	720	810	860	900	810	12.50	790	Sriram, Shri Datta, Star, Ganesh, Shyamdatta, Sri Vyankateshwara		
b	T Type Small Wheel Hoe (kolpe)	FMT&TIs/ SAU	Not mentioned	Wt. 4.300 kg.	New	991	961	961	961	New	500	Shri Enterprises		
2.a	Cycle kolpe with ridger attachment	FMT&TIs/ SAU	Yes	Wt.8.60 to 9.200 Kg Ridger Wt. 1. 0 Kg	900	1505	1100	1440	1100	22.22	950	Kisan Agro, Shyam Datta		
3	Narayan Kolpe	FMT&TIs/ SAU	Not mentioned	Wt.8.500 Kg	950	1311	1140	1188	1140	20.00	1000	Sriram Agri		
4	Conoweeder	FMT&TIs/ SAU	Not mentioned	Wt.6.00 to 7.965 Kg	1710	1924	2010	1900	1900	11.11	1710	Shri Vynkateshwara, Neptune		
B	Weeder (Power Operated)													
A	Power Weeder Upto 3.5 Kw													
1	Power weeder:, 2.3. Kw (Model 625/315 Deisel engine	FMT&TIs/ SAUs	RNAM	Wt.90.000Kg. Tested for interculturing, weeding and tillage operations. Tyne 24	New	65100			65100	New	61000	Benson Agro	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Govt's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
B	Leaf shredding machine (Pachhat kutti) Tractor operated													
1	Sugarcane Trash shredder (T.D)	FMT&TIs/ SAU	Not mentioned	Wt. 990 Kg, 45HP & above, Blades - 151 to 152	168000	217107	232495	191000	191000	13.69	184000	Guru Agro		--
2	Mulcher (Model Chiara 160) Tractor operated	FMT&TIs/ SAU	IS :6690:1981 IS 4931:1995 IS 4468:1997	Wt. 670 Kg, Size 1600 mm, No. of Rotor blades L=36, Straight =18	New			261345	261345	New	184000	Mahendra & Mahendra		--
XVII	Reaper machines (Self Propelled) (Harvester)													
1	Reaper machine (Self Propelled)	FMT&Tis	IS:11467:1995 IS:6025:1982 IS:10378:1982	2.680 HP, SFC 0.410 Kg/kWh at 2.00 Kw, Wt.129.000 Kg to 210.00 kg Knife 24	78492	88304			88304	12.50	86000	Bengal Tools, Greaves, VST, Assam Sai, Captain (with diesel engine)		--
2	Reaper Cum Binder machine (Self Propelled), Model - Standard	FMT&Tis	IS:11467:1995	9.892 HP, SFC 0.278Kg/kWh at 7.38 KW Wt.450.00 Kg with diesel engine	New	327386			327386	New	265000	Dhanraj	--	--
3	Fodder Harvester machine (Self Propelled) Model - Standard	FMT&Tis	IS:11467:1995	9.892 HP, SFC 0.278Kg/kWh at 7.38 Kw, Wt.300.00 Kg with 4 Stroke diesel engine	New	224284			224284	New	200000	Dhanraj	--	--
XVIII	Sickles /Khurpe/Knife													
a	Serrated sickles with wooden handle	FMT&TIs/ SAUs	IS:4358:1996	Wt.0.194 to 0.231 Kg.	52	60	62	72	60	15.38	55	Smita, Star, Shri Vynkateswara, Shri. Datta, Beson Agro, Varun Agro,		
b	Serrated Sickle With Wooden Handle (Laxmi Type)	FMT&TIs/ SAUs	Not mentioned	S-106 Wt. 0.201 Kg. S-107 Wt. 0.220 Kg. S-107 Wt. 0.223 Kg. S-107 Wt. 0.221 Kg., Wt. 0.130 to 0.231 kg.	62	71	65		65	4.84	65	Smita, Beson , Varun	--	
c	Khurpe - Benson	FMT&TIs/ SAUs	Not mentioned	Wt. 0.150 Kg. with Wooden Handle	New	47			47	New	45	Beson	--	--
d	Sugarcane set Cutting knife													
1	Sugarcane Cutting knife	FMT&TIs/ SAUs	Not mentioned	Wt. 0.280 Kg (+/- 50 gm)	New			108	108	New	100	Shri Enterprises,		
2	Sugarcane Set Cutting knife	FMT&TIs/ SAUs	Not mentioned	Wt. 1.700 to 2.10 Kg.	New	199	200	250	199	New	150	Rajmati, Shri Enterprises		
3	Sugarcane stubble shaving Knife	FMT&TIs/ SAUs	Not mentioned	Wt. 0.800 to 1.000 Kg.	New	249	250	200	200	New	150	Rajmati, Shri Enterprises,		

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
4	Sugarcane eye bud removing knife	FMT&TIs/SAUs	Not mentioned	Wt. 3.800 Kg.	New	1255	1200	1200	1200	New	1000	Rajmati		
5	Sugarcane Bud Scooper (KRD Bud Scooper Machine)	FMT&TIs/SAUs	Not mentioned	Wt. 0.533 Kg.	New	878	840		840	New	750	K.R.D.		
XIX	Harvesting (Manual)													
1	Mango Harvester (Zela)	FMT&TIs/SAUs	As per testing authority	Wt.0.558 Kg	215	242			242	12.56	225	Smita	--	
2.a	Coconut Tree Climbing Device (Coconut Tree Ladder)	FMT&TIs/SAUs	As per testing authority	Wt. 9.00 Kg	--		2340		2340	New	2000	Mahamuni Agro	--	
b	Coconut Tree Climbing Device (Coconut Tree Ladder)	FMT&TIs/SAUs	As per testing authority	Wt.12.700 Kg	--	8777			8777	New	2800	Shri Engineering (Dapoli)	--	--
XX	Thresher													
A	Thresher (Manually Operated)													
1	Coconut Decorticater (Hand Operated)	FMT&TIs/SAUs	As per testing authority	Wt. 2.100 to 2.500 Kg	325	366		352	352	8.31	350	Vijay Engg. , Shri Engineering (Dapoli) Shri Enterprises (Sangli),		--
2	Groundnut Decorticater (Hand Operated)	FMT&TIs/SAUs	Not mentioned	Wt.16.200 Kg	2200	2561		2450	2450	11.36	2400	Kisan Agro		--
3	Paddy Thresher(Pedal Operated)	FMT&TIs/SAUs	IS:3327:1999	Wt. 37.300 to 47.675 Kg.	6500	7312	7475	7800	7312	12.49	7100	Star, Mhatre, Shri Vynkateshwara, Varun Agro		
B	Threshers (Power Operated)													
1	Groundnut Decorticater (Power Operated)	FMT&TIs/SAUs	IS: 11473: 1985	Wt.89.500 Kg with Prime Mover, Wt. 65.600 kg Without Prime Mover	--	36068		30000	30000	New	28000	R.M. Idn.		--
2	Paddy Thresher (Power Operated) 0.5 HP, W/O Motor	FMT&TIs/SAUs	Not mentioned	Wt. 60.00 Kg.	--	21524			21524	New	20000	Shri Engg . (R'giri)	--	--
3	Paddy Thresher (Electric Motor Operated 7.5HP w/o motor)	FMT&TIs/SAUs as per IS:9020	IS:9020:2002	Wt.780.00 Kg	99000	108844		114000	108844	9.94	105000	Shri Vynkateshwara		--
4	Paddy Thresher (Tractor operated) 25 HP & Above	FMT&TIs/SAUs as per IS:9020	IS:9020:2002	Wt. 1185 Kg, Tractor 25 HP & above	113000	124236	150000	150000	124236	9.94	120000	Shri Vynkateshwara		

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
5	Multicrop Thresher (Elec.Motor Operated) SWSF 5 HP W/O Motor	FMT&TIs/ SAUs as per IS:9020	IS:9020:2002	HP not mentioned in BIS, 407 Kg Wt.	35500	39938			39938	12.50	39000	J.S.Corporation	--	--
6	Multicrop Thresher (Ele. Motor Operated) DWDF 5HP w/o motor	FMT&TIs/ SAUs as per IS:9020	IS:9020:2002	HP not mentioned in BIS, 400 to 460 Kg Wt.	37800	42525	43470	43470	42525	12.50	41000	J.S.Corporation, Shri Vynkateshwara		
7	Multi crop Thresher (Tractor operated) 15 HP	FMT&TIs/ SAUs as per IS:9020	IS:9020:2002	Wt.900 to 1085 Kg	101500	111593			111593	9.94	109000	J.S.Corporation	--	--
8	Multi crop Thresher (Tractor operated) 25 HP	FMT&TIs/ SAUs as per IS:9020	IS:9020:2002	Wt. 975 to 1085 Kg	102000	112141	118000	145000	112141	9.94	109000	J.S.Corporation, Shri Vynkateshwara, Ganesh Raj		
XXI	Paddy Winnowing Fan													
1	Winnowing fan (Hand Operated)	FMT&TIs/ SAU	Not mentioned	Wt.20.00 to 21.500 Kg	1715	1929	2150	2450	1929	12.48	1850	Shri Vynkateshwara, Jadhav Agro, Jyoti		
2	Paddy winnowing fan (Power Operated)	FMT&TIs/ SAU	As per institute	Wt. 22.50 to 42.00 Kg, 0.5 HP single Phase Ele. Motor	5990	6739		6790	6739	12.50	6500	Jyoti, Agro Tech.		--
XXII	Grader													
1	Seed Dressing Drum (Hand Operated)	FMT&TIs/ SAUs	Not mentioned	Wt.14 to 24.425 Kg	2300	2588	2670	2670	2588	12.52	2500	Shri Vynkateshwara, Navkar		
2	Gravity Separator - Model PGS-500 (Seed Processing)	FMT&TIs/ SAU	IS:14460: 1997	Wt 291.0 Kg, 1.5 HP Elec. Motor	New	102455			102455	New	97000	Padsons	--	--
3	Nano Grader - (Model PGR - 500)	FMT&TIs/ SAU	IS:11041: 1984 IS:10892: 1984 IS:5718: 2000	Wt. 280 Kg, 1.5 HP Elec. Motor	New	96182			96182	New	90000	Padsons	--	--
4	Spiral Grader (Manual Operated)	FMT&TIs/ SAU	As per institute	Wt 36.800 Kg,	New	13068			13068	New	12000	Padsons	--	--
5	Spiral Sreprater (Manual Operated)	FMT&TIs/ SAU	As per institute	Wt 25.000 Kg,	New	13068			13068	New	12000	Padgilwar	--	--
XXIII	Processing													
1	Single roller Mini DALL MILL 3HP	FMT&TIs/ SAUs	As per MOA	3 HP Single Phase motor, Capacity 7 Q/day, Wt. 185 to 280.00 Kg.	70000	77000	72225	70840	70840	1.20	70840	MAIDC	--	--
XXIV	Chaff cutter													
1.a	Chaffcutter (Manual Operated)	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	Not mentioned	87.00 Kg. with Safty Guard	New	9932	11500	11500	9932	New	9000	Jadhav Agro	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
b	Chaffcutter (Hand/ Power Operated 1 HP)	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:1979 IS:7897:1996 IS:7898:2001 IS:11459:1985 IS:15542:2005	Wt.74.00 Kg. without Motor , 94Kg. With Motor Safty Guard Provided	New	13340	11500		11500	New	10000	Shri Vynkateshwara,	--	
2.a	Power operated chaffcutter 1HP w/o electric motor	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:7898:1995	1HP motor, 1425 to 1440 rpm, Wt.109.50 to 118.00 Kg without prime mover	9900	13340	12375	11500	11500	16.16	10500	Dandekar, Omkar	--	--
b	Power operated chaffcutter 1HP (With Elect. Motor)	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Not mentioned	Wt.109.50 to 118 Kg without Prime Mover, 1425 to 1440 rpm	14900	19206	18015	18000	18000	20.81	16000	Dandekar, Omkar, Shri. Vynkateshwara,Proton	--	
3.a	Power operated chaffcutter 2 HP W/O electric motor	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	2HP motor, 1440 rpm, Wt.95.00 to 165.00 Kg without prime mover, Dangerous Machines Rule 2007 Provision	New	12127	18700	11500	11500	New	10800	Omkar, Surya, Shr krupa, Harsh, Bothra, Shri Vynkateshwara,		
b	Power operated chaffcutter 2 HP with electric motor	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	2 HP motor, 1440 rpm, Wt.99.500 Kg without prime mover, Wt. 122.0 t0 192.00 Kg with prime mover	15500	19617	18700	22500	18700	20.65	17000	Omkar, Shri krupa, Surya, Harsh, Bothra, Shri Vynkateshwara, Proton,		
4.a	Power Operated Chafcutter 3 HP w/o Electric Motor (R/F model)	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	3HP motor, 1400 rpm, Wt.110 Kgtp 218 without prime mover, Dengerous Machines Rule 2007 Provision	18900	23000	18700	22680	18700	-1.06	18700	Amit, Kale Shri krupa, Omkar, Surya, Anand, Sai Sonalika, Ranjeet, Dashmesh,		
b	Power Operated Chafcutter 3 HP with Electric Motor (R/F model)	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	3HP motor, 1400 rpm, Wt.180.0 to 218.0 Kg with prime mover, Dengerous Machines Rule 2007 Provisio	27700	33580	29000	29700	29000	4.69	29000	Shri krupa, Surya, Omkar, Anand, Sai Sonalika, Ranjeet, Dashmesh,		
5.a	Power Operated Chafcutter 5 HP without Electric Motor	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	5 HP motor, 1400 rpm, Wt.140 Kg Without motor, Dengerous Machines Rule 2007 Provision	New		35550		35550	New	30000	Kale Ind.	---	
b	Power Operated Chafcutter 5 HP without Electric Motor (R/F model)	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	5 HP motor, 1400 rpm, Wt.140 Kg Without motor, Dengerous Machines Rule 2007 Provision	New		31750		31750	New	30000	Kale Ind.	--	

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XXV	Plant Protection Equipments (BIS mark)													
1	Hand Rotary Duster (Belly Mounted)	BIS	IS:5135:P-I:1994	--	1550	1668		1600	1600	3.23	1600	Hymatic, Neptune, Satish, Adarsh,		--
2	Knapsack Sprayer (16 Lit.) (Inside Chamber)	BIS	IS:3906:1985	--	845	847		925	847	0.24	847	Hymatic, Navyug N.K.Agro, Neptune, Padgilwar, Preksha, Sai Agro, Satish, Mitushi, Adarsh,		--
3.a	Knapsack Sprayer (16 Lit.) (Outside Chamber)	BIS	IS:3906:1985	--	1266	1266		1390	1266	0.00	1266	Hymatic, Navyug N.K.Agro, Neptune, Padgilwar, Preksha, Sai Agro, Satish, Mitushi, Adarsh,		--
b	Knapsack Sprayer (13 Lit.) Plastic (Outside Chamber)	BIS	IS:3906:1985	--	New	1650			1650	New	1150	Hymatic	--	--
4	Foot Sprayer (Single Lance)	BIS	IS:3652:1995	--	2310	2310		2400	2310	0.00	2310	Hymatic, Navyug, Neptune, Preksha, Mitushi, Adarsh		--
5	Rocking Sprayer (Single Lance)	BIS	IS:3062:1995	--	2310	2310		2500	2310	0.00	2310	Hymatic, Navyug, Neptune, Preksha, Mitushi, Adarsh		--
6.a	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	BIS	IS:7593:P-I:1986	Tank capacity 11.00 to 11.9 lit.	4219	4219		4500	4219	0.00	4219	Hymatic, Navyug, Neptune, Padgilwar, Preksha, Padson, Satish Agro, Rallies, N.K. Agro,		--
b	Pneumatic Power Sprayer-cum-Duster 12 ltr.	BIS	IS:7593:P-I:1986	Tank capacity 12 lit.	New	4219			4219	New	4219	Mitushi	--	--
c	Pneumatic Power Sprayer-cum-Duster 13 ltr.	BIS	IS:7593:P-I:1986	Tank capacity 13 lit.	New	5170			5170	New	4300	Satish Agro	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
7	Pneumatic Power Sprayer-cum-Duster 16 ltr.	BIS	IS:7593:P-I:1986	Tank capacity 16 lit.	5100	5100		5300	5100	0.00	5100	Hymatic, Satish Agro, Neptune, Padgilwar		--
8	Tractor Operated Power Sprayer (Model - Sarswati)	FMTTI/Other approved institutes.	IS:8548:1990 IS:11313:1990	Wt. 527.00 Kg with Fuel & Chemical., 23 HP Tractor, Tank capacity 400 lit, Pressure 28 Kg/cm2, Discharge 36 lit/min.,	New	56099			56099	New	53000	Padgilwar	--	--
9	Tractor Mounted Mist Blower sprayer (Model ATB/6)	FMTTIs	IS:8548:1990 IS:11313:1990	Wt. 175.00 Kg., 45 HP Tractor, Tank capacity 400 lit, Pressure 7.03 Kg/cm2, Discharge 9.5 lit/min.,	New	147568			147568	New	140000	ASPEE	--	--
10	Non Conventional Energy Spray Pumps - Single Piston spray pump, manually (pedal operated), working pressure 3-4kg/cm ² , discharge capacity 3.2Lit/min	FMT&TIs/ SAU	Not mentioned	Wt. 32.00 Kg, swath 120 cm, discharge 3.2 lpm, Pressure 3-4 Kg/cm2	15650	19800			19800	26.52	17000	Modern	--	--
XXVI	Light Traps													
1	Electrically operated insect trap (Regular Model)	FMTT&Is	As prepared by testing authority.	230 Volts A.C., 3000 Lumens (apa), UV with visible spectrum, Wt.2.750 Kg.	1400	3476		3286	3286	134.71	1540	Fine Trap		--
2	Electrically operated insect trap (Economy Model)	FMTT&Is	Not mentioned	250 Volts A.C., 300 Volts Halogen lamp and 150 Volts insect attracting bulb, Wt.0.660 Kg.	990	1650		1560	1560	57.58	1090	Fine Trap		--
XXVII	Electric / Diesel / Petro-kerosene Engines (BIS mark)													
1	3 HP Electric Monoset Pumpset Regular model with ACC	BIS	IS:9079:2002	--	12280	15085	14800	14800	14800	20.52	13500	Laxmi, Proton, Techno		
2	5 HP Electric Monoset Pumpset Regular model with ACC	BIS	IS:9079:2002	--	15730	18719	18800	18000	18000	14.43	17000	Laxmi, Proton, Techno		
3	7.5 HP Electric Monoset Pumpset Regular model with ACC	BIS	IS:9079:2002	--	22600	27622	27100	27100	27100	19.91	24500	Laxmi, Proton, Techno		
4	10 HP Electric Monoset Pumpset Regular model with ACC	BIS	IS:9079:2002	--	26700	31413	30800	30800	30800	15.36	29000	Laxmi, Proton, Techno		
5.a	3 HP Openwell Submersible Pumpset Regular model with ACC	BIS	IS:14220:1994	--	15000	17889	17850	17850	17850	19.00	16500	Laxmi, Presion, Proton, Shivanand, Domen, Shraofs, Techno, S.R. Engg. Anand	Laxmi, Presion, Shivanand, Domen, Anand	Laxmi, Shivanand

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
b	3 HP Openwell Submersible Pumpset Star Rating BEE	BIS	IS:14220:1994	5 Star rating BEE No.BEE/S&L/PS/SI/2009/65823, dated 19.3.2009	15000		19550	18900	18900	26.00	16500	--	Shivanand, S.R. Engg, Proton Presion, Laxmi	Shivanand
6.a	5 HP Openwell Submersible Pumpset Regular model	BIS	IS:14220:1994	--	18300	21840	21775	21775	21775	18.99	20000	Laxmi, Presion, Proton, Shivanand, Domen, Shrofs, Techno, S.R.Engg.	Laxmi, Shivanand, Domen, Anand	Laxmi, Presion, Shivanand
b	5 HP Openwell Submersible Pumpset Star Rating BEE	BIS	IS:14220:1994	5 Star rating BEE No.BEE/S&L/SP02/SI/0117/13/307 6, dated 5.1.2013	18300		23725	23100	23100	26.23	20000	--	Laxmi, Shivanand, S.R.Engg., Presion	Shivanand
7.a	7.5 HP Openwell Submersible Pumpset Regular model	BIS	IS:14220:1994	--	24400	29583	29025	28922	28922	18.53	26500	Laxmi, Domen, Presion, Proton, Shivanand, Shrofs, Techno, Anand	Laxmi, Domen, Presion, Shivanand, Anand	Laxmi, Shivanand
b	7.5 HP Openwell Submersible Pumpse Star Rating BEE	BIS	IS:14220:1994	5 Star rating BEE No.07/07/BEE/S&A/PS/TRI/2009/9 9480, dated 16.12.2009	24400	29583	29025	28922	28922	18.53	26500	--	Laxmi	--
8.a	10 HP Openwell Submersible Pumpset Regular model	BIS	IS:14220:1994	--	26400	32031	31600	31600	31600	19.70	29000	Laxmi, Proton, Shivanand, Techno	Laxmi, Shivanand	Laxmi, Shivanand
b	10 HP Openwell Submersible Pumpset Star Rating BEE	BIS	IS:14220:1994	5 Star rating BEE No.07/07/BEE/S&L/PS/TRI/2009/9 9480 dated 16/12/2009	26400			33180	33180		29000	--	Laxmi	--
9	3 HP Diesel Engine (3000) RPM	BIS	IS:11170:1985	SFC 300 gm/kWh at 3000 rpm	New	21575	27275	23100	21575	New	20000	Greaves, Captain	Greaves, Southern Agro.	Greaves, Captain
10	4 HP Diesel Engine 1800/2600 RPM - AIR COOLED ISI With ACC.	BIS	IS:11170:1985	SFC 290 gm/kWh at 2600 rpm	20350	24564		23900	23900	17.44	22000	Greaves	Greaves, Kirloskar	---
11.a	5 HP Disel Engine (1500/1800/2200)RPM	BIS	IS:11170:1985	SFC 251 gm/kWh at 1500 rpm SFC 245 gm/kWh at 1800 rpm SFC 240 gm/kWh at 2200 rpm	21900	27128	27275	24677	24677	12.68	24000	Gadre, Indra Marshal, Padgilwar, Ashoka, Ratnagiri Impex, Laxmi, Gujrath Forging , Rocket, A.V. Agro Tech,	Gadre, Ratnagiri Impex., Laxmi, Rocket,	Gadre, Laxmi, Rocket

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
b	5 HP Diesel Engine (2600/3000) RPM	BIS	IS:11170:1985	SFC 309 gm/kWh at 3000 rpm	21900	25292	27275	24677	24677	12.68	24000	Captain, Greaves, Kirloskar, Rocket. Ashoka, Indar Marshal. Anand,	Greaves, Kirloskar, Indra marshal, Anand	Rocket
12.a	7.50 HP Diesel Engine 1500/1800 RPM	BIS	IS:11170:1985	SFC 250 gm/kWh at 1500 rpm SFC 250 gm/kWh at 1800 rpm	24100	31278			31278	29.78	26000	Gujrath Forging, Ratnagiri Impex, Indra Marshal, Padgilwar	--	--
b	7.5- 8 HP Diesel Engine 2200/2600 RPM	BIS	IS:11170:1985	SFC 245 gm/kWh at 2200 rpm	24100	31928	32375	27577	27577	14.43	26000	Laxmi, Rocket, Kirloskar	Laxmi, Rocket	Laxmi, Rocket
13	10 HP Diesel Engine 1500/1800 RPM	BIS	IS:11170:1985	SFC 245 gm/kWh at 1500 rpm	26200	36478	42350	40110	36478	39.23	28500	Laxmi, Kirloskar, Rocket, Gujrat Forging, Indra Marshal, Ratnagiri Impex	Laxmi, Rocket,	Laxmi, Rocket,
14	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	BIS	IS:7347:1974	SFC 600 gm/kWh at 3000 rpm	16700	18036		18325	18036	8.00	17500	Greaves, Southern agro, Padgilwar	Greaves	--
15	3 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	BIS	IS 7347:1974	SFC 500 gm/kWh at 3000 rpm	--	20100		20500	20100	New	19000	Greaves, Southern Agro	Greaves	--
16	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	BIS	IS:7347:1974	SFC 700 gm/kWh at 3000 rpm	18200	17757		17757	17757	-2.43	17757	Greaves, Indra Marshal	Greaves	--
17	3 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	BIS	IS 7347:1974	SFC 550 gm/kWh at 3600 rpm	18200	19655		20200	19655	7.99	19000	Greaves, Indra Marshal	Greaves, Indra Marshal	--
18.a	3 HP Petrol Run Pumpset (Engine) 3600 RPM with standard accessories	BIS	IS 7347:1974	SFC 465 gm/kwh at 3600 rpm	17900	19333		19332	19332	8.00	18500	Honda Siel	Honda Siel	--
b	3 HP Petrol Run Pumpset (Engine) 3600 RPM Self Priming	BIS	IS 7347:1974	SFC 465 gm/kwh at 3600 rpm	New			23105	23105	New	19000	--	Honda Siel	--
XXVIII	Non Convetional Energy Pumpset													
1	Manually Operated Vanarai Water Pump	SAUs	Not Mentioned	Wt.28 Kg.	7100	10890			10890	53.38	7800	Modern	--	--
2	Manually Operated Cycle Operater Battery Charger	SAUs	Not Mentioned	Wt.18.00 Kg.	--	29273			29273	New	27500	Modern	--	--
3	Bicycle Operated Floor Mill	SAUs	Not Mentioned	Wt.22.00 Kg.	--	14636			14636	New	13500	Modern	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XXIX	Irrigation equipment - Sprinkler pipes: Ployethylene Pipes (HDPE) BIS Mark													
1	63 mm dia., 3.2 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 2.4 mm, Wt. 2.6 Kg per pipe	342	438	350	345	345	0.88	345	Jain, Kothari, Macknow, Sona, Mohak, Pragati, Shri Datta, Shiv, Tulshi, Spark, Maru, Art, Shri Amba, CMR Ind, Prem Ind, Mohit, Swastic, Finolex, Kisan, Shriram, Nimbus, Tijaria	Jain, Kothari, Macknow, Sona, Pragati, Shri Datta, Shiv, Spark, Maru, Art, Shri Amba, CMR Ind, Mohit, Tijaria, EPC, Sweta, Shriram, Green Gold, Chamtkar	Sona, Shri Datta, Shiv, Spark, Maru, Arts
2	75 mm dia, 2.5 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 2.4 mm, Wt. 3.1 Kg per pipe	360	440	380	400	380	5.56	380	Jain, Kothari, Macknow, Sona, Tatiwar, Sriram, Mohak, Pragati, Shiv, Tulshi, Art, Finolex, Ambika, Amba, CMR. Ind. Tijaria, Perm, Nimbus, Mohit, Kisan, R.M.Drip, Swastic	Jain, Kothari, Macknow, Sona, Tatiwar, Pragati, Shiv, Spark, Art, Ambika, Amba, CMR. Ind. Tijaria, Mohit, EPC, Sweta, Green Gold, Chamtkar,	Sona, Shiv, Spark, Arts, R.M.Ind.
3	75 mm dia, 3.2 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 2.9mm, Wt. 3.7 Kg per pipe	448	495	510	510	495	10.49	470	Jain, Kothari, Macknow, Sona, Maru, Tatiwar, Mohak, Pragati, Sriram, Sridatta, Shiv, Tulshi, Art, Finolex, Ambika, Amba, CMR. Ind. Tijaria, Perm, Nimbus, Mohit, Kisan, R.M.Drip, Swastic	Jain, Kothari, Macknow, Sona, Maru, Tatiwar, Pragati, Sridatta, Shiv, Spark, Art, Ambika, Amba, CMR. Ind., Tijaria, Mohit, EPC, Sweta, Sriram, Green Gold, Chamtkar	Sona, Maru, Shri Datta, Shiv, Spark, Art, R.M.Ind.
4	90 mm dia, 2.5 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 2.6mm, Wt. 4Kg per pipe	443	509	650	540	509	14.90	480	Jain, Kothari, Macknow, Sona, Mohak, Tulshi, Maru, Finolex, Prem, Mohit, Nimbus, Tijaria	Jain, Kothari, Sona, Shri Datta, Maru, Mohit, Tijaria, EPC, Sweta, Shriram Sons	Sona, Shri Datta, Maru

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
5	90 mm dia, 3.2 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thickness 3.4mm, Wt. 5.2 Kg per pipe	500	572	700	590	572	14.40	550	Jain, Kothari, Macknow, Sona, Mohak, Tulshi, Finolex, Prem, Mohit, Nimbus, Tijaria	Jain, Kothari, Macknow, Sona, EPC	Sona, Maru
XXX	Bullockcarts & Cart Wheel													
1	Bullockcarts													
1	Bullockcarts 1 1/2 mapi (V shape)	FMT&TIs/ SAU	IS: 12917:1990, IS:11269:1985	Wt. 217.380 Kg, Draft 42 Kg, Load Carrying capacity 1000kg	12350		13750	16500	13750	11.34	13500	--	Venkatesh Agro,	Venkatesh Agro,
2	Bullock cart (Model - T Ring Zig Zag wheel)	FMT&TIs/ SAU	IS:12917:1990	Wt.225.00 Kg, Draft 47.00 Kg, Load carrying capacity 1000.00 Kg	13000	14625	13570		13570	4.38	13500	Godawari	--	Godawari
3	Bullockcarts (Model - MAIDC)	FMT&TIs/ SAU	IS:12917:1990	Wt.240.00 Kg, Draft 47.00 Kg, Load carrying capacity 1000 Kg	14800	16651			16651	12.51	16000	MAIDC	--	--
4	BULLOCK CART - Melghat Special	FMT&TIs/ SAU	Not mentioned	Wt.190.540 Kg, Draft 50-55 kgf, Load carrying capacity 800 Kg	--	14625		16950	14625	New	13500	Jalamkar	Jalamkar	---
5	Bullockcart (V Shape)	FMT&TIs/ SAU	Not mentioned	Wt.222.1Kg, Draft 45-70 Kg ? Load carrying capacity 1000Kg	12500		18760	18760	18760	50.08	13500	--	Shri Vynkateshwara,	Shri Vynkateshwara,
6	Bullockcart (V shape)	FMT&TIs/ SAU	IS:12917:1990, IS: 11269:1985	Wt.180 Kg, Draft 45 Kg, Load carrying capacity 1000Kg	--		14800		14800	new	13000	--	--	Sonu
7	BULLOCK CART -(Model- Amit Steel wheel)	FMT&TIs/ SAU	IS:12917:1990, IS: 11269:1985	Wt.209.00 Kg, Draft 48.00 Kg, Load carrying capacity 1000.00 Kg	--	14625	16115		14625	New	13500	Amit	--	Amit
2	Bullockcart wheel pairs													
	Bullockcart wheel pairs 42 "	FMT&TIs/ SAU	IS:12917:1990, IS: 11269:1985	Wt 74.00 Kg to 77.500 kg, Load carrying capacity 1000.00 Kg	4400	4950	4800	5500	4800	9.09	4600	Godawari, Shri. Vynkateshwara, Amit	Shri. Vynkateshwara,	Shri. Vynkateshwara,
XXXI	Pruning/Farmer Kit													
1	Manually operated Tree Pruner	--	IS:3494:1978 IS:4454:1975	Wt. 1.900 Kg.	--	2421			2421	New	2300	Padgiwar	--	--
2	Farmer Kit													
a	Gakat	SAUs,		Wt. 0. 825 Kg.	--					New			--	--
b	Sickle	SAUs,	IS: 4358:1996	Wt. 0.175 Kg.	--					New			--	--
c	Single Bit Axe	SAUs,		Wt. 0. 608 Kg.	--	2071			2071	New	1900	Vijay Engg.	--	--
d	Khurapi	SAUs,		Wt. 0. 140 Kg.	--					New			--	--
e	Bharata (Soil Handling Tool)	SAUs,		Wt. 0.300 Kg.	--					New			--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
I	Plough													
A	Plough (Bullock Drawn)													
1	Plough 6" Casting set with spare kit	FMT&TIs/SAUs	IS:6288:1971 IS:2192:1998	Without beam 11.7 Kg, With beam 19.4 Kg, Size 152 to 155 mm	775	872		800	800	3.23	800	Bothra, Fulhar	Bothra	--
2	Plough 8" Casting set with spare kit	FMT&TIs/SAUs	IS:6288:1971 IS:2192:1998	Without beam 14.100 to 15.900 Kg, With beam 20.500 to 40.00 Kg, Size 187 to 202mm	890	1001	1060	900	900	1.12	900	Bothra, Fulhar, Shri Vynkateshwara Dandekar	Bothra, Shri Vynkateshwara	Shri Vynkateshwara
3	Plough 9" Casting set with spare kit	FMT&TIs/SAUs	IS:6288:1971 IS:2192:1998	Without beam 17.900 to 19.500 Kg, With beam 25.700 to 42.00 Kg, Size 229 to 230 mm	1080	1214	1350	1100	1100	1.85	1100	Bothra, Fulhar, Dandekar	Bothra	--
4	Plough 11" Casting set with spare kit	FMT&TIs/SAUs	IS:6288:1971 IS:2192:1998	Without beam 19.500 to 20.400 Kg, With beam 27.300 to 31.900 Kg, Size 271.30 to 280mm	1130	1272	1400	1250	1250	10.62	1215	Bothra, Fulhar	Bothra	--
5	4 bullock plough 39 "	FMT&TIs/SAUs	IS:6459:1990 IS:2192:1990	Wt.55.700 Kg, Size of plough 172 mm	3465	3899			3899	12.53	3810	Bothra	--	--
6	4 bullock plough 43 "	FMT&TIs/SAUs	IS:6459:1990 IS:2192:1990	Wt.60.000 Kg, Size of plough 180 mm	3365	3786			3786	12.51	3700	Fulhar	--	--
7.a	4 bullock plough 51 "	FMT&TIs/SAUs	IS:6459:1990 IS:2192:1990	Wt.58.500 Kg, Size of plough 195 mm	3750	4219			4219	12.51	4000	Bothra, Fulhar,	--	--
b	4 bullock Reversible plough 51 "	FMT&TIs/SAUs	Not mentioned	Wt.53.500 Kg w/o spare kit, 56 Kg with spare kit,	New		4500	4500	4500	New	3825	--	Venkatesh Agro	Venkatesh Agro
8.a	Kokan Plough (Fabricated)	FMT&TIs/SAUs	IS:6288:1971 IS:2192:1998	Wt .7.300 Kg without beam, Wt 13.000 Kg with Beam, Length of share 260 mm	970	1090	1150	1150	1090	12.37	1060	Star	Star	Star
b	Sindhu Kokan Plough (with handle)	FMT&TIs/SAUs	Not mentioned	Wt.4.400 Kg without Beam, Wt.10 Kg with Beam, Size of plough 250x200mm	900	1013	1080	1080	1013	12.56	990	Star	Star	Star
c	Sindhu Kokan Plough (without handle)	FMT&TIs/SAUs	Not mentioned	Total Wt.4.400 Kg without Beam.	735	827	900	900	827	12.52	800	Star	Star	Star
B	Mould Board Plough (Tractor Drawn)													
1	Mould Board Plough Two Furrow 35 HP	FMT&TIs/SAUs	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.208 to 255.00 Kg, Size of plough 312 to 335 mm,	22410	25212	55400	24500	24500	9.33	24000	Bothra, Jadhav Agro,	Jadhav Agro, Agro Tech.	--
2	Mould Board Plough Three Furrow 35 HP	FMT&TIs/SAUs	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.190.000 Kg, Size of plough 320 mm	20790	23389		25000	23389	12.50	22800	Jadhav Agro	Jadhav Agro	--
C	Reversible M. B. Plough (Tractor Drawn)													
1.a	Reversible plough Single Furrow 35 HP	FMT&TIs/SAUs	IS:6288:1971 IS:10691:1983 IS:4468:1997	Wt.240.000 Kg, size of plough 390 mm	37650	42355		42500	42355	12.50	41000	Bothra	Bothra	--
b	Reversible plough Single Furrow 45 HP	FMT&TIs/SAUs	IS:6288:1971 IS:10691:1983 IS:4468:1997	Wt. 237 to 260.000 Kg, Size of plough 405 to 470 mm,	37650	42355		45045	42355	12.50	41000	Bothra, Popular Steel,	Bothra, Popular Steel,	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
2.a	Reverseble Plough Two Furrow 35 HP Heavy Duty	FMT&TIs/SAUs	IS:6288:1971 IS:10691:1983 IS:4468:1997	Wt. 350.000 Kg, Size of plough 305 mm (12")	New	45045		45045	45045	New	42700	Bothra	Bothra	--
b	Reverseble Plough Two Furrow 45 HP Heavy duty	FMT&TIs/SAUs	IS:6288:1971 IS:10691:1983 IS:4468:1997	Wt.350.00 to 380.00 Kg, Size of plough 330 to 360 mm	44625	50203		48940	48940	9.67	47900	Bothra, Prabhu Agro, Popoular, Shri Vynkateshwara,	Bothra, Prabhu Agro, Popoular, Shri Vynkateshwara,	--
3	Reverseble Plough Two Furrow 50 HP Heavy duty	FMT&TIs/SAUs	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.345.00 to 380.00 Kg, Size of plough 350 to 365 mm	46200	51975		48900	48900	5.84	48500	Jadhav Agro, Popular, Bothra	Jadhav Agro, Popular,Bothra, Sai Sonalika, Bhansali,	--
4	Hydraulically reversible 2 MB Plough 45 HP	FMT&TIs/SAUs	IS:6288:1971 IS:4468:2007 IS:10691:2001	Wt.365.00 to 410.00 Kg, Size of plough 325 to 360 mm	73315	82479	96873	75800	75800	3.39	75800	Bothra, Prabhu Agro	Bothra, Prabhu Agro	--
5	Disc Plough Two Bottom 35 HP	FMT&TIs/SAUs	IS:6288:1971, IS:10233:1982 IS:4366:1972	Wt.262.00 Kg, Size of plough 2 x 390 mm	35225	41580		41580	41580	18.04	38700	Popular	Popular	--
II	Rotavator (Tractor Drawn) Gear Drive													
1	1.00 m PTO shaft & blade L & J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt.170.00 to 300.00 Kg, No. of blades L=24 to 30	71440	80370		78500	78500	9.88	76700	MAIDC,	Popular, Sonalika Agro, Tirth Agro	--
2	1.25 m PTO shaft & blade L & T type/J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt. 306 to 440 Kg, No.of blades L=30 to 36	74340	83633	89134	89134	83633	12.50	79000	MAIDC	Deccan Farm,Tirth Agro, Sonalika Agro, Ahtarv, New Swan, Mahendra & Mahendra, Prabhu, Tata Steel,	Deccan Farm
3	1.50 m PTO shaft & blade L & T type/J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt.310.00 to 476.000 Kg, No.of blades L=36 to 48	80500	90563	88900	82500	82500	2.48	82500	MAIDC	Farm Tech, Deccan Farm, Sonalika, Tirth Agro, Popular, Atharv, New Swan, Prabhu, Mahendra & Mahendra, Tata Steel, Bhansali	Farm Tech, Shri Vynkateshwara, Deccan Farm
4	1.65 m PTO shaft & blade L & T type/J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt. 336 Kg, No of blades L=48	New			87675	87675	New	82500	--	Mahendra & Mahendra,	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
5	1.75 m PTO shaft & blade L & T type/J type Gear Drive	FMT&TIs/SAUs	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Wt.310 .00 to 507.80 Kg, No.of blades L=42	81900	92138		86800	86800	5.98	85900	MAIDC	Sonalika, Popular, Farm tech, Tirth Agro, Atharv, New Swan, Prabhu, Bhansali	Farm Tech
6	1.80 m PTO shaft & blade L & T type/J type Gear Drive	FMT&TIs/SAUs	IS 6690:1981 IS 4931:1995 IS 4468:1997 IS: 11531:2001	Wt. 364.00 to 392 Kg, No.of blades L=42 to 54	New		94471	88500	88500	New	85900	--	Deccan Farm, Mahendra & Mahendra	Deccan Farm, Farm Tech
III Disc Harrow (Tractor Drawn)														
1	Offset Disc Harrow (Tractor Mounted) 12 Disc	FMT&TIs/SAUs	IS:4468:1997 IS:7640:1999 IS:6635:1995 IS:4366:1995 IS:7230:1995	Wt.360.00 Kg, No. of gangs-2, No. of disc in each gang-6	41000	46125		47150	46125	12.50	45000	Jadhav Agro	Jadhav Agro	--
2	Offset Disc Harrow (Tractor Mounted) 14 Disc Without tyre	FMT&TIs/SAUs	IS:7640:1975 IS:6635:1972 IS:4366:1985	Wt.397.000 Kg, No.of gang 2 , No of Disc in each gang 7	41000	56700		56700	56700	38.29	45000	Popular	Popular	--
3	Disc Harrow Ball bearing 14 Disc (Tyre type)	FMT&TIs/SAUs	IS:7640:1975 IS:6635:1972 IS:4366:1985 IS:7230:1974 IS10225:1982	Wt.660.000 Kg, No.of gangs-2, 7 disc in each gang.	60490	68052		75000	68052	12.50	66500	Jadhav Agro	Jadhav Agro	--
IV Powertiller with rotary (List of Power tillers eligible for grant of subsidy as per Gol letter No.13-37/200-My(I&P) dated 18.12.2012)														
1	MITSUBISHI SHAKTI VWH 120	FMT&TIs	IS:9935:2002 IS:9980:2002	8.44 HP, Wt.445.00 kg (With rotary), 325.00 kg (Without rotary), SFC 0.310 Kg/kWh at 6.3 kW	131850	147500			147500	11.87	145000	VST	--	--
2	KAMCO KMB-200	FMT&TIs	IS:9935:2002 IS:9980:2002	9.92 HP, Wt.490.000 kg (With rotary), SFC 0.260 Kg/kWh at 7.4 kW	New	153683			153683	New	145000	KAMCO	--	--
3	Power Tiller Texmaco Dhanwan	FMT&TIs	IS:9935:2002 IS:9980:2002	10.09 HP, Wt.450.00 kg (With rotary), 350.00 kg (Without rotary), SFC 0.293 Kg/kWh at 7.53 kW	New	159428			159428	New	150000	Texmaco	--	--
4	Power Tiller Garuda 3 PT 1200 D	FMT&TIs	IS:9935:2002 IS:9980:2002	10.46 HP, Wt.406.00 kg (With rotary), 323.00 kg (Without rotary), SFC 0.255 Kg/kWh at 7.8 kW	New	159095			159095	New	150000	Premier Power	--	--
5	Power Tiller Manum MCF 121	FMT&TIs	IS:9935:2002 IS:9980:2002	11.39 HP, Wt.411.00 kg (With rotary), 320.00 kg (Without rotary), SFC 0.291 Kg/kWh at 8.5kW	New	153675		161000	153675	New	145000	Southern Agro	Southern Agro	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
6	SCHRACHI KUBOTA DF 12 L	FMT&TI's	IS:9935:2002 IS:9980:2002	11.66 HP, Wt.435.00 kg (With rotary), 335.00 kg (Without rotary), SFC 0.292 Kg/kWh at 8.7 kW	119780	178500			178500	49.02	130000	Bengal Tools	--	--
7	KAMCO Super DI	FMT&TI's	IS:9935:2002 IS:9980:2002	11.80 HP, Wt.530.000 Kg (with rotavator), 490.000 Kg (witout rotavator), SFC 0.256 at 8.8 kW	147600	160465			160465	8.72	158000	KAMCO	--	--
8	Power Tiller GS 12 DLX	FMT&TI's	IS:9935:2007 IS:9980:2009 IS:13539:2008	12.06 HP, Wt.426.000 Kg (with rotavator), 328.000 Kg (witout rotavator), SFC 0.353 at 9 kW	New	142227		149000	142227	New	135000	Greaves	Greaves	--
9	VST SHAKTI 130 DI	FMT&TI's	IS:9935:2002 IS:9980:2002	12.06 HP, Wt.445.000 kg (With rotary), SFC 0.288 Kg/kWh at 9.0 kW	135370	152500			152500	12.65	148000	VST	--	--
10	Power Tiller Divya Shakti	FMT&TI's	IS:9935:2003	12.20 HP, Wt.500.000 Kg (with rotavator), 386.000 Kg (witout rotavator), SFC 0.277 at 9.1 kW	New	138815			138815	New	130000	Chirag Corpo	--	--
11	Power Tiller Vijay Samurai PT 03	FMT&TI's	IS:9935:2002 IS:9980:2002	12.86 HP, Wt.534.000 kg (With rotary), 414.000 Kg (witout rotary) SFC 0.268 Kg/kWh at 9.6 kW	New	130365		137000	130365	New	123000	Southern Agro	Southern Agro	--
13	Ganga Sifang GN-121-(15)	FMT&TI's	IS:9935:2002	13.00 HP, Wt.535.000 kg (With rotary), 440.000 kg (Without rotary), SFC 0.255 Kg/kWh at 9.7 kW	New	147955			147955	New	140000	Padgilwar	--	--
13	Power Tiller Shrachi Champion	FMT&TI's	IS:9935:2003	13.14 HP, Wt.480.000 kg (With rotary), 396.000 kg (Without rotary), SFC 0.267 Kg/kWh at 9.8 kW	New	138409			138409	New	130000	Bengal Tools	--	--
14	GS 14 DIL	FMT&TI's	IS:9935:2002 IS:9980:2002	13.54 HP, Wt.496.000 kg (With rotary), 372.000 kg (Without rotary), SFC 0.277 Kg/kWh at 10.1 kW	127000	145948		139000	139000	9.45	133000	Greaves	Greaves	--
15	GS 14 DIL X	FMT&TI's	IS:9935:2002 IS:9980:2003	13.54 HP, Wt.496.000 kg (With rotary), 372.000 kg (Without rotary), SFC 0.277 Kg/kWh at 10.1 kW	New	139364		146000	139364	New	132000	Greaves	Greaves	--
16	VIJAY VR 15 L	FMT&TI's	IS:9935:2002 IS:9980:2002	13.67 HP, Wt.490 kg (With rotary), 370.00 kg (Without rotary), SFC 0.327 Kg/kWh at 10.2 kW	109250	156446		149000	149000	36.38	120000	Vijay	Vijay	--
17	Souza Sifang GN-121	FMT&TI's	IS 9935 -2002 IS 12239-1998	14.34 HP, 520.000 Kg with Ratory, wt. 425.00 without Ratory SFC 0.276 Kg/KW.Hr at 10.7 KW	110200	127985			127985	16.14	120000	Souza Sifang	--	--
18	Power Tiller Rhino 15 DI	FMT&TI's	IS 9935 -2002 IS:12239-1998	14.34 HP, 472.000 Kg with Ratory, wt. 386.00 without Ratory SFC 0.267 Kg/KW.Hr at 10.7 KW	New	133636			133636	New	126000	Assam Sai	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
19	DRAGAN SHAKTI 150 DL	FMT&TI's	IS:9935:2002 IS:9980:2002	14.75 HP, Wt. 509.000 kg(With rotary), 398.000 kg (Without rotary), SFC 0.335 Kg/kWh at 11 kW	108528	124500			124500	14.72	119000	VST	--	--
20	GS 15 DIL-S	FMT&TI's	IS:9935:2002 IS:9980:2002 IS 12239:1998	14.75 HP, Wt.515.000 kg (With rotary), 390.000 kg (Without rotary), SFC 0.272 Kg/kWh at 11.0 kW	115600	139645		133000	133000	15.05	127000	Greaves	Greaves	--
21	GS 15 DIL	FMT&TI's	IS:9935:2002 IS:9980:2002	14.75 HP, Wt.496.000 kg (With rotary), 394.000 kg (Without rotary), SFC 0.259 Kg/kWh at 11.0 kW	114000	137550		131000	131000	14.91	124000	Greaves	Greaves	--
22	SCHRACHI SF 15 DI	FMT&TI's	IS:9935:2002 IS:9980:2002	14.88HP, Wt.490.000 kg (With rotary), 395.000 kg (Without rotary), SFC 0.289 Kg/kWh at 11.1 kW	113125	162750			162750	43.87	124000	Bengal Tools	--	--
V	Land Levellers													
1	6 Feet Leveller	FMT&TIs/ SAUs	IS:9813:1994 IS:7353:1974 IS:10221:1982	Wt.187.5 Kg	21650	24357			24357	12.50	23000	Fulhar	--	--
VI	Cultivators													
A	Cultivators (Bullok Drawn)													
1	3 tyne Cultivator without beam	FMT&TIs/ SAUs	IS 3342:1990	Wt.21.400 Kg without beam	2130	2396			2396	12.49	2300	MAIDC,	--	--
2	3 tyne Cultivator Wheel Type	FMT&TIs/ SAUs	Not mentioned	Wt.39.680 Kg	3880	4365		5500	4365	12.50	4200	Sai Agro	--	--
3	Cultivator Multi Purpose 4 in One (adjustable)	FMT&TIs/ SAUs	Not mentioned	Wt 44.350 Kg (Seed drill, Cultivator, Blade harrow, Ridger)	4040	4545	4500	4500	4500	11.39	4400	--	Venkatesh Agro	Venkatesh Agro
4	Cultivator Multi Purpose 5 in One	FMT&TIs/ SAUs	IS:3342:1990, IS:2564:1990	Wt. 66.000 kg (Seed drill, Cultivator, Blade harrow, Ridger, Twin Dawara)	New	7840			7840	New	7400	Swastic Ind.	--	--
B	Cultivators (Tractor Drawn)													
1	5 Tyne Panji Cultivator Tractor operated	FMT&TIs/ SAUs	IS:4468:1997	Wt.235 to 240.000 Kg	20700	23287	23300	22500	22500	8.70	21700	Bohra, Jadhav	Bohra, Jadhav	--
2	9 Tyne Cultivator Tractor operated	FMT&TIs/ SAUs	IS 6316:1999 IS:6638:1972 IS:7565:1975 IS:6023:1970 IS:4468:1997	Wt.187 to 295.000 Kg	20300	22838		21915	21915	7.96	21300	Bohra, Fulhar, Jadhav Agro, Popular, Shri Vyankataswara , Agro Tech, Bhansali,	Bohra, Jadhav Agro, Popular, Shri Vyankataswara , Agro Tech, Bhansali,	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
VII V Pass														
1	V Pass Heavy Duty	FMT&TIs/SAUs	IS:3342:1998 IS:4468:1997	Wt.162.000 Kg	16400	18450			18450	12.50	18000	Jadhav Agro	--	--
VIII Surry Ridger														
A Ridger (Bullock Drawn)														
1	Dandekar Type ridger MS with handle without beam	FMT&TIs/SAUs	IS:2565:1979 IS:10254:1999	Wt.35.500 to 38.500 Kg without Beam	2400	2700	4800	4800	2700	12.50	2600	Bothra, Fulhar, Dandekar, Varun Agro,	Varun Agro	Varun Agro
2	Baliram Ridger MS With Handle Without Beam	FMT&TIs/SAUs	IS:2192:1976 IS:6288:1971	Wt.35.500 Kg without Beam	New	3189		3050	3050	New	2600	Bothra	Bothra	--
B Surry Ridger (Tractor Drawn)														
1	Two furrow surry ridger	FMT&TIs/SAUs	IS:2565:1979 IS:4468:1997 IS:3342:1998	Wt. 213.5 Kg	New	27500		26200	26200	New	24000	Shri Vynkateshwara	--	--
2	Three furrow surry ridger	FMT&TIs/SAUs	Not mentioned	Wt.228.500 Kg	26200	28917		26200	26200	0.00	26200	Popular	Popular	--
IX Seed Drill														
A Seed cum fert. Drill (Bullock Drawn)														
1.a	Seed Cum Fert. Drill (2 Bowl, 3/4 Coulter Adj.)	FMT&TIs/SAUs	IS:9219:1993	Wt.21.350 to 45 Kg with beam and 3 Coulters Draft 20-25Kg	2780	3127	3200	3200	3127	12.48	3000	MAIDC,	Shri Vynkateshwara, Venkatesh Agro,	Venkatesh Agro,
2.a	3 tyne auto Mechanical seed cum fert.drill (Bullock drawn)	FMT&TIs/SAUs	Not mentioned	Wt.44.00 to 62.00 Kg	6800	7073	8160	8160	7073	4.01	7000	Sai Agro, Shri Vynkateshwara, Dharti Agro,	Shri Vynkateshwara,	Shri Vynkateshwara, Dharti Agro
b	Three tyne Seed drill cum cultivator cum blade harrow. Adjustable	FMT&TIs/SAUs	Not mentioned	Total Wt. 25.850 to 45.00 Kg	3800	4275	4300	4300	4275	12.50	4000	Jalamkar,	Jalamkar, Venkatesh Agro	Venkatesh Agro
B Seed cum fertilizer drill (Tractor drawn)														
1	Seed cum fertilizer drill 9 tyne 8' long	FMT&TIs	IS:6316:1993 IS:6813:2000 IS:4468:1997	Wt.245 to 464 Kg (Without seed & fert.) 360 to 520 kg (With seed & fert.)	43000	48375		46200	46200	7.44	45000	Jadhav, Anurag, Prabhu, Shri Vynkateshwa, Benson Agro, Dharti, Ram Durga	Jadhav, Prabhu, Shri Vynkateshwa, , Bothra, Agro Tech., Bhansali,	--
Zero Till Drill														
1	Zero Till Drill (9 Tyne) &(9", 11", 13" Row Adj.)	FMT&TIs/SAUs	IS:6316:1993, IS:6813:2000,	Wt.o 354 Kg For 9 row,	New	51600		38880	38880	New	36000	Ram Durga	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Sarate														
1	Sarate (Set of 3 HDPE pipes)	FMT&TIs/SAUs	Not mentioned	Wt. of each sarate 0.94 Kg, for 3 sarate Wt.2.82 Kg	345	388			388	12.46	380	Tatiwar	--	--
Planters														
1.a	Manual Operated Rice Planter	FMT&TIs/SAUs	Not mentioned	Wt.18.600 Kg	New	23000	22000	22000	22000	New	15000	Shri. Vynkateshwara	Shri. Vynkateshwara	Shri. Vynkateshwara
b	Cotton Planter Manually operated	FMT&TIs/SAUs	IS 9855:1981 IS 9856:1981 IS 11271:1985 IS 6813:2000 IS 816:1960	Wt. 12.00 Kg, with seed & beam	New			4160	4160	New	3900	--	Jai Baba Tractor	--
2.a	Paddy Transplanter 4 Row (Walk behind Type) Self Propelled 1.74 HP	FMT&TIs	As per testing authority.	Wt.163 to 175 kg SFC 0.399 to 0.562 Kg/kWh	New	216515		233154	216515	New	150000	Greaves, Premier Power	Greaves	--
b	Paddy Transplanter 8 Row Riding Type, Self Propelled, (4.02 HP) (Model- Yanji Shakti - 2 Z T-238-8,	FMT&TIs	As per testing authority.	Wt. 319 Kg, SFC 0.318 Kg/kWh at 3.0 kW,	162750	177214			177214	8.89	170000	VST	--	--
3	Four Row Broad Bed Furrow Planter (Tractor Drawn)	MOU of agency with SAU	--	Wt.286.00 Kg	39300	50985		43800	43800	11.45	43000	MAIDC	--	--
4	Potato Planter (Automatic)	FMTTI/SAU	IS:11893:1997 IS 9856:1999 IS:4468:2007	Wt.375.00 Kg	New			88000	88000	New	75000	--	Ganesh Agro	--
5	Bund Former - Model - KBF--505	FMTTI/SAU	IS:12337:1988, IS:3372:1965, IS: 4468: 1997	Wt.155.00 Kg, No of Blades-2,	New	24800		25200	24800	New	23000	S.R.Engineering	S.R.Engineering	--
X Sarayantra														
1	Sarayantra (Bullock Drawn)	FMT&TIs/SAUs	IS:3372:1999	Wt. 26.0 to 28.00 Kg	1750	1969	2050	2200	1969	12.51	1900	MAIDC,	Shri Datta, Venkatesh Agro, Kisan Agro	Shri Datta, Venkatesh Agro,
XI Sugarcane Interculturing Implement (Bullok Drawn)														
1	Sugarcane Interculturing & Fertilizer application (Kisan Oujar)	FMT&TIs/SAUs	Not mentioned	Wt.45.000 Kg	6150	7266		6950	6950	13.01	6700	Kisan Agro	Kisan Agro	--
2	Sugar Cane Bandhani Yantra/ Ridger with beam	FMT&TIs/SAUs	IS:2565:1979 IS 10254:1982	With beam Wt.34.000 Kg, Without beam Wt.24.500 Kg	3040	3419	3648	3800	3419	12.47	3300	Sriram	Sriram	Sriram
3.a	3 Tyne Cultivator (Bar Bandage) with beam	FMT&TIs/SAUs	IS:3342:1998	Wt. With beam 25.500 Kg Wt. Without beam 17.000 Kg	2400	2700	2880	3000	2700	12.50	2600	Sriram	Sriram	Sriram
b	3 Tyne Cultivator (Bar Bandage) without beam	FMT&TIs/SAUs	IS:3342:1998	Wt.21.00 Kg without Beam	New	1255			1255	New	1000	Fulhar	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XII	Dawara (Bullok Drawn)													
1	Dawara set 6",9",12" with M.S.beam (Adjustable)	FMT&TIs/SAUs	IS:2564 :1990	Wt.14.400 to 18.500 Kg with 305 mm blade.	1390	1564	1690	1690	1564	12.52	1500	MAIDC,	--	Shri, Vynkateswara, Shri Datta
2	Dawara set 9",12",15 "with M.S.beam (Adjustable)	FMT&TIs/SAUs	IS:2564:1990	Wt.14.9 Kg with 3 blade	1280	1440	1480	1480	1440	12.50	1400	Venkatesh Agro,	Venkatesh Agro,	Venkatesh Agro,
3	Dawara Set (15" 18" 21") With MS Beam (Adjustable)	FMT&TIs/SAUs	Not mentioned	Wt.18.600 Kg with 3 blades	1600	1800	1800		1800	12.50	1700	MAIDC,	--	--
4	Adjustable Folding Dawara (6" to 21" without Blade)	FMT&TIs/SAUs	Not mentioned	Wt. 15.31 Kg with 3 blades	1300	1462		1450	1450	11.54	1400	Shri. Vynkateswara	--	--
5	U type 9" Dawara	FMT&TIs/SAUs	Not mentioned	Wt. 12.00 Kg, Draft 41 Kg	925	1040	1512		1040	12.43	1000	Godawari	--	Godawari
XIII	Wakhar (Harrow)													
1	U type wakhar 24" With MS beam	FMT&TIs/SAUs	IS:2564:1979	Wt.19.200 Kg to 25.850 kg	1450	1631	1768	1768	1631	12.48	1550	MAIDC	Venkatesh Agro, Shri, Vynkateswara, Shri Datta	Venkatesh Agro Shri, Vynkateswara, Shri Datta
2	U type Wakhar cum Cultivator 21" 3 tyne with beam	FMT&TIs/SAUs	IS:2564:1979, IS:3142:1998	Wt.with beam 29.00 Kg Wt. without beam 21.500 Kg.	1425	2875			2875	101.75	2300	Gadawari,	--	--
3	Wakhar cum Cultivator 4 tyne with beam	FMT&TIs/SAUs	IS:2564:1979, IS:3342:1998	Wt.with beam 36.00 Kg Wt. without beam 29.00 Kg.	3230	3634	3876	4038	3634	12.51	3500	Sriram	Sriram	Sriram
4	Adjustable Blade Harrow 15",18,"24" & 18'21'24"	FMT&TIs/SAUs	Not mentioned	Wt.16.00 to 21.750 Kg	2200	2718	2400	2400	2400	9.09	2300	Vrun	Venkatesh Agro, Varun	Venkatesh Agro , Varun
5	Adjustable Blade Harrow 24",30",36"	FMT&TIs/SAUs	Not mentioned	Wt.31.750 Kg	2800		3050	3050	3050	8.93	2900	--	Venkatesh Agro	Venkatesh Agro
XIV	Fertilizer Brodcaster (ISI Mark)													
1	Fertilizer Broadcaster with Aluminium Hopper (ISI Mark)	BIS	IS:12337:1988	---	1958	2013		1958	1958	0.00	1958	Hymatic Agro, Neptune, Satish, Mitushi, Adarsh,	Hymatic Agro, Neptune	--
2	Fertilizer Broadcaster with Fibreglass reinforced Plastic Hopper (ISI Mark)	BIS	IS:12337:1988	---	1750	1696		1750	1696	-3.09	1696	Hymatic Agro, Satish	Hymatic Agro,	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XV	Urea Briquetter Machine													
1	Urea Briquetter Machine with 5 HP Motor	FMT&TIs/ SAU	As per testing authority	Wt.345.000 to 350.00 Kg	150000	166136	175000	180000	166136	10.76	160000	Shri Vynkateshwara, Bhaktaraj Agro, Vijay Engg., Shriram agri.Impliments	Shri Vynkateshwara, Bhaktaraj Agro, Vijay Engg., Shriram agri.Impliments	Shri Vynkateshwara, Bhaktaraj Agro, Vijay Engg., Shriram agri.Impliments
2	Urea Briquetter Applicator	FMT&TIs/ SAU	Not mentioned	Wt.1.300 Kg	780	1076	975	975	975	25.00	850	Vijay Engg.	Vijay Engg.	Vijay Engg.
3	Crow Bar for Fertilizer Application	FMT&TIs/ SAU	Not mentioned	Wt.1.600 to 2.080 Kg	300	333	300	300	300	0.00	300	Shri Enterprises, Rajmati,	Shri Enterprises, Rajmati	Shri Enterprises, Rajmati, Shyamdatta,
XVI	Weeder													
A	Weeder (Manually Operated)													
1.a	Cycle kolpe	FMT&TIs/ SAU	IS:14540:1998	Wt.7.100 to 9.500 Kg	720	810	860	900	810	12.50	790	Sriram, Shri Datta, Star	Sriram, Shri Datta, Star,	Sriram, Shri Datta, Star, Ganesh, Shyamdatta, Sri Vynkateshwara
b	T Type Small Wheel Hoe (kolpe)	FMT&TIs/ SAU	Not mentioned	Wt. 4.300 kg.	New	991	961	961	961	New	500	Shri Enterprises	Shri Enterprises	Shri Enterprises
2.a	Cycle kolpe with ridger attachment	FMT&TIs/ SAU	Yes	Wt.8.60 to 9.200 Kg Ridger Wt. 1. 0 Kg	900	1505	1100	1440	1100	22.22	950	Kisan Agro	Kisan Agro	Shyam Datta
3	Narayan Kolpe	FMT&TIs/ SAU	Not mentioned	Wt.8.500 Kg	950	1311	1140	1188	1140	20.00	1000	Sriram Agri	Sriram Agri	Sriram Agri
4	Conoweeder	FMT&TIs/ SAU	Not mentioned	Wt.6.00 to 7.965 Kg	1710	1924	2010	1900	1900	11.11	1710	Shri Vynkateshwara, Neptune	Shri Vynkateshwara, Neptune	Shri Vynkateshwara, Neptune
B	Weeder (Power Operated)													
A	Power Weeder Upto 3.5 Kw													
1	Power weeder., 2.3. Kw (Model 625/315 Deisel engine	FMT&TIs/ SAUs	RNAM	Wt.90.000Kg. Tested for interculturing, weeding and tillage operations. Tyne 24	New	65100			65100	New	61000	Benson Agro	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
B	Leaf shredding machine (Pachat kutti) Tractor operated													
1	Sugrcane Trash shredder (T.D)	FMT&TIs/ SAU	Not mentioned	Wt. 990 Kg, 45HP & above, Blades - 151 to 152	168000	217107	232495	191000	191000	13.69	184000	--	Guru Agro	--
2	Mulcher (Model Chiara 160) Tractor operated	FMT&TIs/ SAU	IS :6690:1981 IS 4931:1995 IS 4468:1997	Wt. 670 Kg, Size 1600 mm, No. of Rotor blades L=36, Straight =18	New			261345	261345	New	184000	--	Mahendra & Mahendra	--
XVII	Reaper machines (Self Propelled) (Harvester)													
1	Reaper machine (Self Propelled)	FMT&Tis	IS:11467:1995 IS:6025:1982 IS:10378:1982	2.680 HP, SFC 0.410 Kg/kWh at 2.00 Kw, Wt.129.000 Kg to 210.00 kg Knife 24	78492	88304			88304	12.50	86000	Bengal Tools, Greaves, VST, Assam Sai, Captain (with diesel engine)	Greaves, Captain (with diesel engine)	--
2	Reaper Cum Binder machine (Self Propelled), Model - Standard	FMT&Tis	IS:11467:1995	9.892 HP, SFC 0.278Kg/kWh at 7.38 KW Wt.450.00 Kg with diesel engine	New	327386			327386	New	265000	Dhanraj	--	--
3	Fodder Harvester machine (Self Propelled) Model - Standard	FMT&Tis	IS:11467:1995	9.892 HP, SFC 0.278Kg/kWh at 7.38 Kw, Wt.300.00 Kg with 4 Stroke diesel engine	New	224284			224284	New	200000	Dhanraj	--	--
XVIII	Sickles /Khurpe/Knife													
a	Serrated sickles with wooden handle	FMT&TIs/ SAUs	IS:4358:1996	Wt.0.194 to 0.231 Kg.	52	60	62	72	60	15.38	55	Smita, Star, Shri Vynkateswara, Shri. Datta, Beson Agro.	Star, Shri Vynkateswara, Shri. Datta, Varun Agro,	Star, Shri Vynkateswara, Shri. Datta, Beson Agro, Varun Agro,
b	Serrated Sickle With Wooden Handle (Laxmi Type)	FMT&TIs/ SAUs	Not mentioned	S-106 Wt. 0.201 Kg. S-107 Wt. 0.220 Kg. S-107 Wt. 0.223 Kg. S-107 Wt. 0.221 Kg., Wt. 0.130 to 0.231 kg.	62	71	65		65	4.84	65	Smita, Beson , Varun	--	Smita, Beson , Varun
c	Khurpe - Beson	FMT&TIs/ SAUs	Not mentioned	Wt. 0.150 Kg. with Wooden Handle	New	47			47	New	45	Beson	--	--
d	Sugarcane set Cutting knife													
1	Sugarcane Cutting knife	FMT&TIs/ SAUs	Not mentioned	Wt. 0.280 Kg (+/- 50 gm)	New			108	108	New	100	--	--	Shri Enterprises,
2	Sugarcane Set Cutting knife	FMT&TIs/ SAUs	Not mentioned	Wt. 1.700 to 2.10 Kg.	New	199	200	250	199	New	150	Rajmati,	Rajmati, Shri Enterprises	Rajmati
3	Sugarcane stubble shaving Knife	FMT&TIs/ SAUs	Not mentioned	Wt. 0.800 to 1.000 Kg.	New	249	250	200	200	New	150	Rajmati, Shri Enterprises,	Rajmati	Rajmati, Shri Enterprises

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
4	Sugarcane eye bud removing knife	FMT&TIs/SAUs	Not mentioned	Wt. 3.800 Kg.	New	1255	1200	1200	1200	New	1000	Rajmati	Rajmati	Rajmati
5	Sugarcane Bud Scooper (KRD Bud Scooper Machine)	FMT&TIs/SAUs	Not mentioned	Wt. 0.533 Kg.	New	878	840		840	New	750	K.R.D.	--	K.R.D.
XIX	Harvesting (Manual)													
1	Mango Harvester (Zela)	FMT&TIs/SAUs	As per testing authority	Wt.0.558 Kg	215	242			242	12.56	225	Smita	--	
2.a	Coconut Tree Climbing Device Coconut Tree Ladder)	FMT&TIs/SAUs	As per testing authority	Wt. 9.00 Kg	--		2340		2340	New	2000	--	--	Mahamuni Agro
b	Coconut Tree Climbing Device (Coconut Tree Ladder)	FMT&TIs/SAUs	As per testing authority	Wt.12.700 Kg	--	8777			8777	New	2800	Shri Engineering (Dapoli)	--	--
XX	Thresher													
A	Thresher (Manually Operated)													
1	Coconut Decorticater (Hand Operated)	FMT&TIs/SAUs	As per testing authority	Wt. 2.100 to 2.500 Kg	325	366		352	352	8.31	350	Vijay Engg . , Shri Engineering (Dapoli) Shri Enterprises (Sangli),	Vijay Engg. , Shri Enterprises (Sangli)	--
2	Groundnut Decorticater (Hand Operated)	FMT&TIs/SAUs	Not mentioned	Wt.16.200 Kg	2200	2561		2450	2450	11.36	2400	Kisan Agro	Kisan Agro	--
3	Paddy Thresher(Pedal Operated)	FMT&TIs/SAUs	IS:3327:1999	Wt. 37.300 to 47.675 Kg.	6500	7312	7475	7800	7312	12.49	7100	Star, Mhatre, Shri Vynkateshwara, Varun Agro	Star, Shri Vynkateshwara, Varun Agro	Star, Mhatre, Shri Vynkateshwara, Varun Agro
B	Threshers (Power Operated)													
1	Groundnut Decorticater (Power Operated)	FMT&TIs/SAUs	IS: 11473: 1985	Wt.89.500 Kg with Prime Mover, Wt. 65.600 kg Without Prime Mover	--	36068		30000	30000	New	28000	R.M. Idn.	R.M. Idn.	--
2	Paddy Thresher (Power Operated) 0.5 HP, W/O Motor	FMT&TIs/SAUs	Not mentioned	Wt. 60.00 Kg.	--	21524			21524	New	20000	Shri Engg . (R'giri)	--	--
3	Paddy Thresher (Electric Motor Operated 7.5HP w/o motor)	FMT&TIs/SAUs as per IS:9020	IS:9020:2002	Wt.780.00 Kg	99000	108844		114000	108844	9.94	105000	Shri Vynkateshwara	Shri Vynkateshwara	--
4	Paddy Thresher (Tractor operated) 25 HP & Above	FMT&TIs/SAUs as per IS:9020	IS:9020:2002	Wt. 1185 Kg, Tractor 25 HP & above	113000	124236	150000	150000	124236	9.94	120000	Shri Vynkateshwara	Shri Vynkateshwara	Shri Vynkateshwara

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
5	Multicrop Thresher (Elec.Motor Operated) SWSF 5 HP W/O Motor	FMT&TIs/ SAUs as per IS:9020	IS:9020:2002	HP not mentioned in BIS, 407 Kg Wt.	35500	39938			39938	12.50	39000	J.S.Corporation	--	--
6	Multicrop Thresher (Ele. Motor Operated) DWDF 5HP w/o motor	FMT&TIs/ SAUs as per IS:9020	IS:9020:2002	HP not mentioned in BIS, 400 to 460 Kg Wt.	37800	42525	43470	43470	42525	12.50	41000	J.S.Corporation, Shri Vynkateshwara	Shri Vynkateshwara	Shri Vynkateshwara
7	Multi crop Thresher (Tractor operated) 15 HP	FMT&TIs/ SAUs as per IS:9020	IS:9020:2002	Wt.900 to 1085 Kg	101500	111593			111593	9.94	109000	J.S.Corporation	--	--
8	Multi crop Thresher (Tractor operated) 25 HP	FMT&TIs/ SAUs as per IS:9020	IS:9020:2002	Wt. 975 to 1085 Kg	102000	112141	118000	145000	112141	9.94	109000	J.S.Corporation, Shri Vynkateshwara,	Ganesh Raj	Shri Vynkateshwara,
XXI	Paddy Winnowing Fan													
1	Winnowing fan (Hand Operated)	FMT&TIs/ SAU	Not mentioned	Wt.20.00 to 21.500 Kg	1715	1929	2150	2450	1929	12.48	1850	Shri Vynkateshwara, Jadhav Agro, Jyoti	Shri Vynkateshwara	Shri Vynkateshwara
2	Paddy winnowing fan (Power Operated)	FMT&TIs/ SAU	As per institute	Wt. 22.50 to 42.00 Kg, 0.5 HP single Phase Ele. Motor	5990	6739		6790	6739	12.50	6500	Jyoti	Agro Tech.	--
XXII	Grader													
1	Seed Dressing Drum (Hand Operated)	FMT&TIs/ SAUs	Not mentioned	Wt.14 to 24.425 Kg	2300	2588	2670	2670	2588	12.52	2500	Shri Vynkateshwara, Navkar	Shri Vynkateshwara	Shri Vynkateshwara
2	Gravity Separator - Model PGS-500 (Seed Processing)	FMT&TIs/ SAU	IS:14460: 1997	Wt 291.0 Kg, 1.5 HP Elec. Motor	New	102455			102455	New	97000	Padsons	--	--
3	Nano Grader - (Model PGR - 500)	FMT&TIs/ SAU	IS:11041: 1984 IS:10892: 1984 IS:5718: 2000	Wt. 280 Kg, 1.5 HP Elec. Motor	New	96182			96182	New	90000	Padsons	--	--
4	Spiral Grader (Manual Operated)	FMT&TIs/ SAU	As per institute	Wt 36.800 Kg,	New	13068			13068	New	12000	Padsons	--	--
5	Spiral Seprater (Manual Operated)	FMT&TIs/ SAU	As per institute	Wt 25.000 Kg,	New	13068			13068	New	12000	Padgilwar	--	--
XXIII	Processing													
1	Single roller Mini DALL MILL 3HP	FMT&TIs/ SAUs	As per MOA	3 HP Single Phase motor, Capacity 7 Q/day, Wt. 185 to 280.00 Kg.	70000	77000	72225	70840	70840	1.20	70840	MAIDC	--	--
XXIV	Chaff cutter													
1.a	Chaffcutter (Manual Operated)	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	Not mentioned	87.00 Kg. with Safty Guard	New	9932	11500	11500	9932	New	9000	Jadhav Agro	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
b	Chaffcutter (Hand/ Power Operated 1 HP)	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:1979 IS:7897:1996 IS:7898:2001 IS:11459:1985 IS:15542:2005	Wt.74.00 Kg. without Motor , 94Kg. With Motor Safty Guard Provided	New	13340	11500		11500	New	10000	Shri Vynkateshwara,	--	Shri Vynkateshwara,
2.a	Power operated chaffcutter 1HP w/o electric motor	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:7898:1995	1HP motor, 1425 to 1440 rpm, Wt.109.50 to 118.00 Kg without prime mover	9900	13340	12375	11500	11500	16.16	10500	Dandekar, Omkar	--	--
b	Power operated chaffcutter 1HP (With Elect. Motor)	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	Not mentioned	Wt.109.50 to 118 Kg without Prime Mover, 1425 to 1440 rpm	14900	19206	18015	18000	18000	20.81	16000	Dandekar, Omkar, Shri. Vynkateshwara,	--	Proton, Shri. Vynkateshwara,
3.a	Power operated chaffcutter 2 HP W/O electric motor	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	2HP motor, 1440 rpm, Wt.95.00 to 165.00 Kg without prime mover, Dangerous Machines Rule 2007 Provision	New	12127	18700	11500	11500	New	10800	Omkar, Surya, Shr krupa, Harsh, Bothra, Shri Vynkateshwara,	Bothra	Surya, Shri krupa, Harsh, Bothra
b	Power operated chaffcutter 2 HP with electric motor	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	2 HP motor, 1440 rpm, Wt.99.500 Kg without prime mover, Wt. 122.0 to 192.00 Kg with prime mover	15500	19617	18700	22500	18700	20.65	17000	Omkar, Shri krupa, Surya, Harsh, Bothra, Shri Vynkateshwara	Shri krupa,	Shri krupa, Proton, Surya, Harsh, Bothra, Shri Vynkateshwara
4.a	Power Operated Chafcutter 3 HP w/o Electric Motor (R/F model)	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	3HP motor, 1400 rpm, Wt.110 Kgtp 218 without prime mover, Dengerous Machines Rule 2007 Provision	18900	23000	18700	22680	18700	-1.06	18700	Amit, Kale Shri krupa, Omkar, Surya	Anand, Sai Sonalika, Ranjeet	Dashmesh, Amit, Kale, Shri. krupa, Surya,
b	Power Operated Chafcutter 3 HP with Electric Motor (R/F model)	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	3HP motor, 1400 rpm, Wt.180.0 to 218.0 Kg with prime mover, Dengerous Machines Rule 2007 Provisio	27700	33580	29000	29700	29000	4.69	29000	Shri krupa, Surya, Omkar	Anand, Sai Sonalika, Ranjeet	Dashmesh, Shri krupa
5.a	Power Operated Chafcutter 5 HP without Electric Motor	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	5 HP motor, 1400 rpm, Wt.140 Kg Without motor, Dengerous Machines Rule 2007 Provision	New		35550		35550	New	30000	--	---	Kale Ind.
b	Power Operated Chafcutter 5 HP without Electric Motor (R/F model)	FMT&TIs/ Dangerous machinery Act,1983 (IS:9020)	IS:1511:2000 IS:7897:1996 IS:11459:1985	5 HP motor, 1400 rpm, Wt.140 Kg Without motor, Dengerous Machines Rule 2007 Provision	New		31750		31750	New	30000	--	--	Kale Ind.

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XXV	Plant Protection Equipments (BIS mark)													
1	Hand Rotary Duster (Belly Mounted)	BIS	IS:5135:P-I:1994	--	1550	1668		1600	1600	3.23	1600	Hymatic, Neptune, Satish, Adarsh,	Hymatic, Neptune,	--
2	Knapsack Sprayer (16 Lit.) (Inside Chamber)	BIS	IS:3906:1985	--	845	847		925	847	0.24	847	Hymatic, Navyug N.K.Agro, Neptune, Padgilwar, Preksha, Sai Agro, Satish, Mitushi, Adarsh,	Hymatic, Neptune	--
3.a	Knapsack Sprayer (16 Lit.) (Outside Chamber)	BIS	IS:3906:1985	--	1266	1266		1390	1266	0.00	1266	Hymatic, Navyug N.K.Agro, Neptune, Padgilwar, Preksha, Sai Agro, Satish, Mitushi, Adarsh,	Hymatic, Neptune	--
b	Knapsack Sprayer (13 Lit.) Plastic (Outside Chamber)	BIS	IS:3906:1985	--	New	1650			1650	New	1150	Hymatic	--	--
4	Foot Sprayer (Single Lance)	BIS	IS:3652:1995	--	2310	2310		2400	2310	0.00	2310	Hymatic, Navyug, Neptune, Preksha, Mitushi, Adarsh	Hymatic, Neptune,	--
5	Rocking Sprayer (Single Lance)	BIS	IS:3062:1995	--	2310	2310		2500	2310	0.00	2310	Hymatic, Navyug, Neptune, Preksha, Mitushi, Adarsh	Hymatic, Neptune,	--
6.a	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	BIS	IS:7593:P-I:1986	Tank capacity 11.00 to 11.9 lit.	4219	4219		4500	4219	0.00	4219	Hymatic, Navyug, Neptune, Padgilwar, Preksha, Padson, Satish Agro, Rallies, N.K. Agro,	Hymatic, Neptune,	--
b	Pneumatic Power Sprayer-cum-Duster 12 ltr.	BIS	IS:7593:P-I:1986	Tank capacity 12 lit.	New	4219			4219	New	4219	Mitushi	--	--
c	Pneumatic Power Sprayer-cum-Duster 13 ltr.	BIS	IS:7593:P-I:1986	Tank capacity 13 lit.	New	5170			5170	New	4300	Satish Agro	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
7	Pneumatic Power Sprayer-cum-Duster 16 ltr.	BIS	IS:7593:P-I:1986	Tank capacity 16 lit.	5100	5100		5300	5100	0.00	5100	Hymatic, Satish Agro, Neptune, Padgilwar	Hymatic, Neptune, Padgilwar	--
8	Tractor Operated Power Sprayer (Model - Sarswati)	FMTTI/Other approved institutes.	IS:8548:1990 IS:11313:1990	Wt. 527.00 Kg with Fuel & Chemical., 23 HP Tractor, Tank capacity 400 lit, Pressure 28 Kg/cm2, Discharge 36 lit/min.,	New	56099			56099	New	53000	Padgilwar	--	--
9	Tractor Mounted Mist Blower sprayer (Model ATB/6)	FMTTIs	IS:8548:1990 IS:11313:1990	Wt. 175.00 Kg., 45 HP Tractor, Tank capacity 400 lit, Pressure 7.03 Kg/cm2, Discharge 9.5 lit/min.,	New	147568			147568	New	140000	ASPEE	--	--
10	Non Conventional Energy Spray Pumps - Single Piston spray pump, manually (pedal operated), working pressure 3-4kg/cm ² , discharge capacity 3.2Lit/min	FMT&TIs/ SAU	Not mentioned	Wt. 32.00 Kg, swath 120 cm, discharge 3.2 lpm, Pressure 3-4 Kg/cm2	15650	19800			19800	26.52	17000	Modern	--	--
XXVI	Light Traps													
1	Electrically operated insect trap (Regular Model)	FMTT&Is	As prepared by testing authority.	230 Volts A.C., 3000 Lumens (apa), UV with visible spectrum, Wt.2.750 Kg.	1400	3476		3286	3286	134.71	1540	Fine Trap	Fine Trap	--
2	Electrically operated insect trap (Economy Model)	FMTT&Is	Not mentioned	250 Volts A.C., 300 Volts Halogen lamp and 150 Volts insect attracting bulb, Wt.0.660 Kg.	990	1650		1560	1560	57.58	1090	Fine Trap	Fine Trap	--
XXVII	Electric / Diesel / Petro-kerosene Engines (BIS mark)													
1	3 HP Electric Monoset Pumpset Regular model with ACC	BIS	IS:9079:2002	--	12280	15085	14800	14800	14800	20.52	13500	Laxmi, Proton, Techno	Laxmi	Laxmi
2	5 HP Electric Monoset Pumpset Regular model with ACC	BIS	IS:9079:2002	--	15730	18719	18800	18000	18000	14.43	17000	Laxmi, Proton, Techno	Laxmi	Laxmi
3	7.5 HP Electric Monoset Pumpset Regular model with ACC	BIS	IS:9079:2002	--	22600	27622	27100	27100	27100	19.91	24500	Laxmi, Proton, Techno	Laxmi	Laxmi
4	10 HP Electric Monoset Pumpset Regular model with ACC	BIS	IS:9079:2002	--	26700	31413	30800	30800	30800	15.36	29000	Laxmi, Proton, Techno	Laxmi	Laxmi
5.a	3 HP Openwell Submersible Pumpset Regular model with ACC	BIS	IS:14220:1994	--	15000	17889	17850	17850	17850	19.00	16500	Laxmi, Presion, Proton, Shivanand, Domen, Shraofs, Techno, S.R. Engg. Anand	Laxmi, Presion, Shivanand, Domen, Anand	Laxmi, Shivanand

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
b	3 HP Openwell Submersible Pumpset Star Rating BEE	BIS	IS:14220:1994	5 Star rating BEE No.BEE/S&L/PS/SI/2009/65823, dated 19.3.2009	15000		19550	18900	18900	26.00	16500	--	Shivanand, S.R. Engg, Proton Presion, Laxmi	Shivanand
6.a	5 HP Openwell Submersible Pumpset Regular model	BIS	IS:14220:1994	--	18300	21840	21775	21775	21775	18.99	20000	Laxmi, Presion, Proton, Shivanand, Domen, Shrofs, Techno, S.R.Engg.	Laxmi, Shivanand, Domen, Anand	Laxmi, Presion, Shivanand
b	5 HP Openwell Submersible Pumpset Star Rating BEE	BIS	IS:14220:1994	5 Star rating BEE No.BEE/S&L/SP02/SI/0117/13/307 6, dated 5.1.2013	18300		23725	23100	23100	26.23	20000	--	Laxmi, Shivanand, S.R.Engg., Presion	Shivanand
7.a	7.5 HP Openwell Submersible Pumpset Regular model	BIS	IS:14220:1994	--	24400	29583	29025	28922	28922	18.53	26500	Laxmi, Domen, Presion, Proton, Shivanand, Shrofs, Techno, Anand	Laxmi, Domen, Presion, Shivanand, Anand	Laxmi, Shivanand
b	7.5 HP Openwell Submersible Pumpse Star Rating BEE	BIS	IS:14220:1994	5 Star rating BEE No.07/07/BEE/S&A/PS/TRI/2009/9 9480, dated 16.12.2009	24400	29583	29025	28922	28922	18.53	26500	--	Laxmi	--
8.a	10 HP Openwell Submersible Pumpset Regular model	BIS	IS:14220:1994	--	26400	32031	31600	31600	31600	19.70	29000	Laxmi, Proton, Shivanand, Techno	Laxmi, Shivanand	Laxmi, Shivanand
b	10 HP Openwell Submersible Pumpset Star Rating BEE	BIS	IS:14220:1994	5 Star rating BEE No.07/07/BEE/S&L/PS/TRI/2009/9 9480 dated 16/12/2009	26400			33180	33180		29000	--	Laxmi	--
9	3 HP Diesel Engine (3000) RPM	BIS	IS:11170:1985	SFC 300 gm/kWh at 3000 rpm	New	21575	27275	23100	21575	New	20000	Greaves, Captain	Greaves, Southern Agro.	Greaves, Captain
10	4 HP Diesel Engine 1800/2600 RPM - AIR COOLED ISI With ACC.	BIS	IS:11170:1985	SFC 290 gm/kWh at 2600 rpm	20350	24564		23900	23900	17.44	22000	Greaves	Greaves, Kirloskar	---
11.a	5 HP Disel Engine (1500/1800/2200)RPM	BIS	IS:11170:1985	SFC 251 gm/kWh at 1500 rpm SFC 245 gm/kWh at 1800 rpm SFC 240 gm/kWh at 2200 rpm	21900	27128	27275	24677	24677	12.68	24000	Gadre, Indra Marshal, Padgilwar, Ashoka, Ratnagiri Impex, Laxmi, Gujrath Forging , Rocket, A.V. Agro Tech,	Gadre, Ratnagiri Impex., Laxmi, Rocket,	Gadre, Laxmi, Rocket

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
b	5 HP Diesel Engine (2600/3000) RPM	BIS	IS:11170:1985	SFC 309 gm/kWh at 3000 rpm	21900	25292	27275	24677	24677	12.68	24000	Captain, Greaves, Kirloskar, Rocket. Ashoka, Indar Marshal. Anand,	Greaves, Kirloskar, Indra marshal, Anand	Rocket
12.a	7.50 HP Diesel Engine 1500/1800 RPM	BIS	IS:11170:1985	SFC 250 gm/kWh at 1500 rpm SFC 250 gm/kWh at 1800 rpm	24100	31278			31278	29.78	26000	Gujrath Forging, Ratnagiri Impex, Indra Marshal, Padgilwar	--	--
b	7.5- 8 HP Diesel Engine 2200/2600 RPM	BIS	IS:11170:1985	SFC 245 gm/kWh at 2200 rpm	24100	31928	32375	27577	27577	14.43	26000	Laxmi, Rocket, Kirloskar	Laxmi, Rocket	Laxmi, Rocket
13	10 HP Diesel Engine 1500/1800 RPM	BIS	IS:11170:1985	SFC 245 gm/kWh at 1500 rpm	26200	36478	42350	40110	36478	39.23	28500	Laxmi, Kirloskar, Rocket, Gujrat Forging, Indra Marshal, Ratnagiri Impex	Laxmi, Rocket,	Laxmi, Rocket,
14	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	BIS	IS:7347:1974	SFC 600 gm/kWh at 3000 rpm	16700	18036		18325	18036	8.00	17500	Greaves, Southern agro, Padgilwar	Greaves	--
15	3 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	BIS	IS 7347:1974	SFC 500 gm/kWh at 3000 rpm	--	20100		20500	20100	New	19000	Greaves, Southern Agro	Greaves	--
16	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	BIS	IS:7347:1974	SFC 700 gm/kWh at 3000 rpm	18200	17757		17757	17757	-2.43	17757	Greaves, Indra Marshal	Greaves	--
17	3 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	BIS	IS 7347:1974	SFC 550 gm/kWh at 3600 rpm	18200	19655		20200	19655	7.99	19000	Greaves, Indra Marshal	Greaves, Indra Marshal	--
18.a	3 HP Petrol Run Pumpset (Engine) 3600 RPM with standard accessories	BIS	IS 7347:1974	SFC 465 gm/kwh at 3600 rpm	17900	19333		19332	19332	8.00	18500	Honda Siel	Honda Siel	--
b	3 HP Petrol Run Pumpset (Engine) 3600 RPM Self Priming	BIS	IS 7347:1974	SFC 465 gm/kwh at 3600 rpm	New			23105	23105	New	19000	--	Honda Siel	--
XXVIII	Non Convetional Energy Pumpset													
1	Manually Operated Vanarai Water Pump	SAUs	Not Mentioned	Wt.28 Kg.	7100	10890			10890	53.38	7800	Modern	--	--
2	Manually Operated Cycle Operator Battery Charger	SAUs	Not Mentioned	Wt.18.00 Kg.	--	29273			29273	New	27500	Modern	--	--
3	Bicycle Operated Floor Mill	SAUs	Not Mentioned	Wt.22.00 Kg.	--	14636			14636	New	13500	Modern	--	--

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XXIX	Irrigation equipment - Sprinkler pipes: Ployethylene Pipes (HDPE) BIS Mark													
1	63 mm dia., 3.2 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 2.4 mm, Wt. 2.6 Kg per pipe	342	438	350	345	345	0.88	345	Jain, Kothari, Macknow, Sona, Mohak, Pragati, Shri Datta, Shiv, Tulshi, Spark, Maru, Art, Shri Amba, CMR Ind, Prem Ind, Mohit, Swastic, Finolex, Kisan, Shriram, Nimbus, Tijaria	Jain, Kothari, Macknow, Sona, Pragati, Shri Datta, Shiv, Spark, Maru, Art, Shri Amba, CMR Ind, Mohit, Tijaria, EPC, Sweta, Shriram, Green Gold, Chamtkar	Sona, Shri Datta, Shiv, Spark, Maru, Arts
2	75 mm dia, 2.5 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 2.4 mm, Wt. 3.1 Kg per pipe	360	440	380	400	380	5.56	380	Jain, Kothari, Macknow, Sona, Tatiwar, Sriram, Mohak, Pragati, Shiv, Tulshi, Art, Finolex, Ambika, Amba, CMR. Ind. Tijaria, Perm, Nimbus, Mohit, Kisan, R.M.Drip, Swastic	Jain, Kothari, Macknow, Sona, Tatiwar, Pragati, Shiv, Spark, Art, Ambika, Amba, CMR. Ind. Tijaria, Mohit, EPC, Sweta, Green Gold, Chamtkar,	Sona, Shiv, Spark, Arts, R.M.Ind.
3	75 mm dia, 3.2 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 2.9mm, Wt. 3.7 Kg per pipe	448	495	510	510	495	10.49	470	Jain, Kothari, Macknow, Sona, Maru, Tatiwar, Mohak, Pragati, Sriram, Sri datta, Shiv, Tulshi, Art, Finolex, Ambika, Amba, CMR. Ind. Tijaria, Perm, Nimbus, Mohit, Kisan, R.M.Drip, Swastic	Jain, Kothari, Macknow, Sona, Maru, Tatiwar, Pragati, Sridatta, Shiv, Spark, Art, Ambika, Amba, CMR. Ind., Tijaria, Mohit, EPC, Sweta, Sriram, Green Gold, Chamtkar	Sona, Maru, Shri Datta, Shiv, Spark, Art, R.M.Ind.
4	90 mm dia, 2.5 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 2.6mm, Wt. 4Kg per pipe	443	509	650	540	509	14.90	480	Jain, Kothari, Macknow, Sona, Mohak, Tulshi, Maru, Finolex, Prem, Mohit, Nimbus, Tijaria	Jain, Kothari, , Sona, Shri Datta, Maru, Mohit, Tijaria, EPC, Sweta, Shriram Sons	Sona, Shri Datta, Maru

Rates Proposed for Agricultural Implements 2013-14

Sr. No.	Name of implement	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Rate fixed for 2011-12 (Rs.)	Rate proposed for 2013-14 (Rs.)			Lowest Price (RS)	% increase/decrease over last years rate	Rates Proposed for 2013-14	Names of Manufacturer/Suppliers Recommended by SLTC		
						MAIDC	MSSIDC	MSCMF				MAIDC	MSCMF	MSSIDC
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
5	90 mm dia, 3.2 kg/cm ² internal pressure	BIS	IS:14151:P-I:2008 IS:14151:P-II:2008	Wall thikness 3.4mm, Wt. 5.2 Kg per pipe	500	572	700	590	572	14.40	550	Jain, Kothari, Macknow, Sona, Mohak, Tulshi, Finolex, Prem, Mohit, Nimbus, Tijaria	Jain, Kothari, Macknow, Sona, EPC	Sona, Maru
XXX	Bullockcarts & Cart Wheel													
1	Bullockcarts													
1	Bullockcarts 1 1/2 mapi (V shape)	FMT&TIs/ SAU	IS: 12917:1990, IS:11269:1985	Wt. 217.380 Kg, Draft 42 Kg, Load Carrying capacity 1000kg	12350		13750	16500	13750	11.34	13500	--	Venkatesh Agro,	Venkatesh Agro,
2	Bullock cart (Model - T Ring Zig Zag wheel)	FMT&TIs/ SAU	IS:12917:1990	Wt.225.00 Kg, Draft 47.00 Kg, Load carrying capacity 1000.00 Kg	13000	14625	13570		13570	4.38	13500	Godawari	--	Godawari
3	Bullockcarts (Model - MAIDC)	FMT&TIs/ SAU	IS:12917:1990	Wt.240.00 Kg, Draft 47.00 Kg, Load carrying capacity 1000 Kg	14800	16651			16651	12.51	16000	MAIDC	--	--
4	BULLOCK CART - Melghat Special	FMT&TIs/ SAU	Not mentioned	Wt.190.540 Kg, Draft 50-55 kgf, Load carrying capacity 800 Kg	--	14625		16950	14625	New	13500	Jalamkar	Jalamkar	---
5	Bullockcart (V Shape)	FMT&TIs/ SAU	Not mentioned	Wt.222.1Kg, Draft 45-70 Kg ? Load carrying capacity 1000Kg	12500		18760	18760	18760	50.08	13500	--	Shri Vynkateshwara,	Shri Vynkateshwara,
6	Bullockcart (V shape)	FMT&TIs/ SAU	IS:12917:1990, IS: 11269:1985	Wt.180 Kg, Draft 45 Kg, Load carrying capacity 1000Kg	--		14800		14800	new	13000	--	--	Sonu
7	BULLOCK CART -(Model- Amit Steel wheel)	FMT&TIs/ SAU	IS:12917:1990, IS: 11269:1985	Wt.209.00 Kg, Draft 48.00 Kg, Load carrying capacity 1000.00 Kg	--	14625	16115		14625	New	13500	Amit	--	Amit
2	Bullockcart wheel pairs													
	Bullockcart wheel pairs 42 "	FMT&TIs/ SAU	IS:12917:1990, IS: 11269:1985	Wt 74.00 Kg to 77.500 kg, Load carrying capacity 1000.00 Kg	4400	4950	4800	5500	4800	9.09	4600	Godawari, Shri. Vynkateshwara, Amit	Shri. Vynkateshwara,	Shri. Vynkateshwara,
XXXI	Pruning/Farmer Kit													
1	Manually operated Tree Pruner	--	IS:3494:1978 IS:4454:1975	Wt. 1.900 Kg.	--	2421			2421	New	2300	Padgiwar	--	--
2	Farmer Kit													
a	Gakat	SAUs,		Wt. 0. 825 Kg.	--					New			--	--
b	Sickle	SAUs,	IS: 4358:1996	Wt. 0.175 Kg.	--					New			--	--
c	Single Bit Axe	SAUs,		Wt. 0. 608 Kg.	--	2071			2071	New	1900	Vijay Engg.	--	--
d	Khurapi	SAUs,		Wt. 0. 140 Kg.	--					New			--	--
e	Bharata (Soil Handling Tool)	SAUs,		Wt. 0.300 Kg.	--					New			--	--

सन २०१३-१४ साठी राज्य स्तरीय तांत्रिक समितीच्या सभेसाठी पुरवठा संस्थांनी सादर केलेल्या तपासणी अहवालांआधारे व इतर कागदपत्रांआधारे कृषि औजारांच्या तांत्रिक माहितीचा संकलीत तपशील

SLTC: Technical data sheet of Agricultural Implements as per Testing Reports submitted by Supplying Agencies for the year 2013-14

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gof's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
I	A	Plough (Bullock Drawn)																
1	a	Plough 6" Casting set with spare kit	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 85/101, Nov. 2002	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 11.7 Kg, With beam 19.4 Kg, Size 152mm	(R)		
	b	Plough 6" Casting set with spare kit	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 88/104, Nov.2002	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 11.7 Kg, With beam 19.4 Kg, Size 155mm	(R)		
2	a	Plough 8" Casting set with spare kit	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 84/100, Nov.2002	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 14.100 Kg, With beam 20.500 Kg, Size 202mm	(R)		
	b	Plough 8" Casting set with spare kit	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 87/103, Nov.2002	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 15.900 Kg, With beam 22.300 Kg, Size 187mm	(R)		
	c	Plough 8" Casting set with spare kit	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PKV, Akola	No.580, dt.25.1.2011	Yes	Not mentioned	Yes	Yes	Within State	--	Without beam Wt.14.110 Kg, Size 200mm	(R)		
	d	Plough 8" Casting set with spare kit	Dandekar Brothers, Sangli	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 107/128, Oct.2003	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam wt. 18.300 Kg, With beam 40.00 Kg, Size 229mm	(NR)		Compliance not Given
3	a	Plough 9" Casting set with spare kit	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 83/99, Nov.2002	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 19.500 Kg, With beam 28.400 Kg, Size 229mm	(R)		
	b	Plough 9" Casting set with spare kit	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 76/92, Sept.2002	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 17.900 Kg, With beam 25.700 Kg, Size 230mm	(R)		
	c	Plough 9" Casting set with spare kit	Dandekar Brothers, Sangli	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 108/129, Oct.2003	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 19.500 Kg, With beam 42.00 Kg Size 229 mm	(R)		
	d	Baliram Plough 9 " 2 bullock	Jagdamba Agro Engg. Jaina	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV Rahuri	2008-09	Yes	--	Yes	Yes	Within State	--	Without beam 18.650 Kg,	(P)	Matter is Subjudice	
4	a	Plough 11" Casting set with spare kit	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 82/98, Nov.2002	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 20.400 Kg, With beam 31.900 Kg, Size 280mm	(R)		
	b	Plough 11" Casting set with spare kit	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 75/91, Sept.2002	Yes	IS:6288:1971 IS 2192:1998	Yes	Yes	Within State	--	Without beam 19.500 Kg, With beam 27.300 Kg, Size 271.3mm	(R)		
	c	Baliram Plough 11 " 2 bullock	Jagdamba Agro Engg. Jaina	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV Rahuri	2008-09	Yes	--	Yes	Yes	Within State	--	Without beam 20.550 Kg,	(P)	Matter is Subjudice	
5	a	4 bullock plough 39 "	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	NRFMTTI, Hissar	IMP 157/595, Sept.1999	Yes	IS:6459:1990 IS2192:1990	Yes	Yes	Within State	--	Wt.55.700 Kg, Size of plough 172 mm	(R)		
	b	4 bullock plough 43 "	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 72/88, July 2002	Yes	IS:6459:1990 IS2192:1990	Yes	Yes	Within State	--	Wt.60.000 Kg, Size of plough 180mm	(R)		
	c	Bullock Drawn Reversible Plough - 2 bullock	Jagdamba Agro Engg. Jaina	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV Rahuri	2008-09	Yes	--	Yes	Yes	Within State	--	Without beam 41.900 Kg,	(P)	Matter is Subjudice	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside State	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC, 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
6	a	4 bullock plough 51 "	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	NRFMTTI,Hissar	IMP 156/594, Sept.1999	Yes	IS:6459:1990 IS2192:1990	Yes	Yes	Within State	--	Wt.58.500 Kg, Size of plough 195 mm	(R)		
	b	4 bullock plough 51 "	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	NRFMTTI,Hissar	IMP 157/594, Sept.1999	Yes	IS:6459:1990 IS2192:1990	Yes	Yes	Within State	--	Wt.58.500 Kg, Size of plough 195 mm	(R)		
	c	4 bullock Reversible plough 51 "	Venkatesh Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV Rahuri	4390/4/ 1.9.2010	Yes	Not mentioned	Yes	--	Within State	--	Wt.53.500 Kg w/o spare kit 56 Kg with spare kit,	(R)		
	d	4 bullock - Reversible Plough -	Jagdamba Agro Engg. Jalna	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV Rahuri	2008-09	Yes	--	Yes	Yes	Within State	--	Without beam 53.100 Kg,	(P)	Matter is Subjudice	
7	a	Kokan Plough (Fabricated)	Star Enterprises, Pune	Manufacturer (Taken over from Pallavi Engg., Raigad)	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 01/01/2001, Dec.2001	Yes	IS:6288:1971 IS:2192:1998	Yes	--	Within State	--	Wt. 7.300 Kg without beam, Wt.13.000 Kg with Beam, Length of share 260 mm	(R)		
	b	Sindhu Kokan Plough (with handle)	Star Enterprises, Pune	Manufacturer (Taken over from Pallavi Engg., Raigad)	SSI	FMT&TIs/ SAUs	BSKKV, Dapoli	No.2623, dt.9.3.2001	Yes	Not mentioned	Yes	--	Within State	--	Wt.4.400 Kg without Beam, Wt.10 Kg with Beam, Size of plough 250x200mm	(R)		
	c	Sindhu Kokan Plough (without handle)	Star Enterprises, Pune	Manufacturer (Taken over from Pallavi Engg., Raigad)	SSI	FMT&TIs/ SAUs	BSKKV, Dapoli	No.2663, dt.9.3.2001	Yes	Not mentioned	Yes	--	Within State	--	Total Wt.4.400 Kg without Beam.	(R)		
	B	Mould Board Plough (Tractor Drawn)																
1	a	Mould Board Plough Two Furrow 35 HP	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV,RAHURI	SEPT---2012	Yes	IS:6288:1971 IS:4468:1997 IS:10691:1983	Yes	Yes	Within State	--	Wt.225.00 Kg, Size of plough 750 mm,	(R)		
	b	Mould Board Plough Two Furrow 30 to 50 HP	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	DAE Raipur	159 Apr 2013	Yes	IS:6288:1971 IS:4468:1997 IS:10691:1983	Not submitted	Yes	Within State	--	Wt.226.000 Kg, Size of plough 2x 250 mm,	(P)	Design Not Approved by Testing Authority	
	c	Mould Board Plough Two Furrow 35 HP	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&TIs/ SAUs	CRFMTTI, Budani	IMP 94 /932, March 2003	Yes	IS:6288:1971 IS:4468:1997 IS:10691:1983	Yes	Yes	Within State	--	Wt.255.000 Kg, Size of plough 2x 300 mm	(R)		
New	d	Mould Board Plough Three Bottom 35 HP	Atharva Model Works Pune	Marketer for Beri Udyog Pvt. Ltd. Haryana	SSI	FMT&TIs/ SAUs	Junagadh Agricultural University, Junagadh	FM 066, 13/12/2011	Yes	Not mentioned	Design not submitted	--	Outside State	--	Wt. 347 Kg as mentioned in report	(NR)		Detail Report & Design not submitted
New	e	Mould Board Plough Two Bottom 35 HP	Agrotec Corporation, Raipur	Manufacturer	SSI	FMT&TIs/ SAUs	AITC, DAE Raipur	118, Aug 2012	Yes	Not mentioned	Yes	No	Outside State	--	Wt. 208 Kg, Length-1530 mm	(R)		
2		Mould Board Plough Three Furrow 35 HP	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&TIs/ SAUs	CRFMTTI, Budani	IMP 92/897, Aug.2002	Yes	IS:6288:1971 IS:4468:1997 IS:10691:1983	Yes	Yes	Within State	--	Wt.190.000 Kg, Size of plough 320mm	(R)		
	c	Reversible M. B. Plough (Tractor Drawn)																
1	a	Reversible plough Single Furrow 35 HP	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 28/55/2007, Aug.2007	Yes	IS:6288:1971 IS:10691:1983 IS:4468:1997	Yes	Yes	Within State	--	Wt.240.000 Kg, Size of plough 390 mm	(R)		
	b	Reversible plough Single Furrow 45 HP	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	MAU, Parabhani	FMP/IT&C/IMP 22/2012	Yes	IS:6288:1971 IS:10691:1983 IS:4468:1997	Yes	--	Within State	--	Wt. 260.000 Kg, Size of plough 470 mm,	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	c	Reversible plough Single Furrow 45 HP	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMTTI, Anantpur	IMP 45/52, Nov.1999	Yes	IS:6288:1971	Yes	Yes	Within State	--	Wt.237.000 Kg, Size of plough 405 mm	(R)		
2	a New	Reverseble Plough Two Furrow 35 HP Heavy Duty	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&Tis/ SAUs	MAU, Parabhani	FMP/IT&TCIMP 23/2012	Yes	IS:6288:1971 IS:10691:1983 IS:4468:1997	--	--	Within State	--	Wt. 350.000 Kg, Size of plough 305 mm (12")	(R)		
	b	Reverseble Plough Two Furrow 45 HP Heavy duty	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	IMP 26/53, May 2007	Yes	IS:6288:1971 IS:4468:1997 IS:10691:1983	Yes	Yes	Within State	--	Wt.360.00 Kg, Size of plough 2 x 360 mm	(R)		
New	c	Reverseble Plough Two Furrow 45 HP Heavy duty	Prabhu Agro Industries, Bodhawad, Jalgaon	Manufacturer	SSI	FMT&Tis/ SAUs	MAU, Parbhani	FMP/IT&TCIMP 3/2012, Sept 2012	Yes	IS:6288:1971 IS:10691:1983 IS:4468:1997	Yes	--	Within State	--	Wt. 375.000 Kg, Size of plough 2 x 330 mm	(R)		
	d	Reverseble Plough Two Furrow 45 HP Heavy duty	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMTTI, Anantpur	IMP 120/142, May 2004	Yes	IS:6288:1971 IS:10691:1983 IS:4468:1997	Yes	Yes	Within State	--	Wt. 380.000 Kg, Size of plough 2 x 365 mm	(R)		
	e	Reverseble Plough Two Furrow 45 HP Heavy duty	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	IMP 52/90 Nov.2009	Yes	IS:6288:2004 IS:4468:2007 IS:10691:2006	Yes	Yes	Within State	--	Wt.370.00 Kg, Size of plough 2 x 360mm	(R)		
New	f	Reverseble Plough Two Furrow 45 HP Heavy duty	Sai Sonalika Ahmednagar	Marketer for Balaji Engg. Works, Ahmednagar	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	IMP 102/146, Dec 2011	Yes	IS:6288:1971 IS:10691:1983 IS:4468:1997	Yes	-	Within State	-	Wt.375.00 Kg, Length 1770 mm	(NR)		Compliance not Given
3	a	Reverseble Plough Two Furrow 50 HP Heavy duty	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMTTI, Anantpur	IMP 149/177, Feb.2006	Yes	IS:6288:1971 IS:4468:1997 IS:10691:1983	Yes	No	Within State	--	Wt.345.000 Kg, Size of plough 2 x 350mm	(R)		
	b	Reverseble Plough Two Furrow 50 HP Heavy duty	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMTTI, Anantpur	IMP 111/132, Nov.2003	Yes	IS:6288:1971 IS:10691:1983 IS:4468:1997	Yes	Yes	Within State	--	Wt.380.00 Kg, Size of plough 2 x 350.00 mm	(R)		
	c	Reverseble Plough Two Furrow 50 HP Heavy duty	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	IMP 68/108, June 2010	Yes	IS:6288:1971 IS:10691:1983 IS:4468:1997	Yes	Yes	Within State	--	Wt.360.00 Kg, Size of plough 2 x 360 mm	(R)		
New	d	Reverseble Plough Two Furrow 50 HP Heavy duty	Sai Sonalika Ahmednagar	Marketer for Balaji Engg. Works, Ahmednagar	SSI	FMT&Tis/ SAUs	MPKV Rahuri	30-07-2008	Yes	Not mentioned	Yes	_	Within State	_	Wt.360.00 Kg,	(R)		
New	e	Reverseble Plough Two Furrow 50 HP Heavy duty	Bhansali Agri. Implements. Pvt. Ltd. Kopargaon A'Nagar	Manufacturer						Not mentioned	Yes	_	Within State	_	Wt.357.00 Kg,	(R)		
4	a	Hydraulically reversible 2 MB Plough 45 HP	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	IMP 60/100, March 2010	Yes	IS:6288:1971 IS:4468:2007 IS:10691:2001	Yes	Yes	Within State	--	Wt.365.000 Kg, Size of plough 2 x 360 mm	(R)		
	b	Hydraulically reversible 2 MB Plough 45 HP	Deccan Farm Equip. P. Ltd. Kolhapur	Marketer for Annapurna Machine, Kolhapur	SSI	FMT&Tis/ SAUs	Dr. BSKKV, Dapoli	--	Yes	Not mentioned	Only Photo	--	Within State	--	Wt.480.00 Kg, Size of plough 325 mm	(NR)		Markrter Test Report No & Date
	c	Hydraulically reversible 2 MB Plough 45 HP	Prabhu Agro Industries, Bodhawad, Jalgaon	Manufacturer	SSI	FMT&Tis/ SAUs	MAU, Parbhani	FMP/IT & TC/IMP -4 /2012, Sept 2012	Yes	IS:6288:1971 IS:4468:1997 IS:10691:1983	Only Photo	--	Within State	--	Wt.410.00 Kg, Size of plough 2x330 mm	(R)		
New	d	Hydraulically reversible 2 MB Plough 45 HP	Annapurna Machine Fabrik Pvt. Ltd., Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	Dr. BSKKV, Dapoli	--	Yes	Not mentioned	Only Photo	--	Within State	--	Wt.480.00 Kg, Size of plough 325 mm	(P)	Test Report No & Date	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
5	a New	Hydraulically reversible 3 MB Plough	Deccan Farm Equip. P. Ltd. Kolhapur	Marketer for Annapurna, Machine, Kolhapur	SSI	FMT&TIs/ SAUs	Dr. BSKKV, Dapoli	-	Yes	Not mentioned	Yes	--	Within State		Wt.570.000 Kg, Draft- 2225 Kgf.	(NR)		Marketer, Test Report No & Date
New	b	Hydraulically reversible 3 MB Plough	Annapurna Machine Fabrik Pvt. Ltd.. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	Dr. BSKKV, Dapoli	-	Yes	Not mentioned	Yes	--	Within State		Wt.570.000 Kg, Draft- 2225 Kgf.	(P)	Test Report No & Date	
6		Disc Plough Two Bottom 35 HP	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 154/182, April 2006	Yes	IS:6288:1971, IS:10233:1982, IS:4366:1972	Yes	Yes	Within State	--	Wt.262.00 Kg, Size of plough 2 x 390 mm	(R)		
II	A	Rotavator (Tractor Drawn) Gear Drive																
1	a	1.00 m PTO shaft & blade L & J type Gear Drive	MAIDC, Mumbai	Manufacturer	--	FMT&TIs/ SAUs	CRFMTTI, Budani	IMP 75/603, March 1992	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Yes	Yes	Within State	--	Wt.298.00 Kg, No. of blades L=30, J=24	(R)		
	b	1.00 m PTO shaft & blade L type Gear Drive	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 165/193 NOV 2006	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997	Yes	Yes	Within State	--	Wt. 276 Kg, No. of blades L=24	(R)		
New	c	1.00 m PTO shaft & blade L type Gear Drive	Sonalika Agro Industries, Punjab	Manufacturer	SSI	FMT&TIs/ SAUs	UAS, Raichur	2011-12	Yes	IS 6690:2002 IS 4931:2004 IS 4468:2001	Not submitted	-	Outside State	-	Wt. 300 kg No. of blades L= 24	(R)		
New	d	1.00 m PTO shaft & blade L type Gear Drive	Sai Sonalika Ahmednagar	Marketer for Sonalika Punjab	SSI	FMT&TIs/ SAUs	UAS, Raichur	2011-12	Yes	IS 6690:2002 IS 4931:2004 IS 4468:2001	Not submitted	-	Outside state	-	Wt. 300 kg No. of blades L= 24	(NR)		Marketr
New	e	1.00 m PTO shaft & blade L type Gear Drive	Tirth Agro Technology Pvt. Ltd. Rajkot	Manufacturer	SSI	FMT&TIs/ SAUs	UAS, Raichur	2010-11	Yes	IS 6690:2002 IS 4931:2004 IS 4468:2001	Not submitted	-	Outside state	-	Wt. 170 kg No. of blades C= 24	(R)		
2	a	1.25 m PTO shaft & blade L & T type/J type Gear Drive	MAIDC, Mumbai	Manufacturer	--	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 238/295, Sept.2010	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Yes	Yes	Within State	--	Wt.306 Kg, No.of blades L=30	(R)		
New	b	1.25 m PTO shaft & blade L & T type/J type Gear Drive	Deccan Farm Equipments Pvt. Ltd., Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 247/304 DEC 2010	Yes	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	Yes	Within State	--	Wt.324 Kg, No.of blades L=36	(R)		
	c	1.25 m PTO shaft & blade L & T type/J type Gear Drive	Tirth Agro Technology Pvt. Ltd., Rajkot	Marketer for A.G. Agro Industry, Rajkot	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 104/123 JULY 2003	Yes	IS 4468:1997 IS 6690:1981 IS 4931:1984	Yes	Nil	outside State	--	Wt.325.50 Kg, No. of blades L=30	(R)		
	d	1.25 m PTO shaft & blade L & T type/J type Gear Drive	Sonalika Agro Industries, Punjab	Manufacturer	NON SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP 345/1097 APRIL 2009	YES	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	Yes	Outside State	--	Wt.325 Kg, No.of blades L=30	(R)		
	e	1.25 m PTO shaft & blade L & T type/J type Gear Drive	Sai Sonalika Tractors, Ahmednagar	Marketer for Sonalika Agro Industries, Punjab	NON SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP 345/1097 APRIL 2009	YES	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	Yes	Outside State	--	Wt.325 Kg, No.of blades L=30	(NR)		Marketer

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	f	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model Garud	Farm Tek Implements, Pune	Marketer for The Oriental Science Apparatus, Haryana	SSI	FMT&TIs/ SAUs	NERFMTTI Hissar	IMP 209/790 NOV -2003	Yes	IS:6690:1996 IS:4931:1999 IS:4468:1997 IS:11531:1995	Yes	Yes	Outside Side	-	Wt.355Kg, No of blades L=30	NR		Report not submitted.
new	g	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model	Atharva Model Works Pune	Marketer for Beri Udyog Pvt. Ltd. Haryana	SSI	FMT&TIs/ SAUs	UAS, Raichur	2011-12	Yes	IS:6690:2002 IS:4931:2004 IS:4468:2001	Not submitted	-	Outside state	-	Wt.345Kg, No of blades L=30	R		
new	h	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model	New Swan Enterprises, Ludhiana, Punjab	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 79/119, December 2010	Yes	IS:6690:2002 IS:4931:2004 IS:4468:1997 IS 11531:2001	Yes	Yes	Outside state	-	Wt. 440 Kg, No of blades L=30	R		
new	i	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model	Mahalaxmi Enterprises, Ahmednagar	Marketer for New Swan Enterprises, Ludhiana, Punjab	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 79/119, December 2010	Yes	IS:6690:2002 IS:4931:2004 IS:4468:1997 IS 11531:2001	Yes	Yes	Outside state	-	Wt. 440 Kg, No of blades L=30	NR		Marketer
new	j	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model	Mahindra and Mahindra, Mumbai	Marketer for Maschio GasPardo Agriculture Machinery co ltd. China	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 273/370, Dec 2012	Yes	IS:6690:2002 IS:4931:2004 IS:4468:2001 IS 11531:2001	Yes	Yes	Outside state	China	Wt.308 Kg, No of blades L=36	R		
new	k	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model	Annapurna Machine Fabrik Pvt. Ltd., Kolhapur	Marketer for Deccam Farm Equipments, Kolhapur	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 247/304 DEC 2010	Yes	IS 11531:2001 IS 4468:2001 IS 6690-2002 IS 4931-2004	Yes	Yes	Within State	-	Wt.324 Kg, No.of blades L=36	NR		Marketer
new	l	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model	Prabhu Trailors and Stone Suppliers, Jalgaon	Marketer for OSAW Udyog, Punjab	SSI	FMT&TIs/ SAUs	NERFMTTI Hissar	IMP -209/790 Nov 2003	Yes	IS 11531:1995 IS 4468:1997 IS 6690:1996 IS 4931:1999	Yes	Yes	Outside state	-	Wt.355 Kg, No.of blades L=30	R		
new	m	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model	Tata Steel Ltd., Jamshedpur	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 101/145, November 2011	yes	IS 11531:2001 IS 4468:1997 IS 6690:2002 IS 4931:1995	Yes	Yes	Outside State	-	Wt. 419 Kg, No.of blades L=30	R		
new	n	1.25 m PTO shaft & blade L & T type/J type Gear Drive Model	Ganesh Agro Equipment Gujrat	Manufacturer	SSI	FMT&TIs/ SAUs	Junagadh Agricultural University, Junagadh	30-11-2011	Yes	Not mentioned	Not submitted	-	Outside State	-	Wt. 384 Kg, No.of blades L=30	NR		Inadequate Report
3	a	1.50 m PTO shaft & blade L & T type/J type Gear Drive	MAIDC, Mumbai	Manufacturer	Non SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 239/296, Sept.2010	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Yes	Yes	Within State	-	Wt.334.000 Kg, No.of blades L=36	R		
	b	1.50 m PTO shaft & blade L & T type/J type Gear Drive Model Garud	Farm Tek Implements, Pune	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTT Sonitpur	IMP 56/94 Jan 2010	Yes	IS: 11351:2001 IS: 4468:2007 IS 6690:2002 IS 4931:2004 IS 8265:2007	Yes	Yes	Within State	-	Wt.365 Kg, No.of blades L=36	R		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLIC 2015-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	c	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 48/86 Nov. 2009	Yes	IS 6690:2002 IS 4931:2004 IS 4468: PI:2007 IS 11531:2001	YES	Yes	Within State	-	Wt.395 Kg, No.of blades L=36	(R)		
New	d	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Deccan Farm Equipments Pvt. Ltd., Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI Anantpur	IMP 248/305 DEC 2010	Yes	IS 11531:2001 IS 4468:1997 IS 6690:1981 IS 4931:1995	Yes	Yes	Within State	-	Wt.360Kg, No.of blades L=42	(R)		
	e	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Annapurma Machine Fabrik Pvt. Ltd., Kolhapur	Marketer for Deccan Farm Equipments Pvt. Ltd., Kolhapur	SSI	FMT&TIs/ SAUs	SRFMTTI Anantpur	IMP 248/305 DEC 2010	Yes	IS 11531:2001 IS 4468:1997 IS 6690:1981 IS 4931:1995	Yes	Yes	Within State	-	Wt.360Kg, No.of blades L=42	(NR)		Marketer
	f	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Sonalika Agro Industries, Punjab	Manufacturer	NON SSI	FMT&TIs/ SAUs	SRFMTTI Anantpur	IMP 190/226 DEC 2007	Yes	IS 4468:1997 IS 6690:1981 IS 4931:1995	Yes	Yes	Outside State	-	Wt. 348 Kg, No.of blades L=36	(R)		
	g	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Sai Sonalika Tractors, Ahmednagar	Marketer for Sonalika Agro Industries, Punjab	NON SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 190/226 DEC 2007	Yes	IS 4468:1997 IS 6690:1981 IS 4931:1996	Yes	Yes	Outside State	-	Wt.348 Kg, No.of blades L=36	(NR)		Marketer
	h	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Tirth Agro Technology Pvt. Ltd., Rajkot	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 153/181 APRIL 2006	Yes	IS: 4468:1997 IS 6690:1981 IS 4931:1995	Yes	No	Outside State	-	Wt. 390 Kg, No.of blades L=36	(R)		
	i	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI Sonitpur	IMP 57/96 MARCH 2010	Yes	IS 11531:2001 IS 4468:2007 IS 6690:2002 IS 4931:2004	Yes	Yes	Within State	-	Wt.310 Kg, No.of blades L=36	(R)		
new	j	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Atharva Model Works Pune	Marketer for Beri Udyog Pvt. Ltd. Haryana	SSI	FMT&TIs/ SAUs	NERFMTTI Sonitpur	IMP 86/129 MARCH 2011	Yes	IS:6690:2002 IS:4931:2004 IS:4468:21997 IS 11531:2001	Yes	No	Outside state	-	Wt. 385 Kg, No of blades L=36	(R)		
new	k	1.50 m PTO shaft & blade L & T type/J type Gear Drive	New Swan Enterprises, Ludhiana, Punjab	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 78/118, December 2010	Yes	IS:6690:2002 IS:4931:2004 IS:4468:1997 IS 11531:2001	Yes	Yes	Outside state	-	Wt. 450 Kg, No of blades L=36	(R)		
new	l	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Mahalaxmi Enterprises, Ahmednagar	Marketer for New Swan Enterprises, Ludhiana, Punjab	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 78/118, December 2010	Yes	IS:6690:2002 IS:4931:2004 IS:4468:1997 IS 11531:2001	Yes	Yes	Outside state	-	Wt. 450 Kg, No of blades L=36	(NR)		Marketer
new	m	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Rhishi Laser Ltd., Udaipur	Manufacturer	SSI	FMT&TIs/ SAUs	FMTC COTE, Udaipur	CTAE/FMP/FMTC/ 2012/20, June 2012	Yes	IS:6690:2002 IS:4931:2004 IS:4468:2001 IS 11531:2001	Yes	-	Outside state	-	Wt. -Not mentioned, No of blades L=42	(P)	Inadequate Report	
new	n	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Prabhu Trailors and Stone Suppliers, Jalgaon	Marketer for OSAW Udyog, Punjab	SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP -361/1114 May 2009	Yes	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	Yes	Outside state	-	Wt. 335 Kg, No.of blades L=36	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
new	o	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Farm Tek Implements, Pune	Marketer for OSAW Udyog, Punjab	SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP -361/1114 May 2009	Yes	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	Yes	Outside state	-	Wt. 335 Kg, No.of blades L=36	NR		Marketer & also Quoted for Mfg.
new	p	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Nagar Industries, Ahmednagar	Marketer of DasMesh Mechanical Works, Punjab	SSI	FMT&TIs/ SAUs	PAU, Ludhiana	FMPE/TC/COMM/2 012/848, Aug 2012	Yes	IS 4468:1997	Yes	Yes	Outside state	-	Wt. 472.60 Kg (Without Shaft) No.of blades L=36	P	Inadequate Report	
new	q	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Ganesh Agro Equipment Gujrat	Manufacturer	SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP -292/975 Aug 2007	Yes	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	No	Outside State	-	Wt. 350 Kg, No.of blades L=42	NR		Compliance not submitted
New	r	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Agrotec Corporation, Raipur	Marketer for Sonalika Agro Industries, Punjab	SSI	FMT&TIs/ SAUs	UAS, Raichur	2011-12	Yes	IS 4468:2001 IS 6690:2002 IS 4931:2004	Not submitted	-	Outside State	-	Wt. 370 Kg No of blades L =36	NR		Marketer & Inadequate Report
new	s	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Mahindra and Mahindra, Mumbai	Marketer for Maschio GasPardo Agriculture Machinery co ltd. China	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 274/371, Dec 2012	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS 11531:2001	Yes	Yes	Outside state	China	Wt. 322 Kg, No of blades L=42	R		
new	t	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Tata Steel Ltd., Jamshedpur	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 95/139, September 2011	Yes	IS 11531:2001 IS 4468:1997 IS 6690:2002 IS 4931:1995	Yes	Yes	Outside State	-	Wt. 476 Kg, No.of blades L=48	R		
new	u	1.50 m PTO shaft & blade L & T type/J type Gear Drive	Bhansali Agri. Implements. Pvt. Ltd. Kopargaon ANagar	Manufacturer	SSI	FMT&TIs/ SAUs	M.P.K.V., Rahuri	2008-2009	Yes	Not mentioned	Yes	-	Within state	-	Wt. 361 Kg, No.of blades L=36	R		
new	v	1.50 m PTO shaft & blade L & T type/J type Gear Drive (Semi Champion)	Tirth Agro Technology Pvt. Ltd., Rajkot	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 215/259 May 2009	Yes	IS: 4468:1997 IS :6690:1981 IS :4931:1995	Yes	Yes	Outside State	-	Wt. 421 Kg, No.of blades L=36	R		
new	w	1.50 m PTO shaft & blade L & T type/J type Gear Drive (Semi Champion)	Tirth Agro Technology Pvt. Ltd., Rajkot	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 243/300 Nov 2010	Yes	IS: 4468:1997 IS :6690:1981 IS :4931:1995 IS 11531:2001	Yes	Yes	Outside State	-	Wt. 466 Kg, No.of blades L=36	R		
4	new	1.65 m PTO shaft & blade L & T type/J type Gear Drive	Mahindra and Mahindra, Mumbai	Marketer for Maschio GasPardo Agriculture Machinery co ltd. China	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 275/372, Dec 2012	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS 11531:2001	Yes	Yes	Outside state	China	Wt. 336 Kg, No of blades L=48	R		
5	a	1.75 m PTO shaft & blade L & T type/J type Gear Drive	MAIDC, Mumbai	Manufacturer	0	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 240/297, Sept.2010	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS:11531:2001	Yes	Yes	Within State	-	Wt.354. 000 Kg, No.of blades L=42	R		
	b	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Sonalika Agro Industries, Punjab	Manufacturer	NON SSI	FMT&TIs/ SAUs	SRFMTTI Anantpur	IMP 191/227 DEC 2007	Yes	IS 4468:1997 IS 6690:1981 IS 4931:1995	Yes	Yes	Outside State	-	Wt.378 Kg, No.of blades L=42	R		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	c	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Sai Sonalika Tractors, Ahmednagar	Marketer for Sonalika Agro Industries, Punjab	NON SSI	FMT&TIs/ SAUs	SRFMTTI Anantpur	IMP 191/227 DEC - 2007	Yes	IS 4468:1997 IS 6690:1981 IS 4931:1996	Yes	Yes	Outside State	-	Wt.378 Kg, No.of blades L=42	NR		Marketer
	d	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI Sonitpur	IMP 58/97 MARCH 2010	Yes	IS 11531:2001 IS 4468:2007 IS 6690:2002 IS 4931:2004 IS 8265:2007	Yes	Yes	Within State	-	Wt.310 Kg, No.of blades L=42	R		
	e	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Farmtek Implements, Pune	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTT Sonotpur	IMP 55/93 JAN 2010	Yes	IS 6690:2002 IS 4931:2004 IS 4468:2007 IS 11531:2001 IS 8265:2007	Yes	Yes	Within State	-	Wt. 375 Kg, No.of blades L=42	R		
	f	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Tirth Agro Technology Pvt. Ltd., Rajkot	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT TI Anantpur	IMP 150/178 MAR 2006	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997	Yes	No	Outside State	-	Wt. 421.20 Kg, No.of blades L=42	R		
New	g	1.75 m PTO shaft & blade L & T type/J type Gear Drive (semi Champion)	Tirth Agro Technology Pvt. Ltd., Rajkot	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT TI Anantpur	IMP 214/258 MAY 2009	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997	Yes	Yes	Outside State	-	Wt. 470 Kg, No.of blades L=42	R		
new	h	1.75 m PTO shaft & blade L & T type/J type Gear Drive (semi Champion)	Tirth Agro Technology Pvt. Ltd., Rajkot	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT TI Anantpur	IMP 246/303 Nov 2010	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997 IS 11531:2001	Yes	Yes	Outside State	-	Wt. 507 Kg, No.of blades L=42	R		
new	i	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Atharva Model Works Pune	Marketer for Beri Udyog Pvt. Ltd. Haryana	SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP 402/1193 Feb 2010	Yes	IS:6690:2007 IS:4931:2004 IS:4468:2007 IS 11531:2006	Yes	No	Outside state	-	Wt. 425 Kg, No.of blades L=42	R		
New	j	1.75 m PTO shaft & blade L & T type/J type Gear Drive	New Swan Enterprises, Ludhiana, Punjab	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 77/117, December 2010	Yes	IS:6690:2002 IS:4931:2004 IS:4468:1997 IS 11531:2001 IS 8265:2007	Yes	Yes	Outside state	-	Wt. 450 Kg, No.of blades L=42	R		
New	k	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Mahalaxmi Enterprises, Ahmednagar	Marketer for New Swan Enterprises, Ludhiana, Punjab	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 77/117, December 2010	Yes	IS:6690:2002 IS:4931:2004 IS:4468:1997 IS 11531:2001 IS 8265:2007	Yes	Yes	Outside state	-	Wt. 450 Kg, No.of blades L=42	NR		Marketer
New	l	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Prabhu Trailors and Stone Suppliers, Jalgaon	Marketer for OSAAW Udyog, Punjab	SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP -362/1115 May 2009	Yes	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	Yes	Outside state	-	Wt. 410 Kg, No.of blades L=42	R		
New	m	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Farm Tek Implements, Pune	Marketer for OSAAW Udyog, Punjab	SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP -362/1115 May 2009	Yes	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	Yes	Outside state	-	Wt. 410 Kg, No.of blades L=42	NR		Marketer & also Quoted for Mfg.
New	n	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Nagar Industries, Ahmednagar	Marketer of DasMesh Mechanical Works, Punjab	SSI	FMT&TIs/ SAUs	PAU, Ludhiyana	FMPE/TC/COMM/2 012/844, Aug 2012	Yes	IS 4468:1997	Yes	Yes	Outside state	-	Wt. 507.80 Kg (Without Shaft) No.of blades L=42	P	Inadequate Report	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	o	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Ganesh Agro Equipment Gujrat	Manufacturer	SSI	FMT&Tis/ SAUs	Junagadh Agricultural University, Junagadh	30-11-2011	Yes	not mentioned	Not submitted	-	Outside State	-	Wt. 447 Kg, No.of blades L=42	NR		Inadequate Report
New	p	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Tata Steel Ltd., Jamshedpur	Manufacturer	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	IMP 97/141, October 2011	Yes	IS 11531:2001 IS 4468:1997 IS 6690:2002 IS 4931:1995	Yes	Yes	Outside State	-	Wt. 479 Kg, o.of blades L=42	P	Inadequate Report	
new	q	1.75 m PTO shaft & blade L & T type/J type Gear Drive	Bhansali Agri. Implements. Pvt. Ltd. Kopargaon A'Nagar	Manufacturer	SSI	FMT&Tis/ SAUs	M.P.K.V., Rahuri	2008-2009	Yes	Not mentioned	Yes	-	Within state	-	Wt. 366 Kg, No.of blades = 42	R		
6	a	1.80 m PTO shaft & blade L & T type/J type Gear Drive	Deccan Farm Equipments Pvt. Ltd., Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMT & IT Anantpur	IMP250/307 DEC 2010	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997 IS 11531:2001	Yes	Yes	Within State	-	Wt. 392 Kg, No.of blades L=54	R		
	b	1.80 m PTO shaft & blade L & T type/J type Gear Drive, Model Vijeta	Farmtek Implements, Pune	Manufacturer	SSI	FMT&Tis/ SAUs	NERFMTT Sonotpur	IMP 55/93 Jan 2010	Yes	IS 6690-2002 IS 4931:2004 IS 4468:2007 IS 11531:2001	Yes	Yes	Within State	-	Wt.375 Kg, No.of blades L=42	R		
new	c	1.80 m PTO shaft & blade L & T type/J type Gear Drive	Annapurna Machine Fabrik Pvt. Ltd., Kolhapur	Marketer for Deccan Farm Equipments Pvt. Ltd., Kolhapur	SSI	FMT&Tis/ SAUs	SRFMT & IT Anantpur	IMP250/307 DEC 2010	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997 IS 11531:2001	Yes	Yes	Within State	-	Wt. 392 Kg, No.of blades L=54	NR		Marketer
new	d	1.80 m PTO shaft & blade L & T type/J type Gear Drive	Mahindra and Mahindra, Mumbai	Marketer for Maschio GasPardo Agriculture Machinery co ltd, China	SSI	FMT&Tis/ SAUs	SRFMT & TI Anantpur	IMP 276/373, Dec 2012	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS 11531:2001	Yes	Yes	Outside state	China	Wt. 364 Kg, No of blades L=54	R		
7	a	2.00 m PTO shaft & blade L & T type/J type Gear Drive	Tirth Agro Technology Pvt. Ltd., Rajkot	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMT TI Anantpur	IMP 218/263 June2009	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997	Yes	Yes	Outside State	-	Wt. 521 Kg, No.of blades L=48	NR		Not Required
	b	2.00 m PTO shaft & blade L & T type/J type Gear Drive	Deccan Farm Equipments Pvt. Ltd., Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMT & TI Anantpur	IMP 251 /308 DEC 2010	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997 IS 11531:2001	Yes	Yes	Within State	-	Wt.496 Kg, No.of Blades L=48	NR		Not Required
new	c	2.00 m PTO shaft & blade L & T type/J type Gear Drive	Annapurna Machine Fabrik Pvt. Ltd., Kolhapur	Marketer for Deccan Farm Equipments Pvt. Ltd., Kolhapur	SSI	FMT&Tis/ SAUs	SRFMT & TI Anantpur	IMP 251 /308 DEC 2010	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997 IS 11531:2001	Yes	Yes	Within State	-	Wt.496 Kg, No.of Blades L=48	NR		Not Required
new	d	2.00 m PTO shaft & blade L & T type/J type Gear Drive	Mahindra and Mahindra, Mumbai	Marketer for Maschio GasPardo Agriculture Machinery co ltd, China	SSI	FMT&Tis/ SAUs	SRFMT & TI Anantpur	IMP 277/374, Dec 2012	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS 11531:2001	Yes	Yes	Outside state	China	Wt. 390 Kg, No of blades L=60	NR		Not Required

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
new	e	2.00 m PTO shaft & blade L & T type/J type Gear Drive	Ganesh Agro Equipment Gujrat	Manufacturer	SSI	FMT&TIs/ SAUs	Junagadh Agricultural University, Junagadh	30-11-2011	Yes	not mentioned	Not submitted	-	Outside State	-	Wt. 474 Kg, No.of blades L=48	NR		Not Required
new	f	2.00 m PTO shaft & blade L & T type/J type Gear Drive	New Swan Enterprises, Ludhiana, Punjab	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 69/109, June 2010	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS 11531:1985	Yes	Yes	Outside state	-	Wt. 450 Kg, No of blades L=48	NR		Not Required
new	g	2.00 m PTO shaft & blade L & T type/J type Gear Drive	Mahalaxmi Enterprises, Ahmednagar	Marketer for New Swan Enterprises, Ludhiana, Punjab	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 69/109, June 2010	Yes	IS:6690:1981 IS:4931:1995 IS:4468:1997 IS 11531:1985	Yes	Yes	Outside state	-	Wt. 450 Kg, No of blades L=48	NR		Not Required
II	B	Rotavator (T.D.) Chain Drive	(RATE NOT CALLED)															
1	a New	0.8 m PTO shaft & blade L & J type Chain Drive	Mahindra and Mahindra, Mumbai	Marketer for Gomadhi Engg services, TN	SSI	FMT&TIs/ SAUs	ANG RANGA Agri Univ. AP	2011-12	Yes	Not mentioned	Not submitted	-	Outside state	-	Wt. 190 Kg, No. of blades L=16	NR		Rate not Called, Braking of Chain occurred frequently, Not Recommended by last 3 SLTC
	b	0.90 m PTO Shaft/540 RPM (3 Ft.) Chain Drive	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 22/24 MARCH 1996	Yes	IS 6690:1981 IS 4931:1984 IS 4468:1986	Yes	No	Within State	--	Wt. 285 Kg ? No.of blades 27	NR		As above
	c	0.90 m PTO Shaft/1000 RPM (3 Ft.) Chain Drive	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	UAS, Raichur	2010-11	Yes	IS 6690-2002 IS 4931:2004 IS 4468:2001	No	--	Within State	-	Wt. 325 kg, No.of Blades L=24	NR		As above
	d	1.00 m PTO shaft & blade L & T type/J type (Chain Drive)	Deccan Farm Equipments Pvt. Ltd., Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT & TI Anantpur	IMP 22/24 MARCH 1996	Yes	IS 6690:1981 IS 4931:1984 IS 4468:1986	Yes	No	Within State	--	Wt. 285 Kg ? No.of blades 27	NR		As above
	e	1.00 m PTO shaft & blade L & T type/J type (Chain Drive)	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	USA, Bangalore	133/2009-10	Yes	IS 6690-2002 IS 4931:2004 IS 468:2001	Design not given in report	--	Within State	--	Wt. 370 kg, No.of Blades-36	NR		As above
New	f	1.00 m PTO shaft & blade L & T type/J type (Chain Drive) model FS-150.25	Greaves Cotton Ltd., Chennai	Marketer for Trident Farm Implements pvt. Ltd., Chennai	Non SSI	FMT&TIs/ SAUs	SRFMT & IT Anantpur	IMP-169/198 January 2007	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1997	Yes	Yes	Outside state	-	Wt. 356 kg, No.of Blades-36	NR		As above
New	g	1.00 m PTO shaft & blade L & T type/J type (Chain Drive) model FS-150.50	Greaves Cotton Ltd., Chennai	Marketer for Trident Farm Implements pvt. Ltd., Chennai	Non SSI	FMT&TIs/ SAUs	SRFMT & IT Anantpur	IMP-170/199 January 2007	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1998	Yes	Yes	Outside state	-	Wt.415 kg,	NR		As above

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLIC 2015-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	h	1.00 m PTO shaft & blade L & T type/J type (Chain Drive) model FS-180.25	Greaves Cotton Ltd., Chennai	Marketer for Trident Farm Implements pvt. Ltd., Chennai	Non SSI	FMT&TIs/ SAUs	SRFMT & IT Anantpur	IMP-171/200 January 2007	Yes	IS 6690:1981 IS 4931:1995 IS 4468:1999	Yes	Yes	Outside state	--	Wt. 392 kg, No.of Blades- 42	NR		As above
New	i	1.00 m PTO shaft & blade L & T type/J type (Chain Drive) model FS-180.50	Greaves Cotton Ltd., Chennai	Marketer for Trident Farm Implements pvt. Ltd., Chennai	Non SSI	FMT&TIs/ SAUs	SRFMT & IT Anantpur	IMP-172/201 January 2007	Yes	IS 6690:1981 IS 4931:1995 IS 4468:2000	Yes	Yes	Outside state	--	Wt. 436 kg, No.of Blades-42	NR		As above
2	a	1.20 m, PTO Shaft/540 RPM 4 Ft., Chain Drive	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	USA, Banglore	65A/08-09. 11.06/2008	Yes	IS 6690:2002 IS 4931:2004 IS 4468:2001	No	--	Within State		Wt. 275 kg, No.of Blades-30	NR		As above , Design not given in report
	b	1.20 m, PTO Shaft/540 RPM 4 Ft., Chain Drive	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	USA, Banglore	65A/08-09. 11.06/2008	Yes	IS 6690:2002 IS 4931:2004 IS 4468:2001	No	--	Within State		Wt. 300 kg, No.of Blades-30	NR		As above , Design not given in report
new	c	1.25 m PTO shaft & blade L & T type/J type Chain Drive Model	Prabhu Agro Industries, Jalgaon	Manufacturer	SSI	FMT&TIs/ SAUs	NRFMTTI Hissar	IMP - 489/1317 Dec 2010	Yes	IS:6690:2002 IS:4931:2004 IS:4468:2001 IS 11531:2001	Yes	Yes	Within state	-	Wt:302.60 Kg, No of blades L=30	NR		As above ,Design not given in report
3	a	1.50 m, PTO Shaft/540 RPM, 5 Ft, Chain Drive	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	COAE, Raichur	2008-09	Yes	Not mentioned	No	--	Within State		Wt. 325 kg, No.of Blades L-36	NR		As above , Design not given in report
	b	1.50 m, PTO Shaft/1000 RPM, 5 Ft, Chain Drive	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	COAE, Raichur	2010-11	Yes	IS 6690:2002 IS 4931:2004 IS 4468:2001	No	--	Within State		Wt. 370 kg, No.of Blades -36	NR		As above ,Design not given in report
4		1.80 m, PTO Shaft/540 RPM , 6 Ft. Chain Drive	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	COAE, Raichur	2008-09	Yes	Not mentioned	No	--	Within State		Wt. 465 kg, No.of Blades L-42	NR		As above, Design not given in report
5		2.10 m, PTO shaft 540 RPM, 7 Feet - Chain Drive	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	COAE, Raichur	2010-11	Yes	IS 6690:2002 IS 4931:2004 IS 4468:2001	No	--	Within State		Wt. 540 kg, No.of Blades L-48	NR		As above, Design not given in report
6	new	1.00 m Rotavator for VST Tractor (18.5 HP)	VST Tillers Tractors Ltd. Bangore	Manufacturer	Non SSI	FMT&TIs/ SAUs	GKVK, UAS, Banglore	DR/TT-118/2012.13	Yes	IS 11531:2001 IS 4468:2001 IS 6690:2002 IS 4931:2004	Yes	--	Outside State		Wt.130.00 kg, No.of Blades 26	NR		As above

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLT TC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		
III		Disc Harrow (Tractor Drawn)																		
1	a	Offset Disc Harrow (Tractor Mounted) 12 Disc	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&Tis/ SAUs	NRFMTTI, Hissar	IMP 183/745, Nov.2002	Yes	IS:4468:1997 IS:7640:1999 IS:6635:1995 IS:4366:1995 IS:7230:1995	Yes	Yes	Within State	--	Wt.360.00 Kg, No. of gangs-2, No. of disc in each gang-6	R				
new	b	Offset Disc Harrow (Tractor Mounted) 12 Disc	Atharva Model Works Pune	Marketer for Beri Udyog Pvt. Ltd. Haryana	SSI	FMT&Tis/ SAUs	Junagadh Agricultural University, Junagadh	9.03.2012	Yes	Not mentioned	Not submitted	--	Outside state	--	Not mentioned	NR		Detail test report and design not submitted		
2		Offset Disc Harrow (Tractor Mounted) 14 Disc Without tyre	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMTTI, Anantpur	IMP 115/136 JAN 2004	Yes	IS:7640:1975 IS:6635:1972 IS:4366:1985	Yes	Yes	Within State	--	Wt.397.000 Kg, No.of gangs 2 , No of Disc in each gang 7	R				
3		Disc Harrow Ball bearing 14 Disc (Tyre type)	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&Tis/ SAUs	SRFMTTI, Anantpur	IMP 155/183, May 2006	Yes	IS:7640:1975 IS:6635:1972 IS:4366:1985 IS:7230:1974 IS:10225:1982	Yes	Yes	Within State	--	Wt.660.000 Kg, No.of gangs-2, 7 disc in each gang.	R				
IV		Power tiller with rotary (List of Power tillers eligible for grant of subsidy as per GoI letter No.13-37/200-My(I&P) dated 18.12.2012)																		
1		MITSUBISHI SHAKTI VWH 120	VST Tillers Tractors Ltd., Bangalore	Manufacturer	Non SSI	FMT&Tis	CRFMTTI, Budani	PT 61/852, July 2001	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	Indegenous	8.44 HP, Wt.445.00 kg (With rotary), 325.00 kg (Without rotary), SFC 0.310 Kg/kWh at 6.3 kW	R				
2	New	KAMCO KMB-200	Kerla Agro Machinery Corpn. Ltd., Kerala	Manufacturer	Non SSI	FMT&Tis	SRFMTTI, Anantpur	PT-3/225, Dec 2007	Yes	IS:9935:2002 IS:9980:2002	--	--	Outside State	Indegenous	9.92 HP, Wt.490.000 kg (With rotary), SFC 0.260 Kg/kWh at 7.4 kW	R				
3		Power Tiller Texmaco Dhanwan	Texmaco Rail & Engg. Ltd. Kolkotta	Marketer for The Siam Kubota Ind. Co ltd. Thailand	Non SSI	FMT&Tis	CRFMTTI, Budani	PT 63/860, Sept. 2001	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	Thailand	10.09 HP, Wt.450.00 kg (With rotary), 350.00 kg (Without rotary), SFC 0.293 Kg/kWh at 7.53 kW	R				
4		Power Tiller Garuda 3 PT 1200 D	Premier Power Equipments, Coimbtore T.N	importer for Yanmar S.P.Co.Ltd. Thailand	Non SSI	FMT&Tis	SRFMTTI, Anantpur	PT 26/366, Sept.2012	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	Imported	10.46 HP, Wt.406.00 kg (With rotary), 323.00 kg (Without rotary), SFC 0.255 Kg/kWh at 7.8 kW	R				
5	New	Power Tiller Yanmar Shakti	Souza Sifong Agro Engg. Pvt. Ltd. Benglore	Importer for Changzhou Dahua Import & Export Group, China	SSI	FMT&Tis	SRFMT&TI, Ananatpur	PT 14/310, March 2011	Yes	IS:9935:2002, IS:9980:1989	Yes	--	Outside State	China	10.46 HP, Wt.466.000 Kg with rotary Tiller, Wt. 340.00 Kg Without Rotary Tiller, SFC 0.279 Kg/kWh at 7.8 kW	NR		Not in GOI List		
6		Power Tiller Manum MCF 121	Southern Agro Engine Pvt. Ltd. Benglore	importer for Changzhou Changfa Imp & Exp Co.Ltd. China	Non SSI	FMT&Tis	SRFMTTI, Anantpur	PT 01/206, May 2007	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	China	11.39 HP, Wt.411.00 kg (With rotary), 320.00 kg (Without rotary), SFC 0.291 Kg/kWh at 8.5kW	R				

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
7		SCHRACHI KUBOTA DF 12 L	Bengal Tools Ltd., Kolkata	Importer for Shgnzhgn Shgnlang, China	Non SSI	FMT&T's	CRFMPTI, Budani	PT 89/1077, March 2007	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	Thiland	11.66 HP, Wt.435.00 kg (With rotary), 335.00 kg (Without rotary), SFC 0.292 Kg/kWh at 8.7 kW	(R)		
8		KAMCO Super DI	Kerla Agro Machinert Corpn. Ltd., Kerala	Manufacturer	Non SSI	FMT&T's	CRFMPTI, Budani	PT-88/1075, Feb.2007	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	Indegenous	11.80 HP, Wt.530.000 Kg (with rotavator), 490.000 Kg (witout rotavator), SFC 0.256 at 8.8 kW	(R)		
9		Power Tiller GS 12 DLX	Greaves Cotton Ltd., TN	importer	Non SSI	FMT&T's	SRFMPTI, Anantpur	PT-27/367 Sept 2012	Yes	IS:9935:2007 IS:9980:2009 IS 13539:2008	Yes	Yes	Outside State	Thailand	12.06 HP, Wt.426.000 Kg (with rotavator), 328.000 Kg (witout rotavator), SFC 0.353 at 9 kW	(R)		
10		VST SHAKTI 130 DI	VST Tillers Tractors Ltd., Bangalore	Manufacturer	Non SSI	FMT&T's	CRFMPTI, Budani	PT 62/853 July 2001	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	Indegenous	12.06 HP, Wt.445.000 kg (With rotary), SFC 0.288 Kg/kWh at 9.0 kW	(R)		
11	New	Power Tiller Divya Shakti	Chirag Corporation, Kolkata	Importer for Changzhou Dongfeng, Agri. Machinery CHINA	Non SSI	FMT&T's	SRFMPTI, Anantpur	PT-9/273, Dec. 2009 .	Yes	IS:9935:2003	Yes	Yes	Outside State	China	12.20 HP, Wt.500.000 Kg (with rotavator), 386.000 Kg (witout rotavator), SFC 0.277 at 9.1 kW	(R)		
12	New	Power Tiller Vijay Samurai PT 03	Southern Agro Engine Pvt. Ltd. Chennai	importer for Changchai Co Ltd. China	Non SSI	FMT&T's	SRFMPTI, Anantpur	PT 24/352, April 2012	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	China	12.86 HP, Wt.534.000 kg (With rotary), 414.000 Kg (without rotary) SFC 0.268 Kg/kWh at 9.6 kW	(R)		
13	New	Ganga Sifang GN-121-(15)	Padgilwar Agro Ind. Nagpur	Importer for Zhejiang Sifang Group Coporation, China	Non SSI	FMT&T's	CRFMPTI, Budani	PT-66/880	Yes	IS:9935:2002	Yes	Yes	Outside State	China	13.00 HP, Wt.535.000 kg (With rotary), 440.000 kg (Without rotary), SFC 0.255 Kg/kWh at 9.7 kW	(R)		
14	New	Power Tiller Sharachi Champion	Bengal Tools Ltd., Kolkata	Importer for Changchai China	Non SSI	FMT&T's	SRFMPTI, Anantpur	PT-129/369, Oct. 2012	Yes	IS:9935:2003	Yes	Yes	Outside State	China	13.14 HP, Wt.480.000 kg (With rotary), 396.000 kg (Without rotary), SFC 0.267 Kg/kWh at 9.8 kW	(R)		
15		GS 14 DIL	Greaves Cotton Ltd., TN	importer for Changzhou Machinery & Eq.Imp.& Exp. Co.Ltd. China	Non SSI	FMT&T's	SRFMPTI, Anantpur	PT 12/294, Sept.2010	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	China	13.54 HP, Wt.496.000 kg (With rotary), 372.000 kg (Without rotary), SFC 0.277 Kg/kWh at 10.1 kW	(R)		
16	New	GS 14 DIL X	Greaves Cotton Ltd., TN	importer for Changzhou Machinery & Eq.Imp.& Exp. Co.Ltd. China	Non SSI	FMT&T's	SRFMPTI, Anantpur	PT 15/316, March 2011	Yes	IS:9935:2002 IS:9980:2003	Yes	Yes	Outside State	China	13.54 HP, Wt.496.000 kg (With rotary), 372.000 kg (Without rotary), SFC 0.277 Kg/kWh at 10.1 kW	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of S.I.T.C 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
17		VJAY VR 15 L	Vijay Engg. & Machinery, Kolhapur	Importer for Changzhou Dongfeng, Agri. Machinery CHINA	Non SSI	FMT&TI's	SRFMTTI, Anantpur	PT 5/233, May 2008	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	China	13.67 HP, Wt.490 kg (With rotary), 370.00 kg (Without rotary), SFC 0.327 Kg/kWh at 10.2 kW	R		
18	New	Power Tiller SUN GN 151 DI	Shree Venkateshwara Industries, Nagpur	Importer for Zhejiang Jinyun Xinxin Tractor Plant China	SSI	FMT&TI's	CFMT&TI, Budhani	PT 91/1085, May 2007	Yes	IS:9935:2002, IS:9980:1998	Yes	--	Outside State	China	14.07 HP, Wt.515.000 Kg with rotary Tiller, Wt. 400.00 Kg Without Rotary Tiller, SFC 0.270 Kg/kWh at 10.5 kW	NR		Not in GOI List
19	New	Souza Sifang GN-121	Souza Sifang Agro. Engg. Pvt. Ltd. Bangalore	Importer for Zhejiang Sifang Group IIMP & Co.Ltd., China	Non SSI	FMT&TI's	CRFMTTI Budni	PT 80/1013 JULY 2005	Yes	IS 9935 -2002 IS 12239-1998	Yes	Yes	Outside State	China	14.34 HP, 520.000 Kg with Ratory, wt. 425.00 without Ratory SFC 0.276 Kg/KW.Hr at 10.7 KW	R		
20	New	Souza Sifang GN-122	Maharashtra Agro Industries, Kolhapur	Marketer for Souza Sifang Agro. Engg. Pvt. Ltd. Bangalore	Non SSI	FMT&TI's	CRFMTTI Budni	PT 80/1013 JULY 2005	Yes	IS 9935 -2002 IS 12239-1998	Yes	Yes	Outside State	China	14.34 HP, 520.000 Kg with Ratory, wt. 425.00 without Ratory SFC 0.276 Kg/KW.Hr at 10.7 KW	NR		Marketer
21	New	Power Tiller Rhino 15 DI	Assam Saii Motors pvt. Ltd. Kolkata	Importer for Changzhou Dongfeng, Agri. Machinery CHINA	Non SSI	FMT&TI's	SRFMTTI Anantpur	PT 7/246, Oct. 2008	Yes	IS 9935 -2002 IS 12239-1998	Yes	Yes	Outside State	China	14.34 HP, 472.000 Kg with Ratory, wt. 386.00 without Ratory SFC 0.267 Kg/KW.Hr at 10.7 KW	R		
22		DRAGAN SHAKTI 150 DL	VST Tillers Tractors Ltd., Bangalore	Importer for Changzhou Dongfeng, Agri. Machinery China	Non SSI	FMT&TI's	SRFMTTI, Anantpur	PT 11/281, April 2010	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	China	14.75 HP, Wt. 509.000 kg (With rotary), 398.000 kg (Without rotary), SFC 0.335 Kg/kWh at 11 kW	R		
23		GS 15 DIL-S	Greaves Cotton Ltd., Mumbai	importer for Changzhou Machinery & Eq. Imp. & Exp. Co. Ltd. China	Non SSI	FMT&TI's	CRFMTTI, Budani	PT 76/995, Dec 2004	Yes	IS:9935:2002 IS:9980:2002 IS 12239:1998	Yes	Yes	Outside State	China	14.75 HP, Wt.515.000 kg (With rotary), 390.000 kg (Without rotary), SFC 0.272 Kg/kWh at 11.0 kW	R		
24		GS 15 DIL	Greaves Cotton Ltd., TN	importer for Changzhou Machinery & Eq. Imp. & Exp. Co. Ltd. China	Non SSI	FMT&TI's	SRFMTTI, Anantpur	PT 8/247, Oct. 2008	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	China	14.75 HP, Wt.496.000 kg (With rotary), 394.000 kg (Without rotary), SFC 0.259 Kg/kWh at 11.0 kW	R		
25		SCHRACHI SF 15 DI	Bengal Tools Ltd., Kolkata	Importer for Zhejiang Sifang Group Coporation, China	Non SSI	FMT&TI's	CRFMTTI, Budani	PT 84/1066, Jan. 2007	Yes	IS:9935:2002 IS:9980:2002	Yes	Yes	Outside State	China	14.88HP, Wt.490.000 kg (With rotary), 395.000 kg (Without rotary), SFC 0.289 Kg/kWh at 11.1 kW	R		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
new 26		YanMar Shakti TH 120 DI YX	Maharashtra Agro Industries, Kolhapur	importer for Changzhou DAHUA IMPORT AND EXPORT Co.Ltd. China	Non SSI	FMT&TIs	SRFMTTI, Anantpur	PT 14/310, MAR 2011	Yes	IS:9935:2007 IS:9980:2009 IS 13539:2008	Yes	Yes	Outside State	China	10.45HP, Wt.466.00 kg (With rotary), 340.00 kg (Without rotary), SFC 0.279 Kg/kWh at 7.8 kW	NR		Not in GOI List
V		Land Levellers																
1		6 Feet Leveller	Fulhar Sales Corpn., Ahmednagar	Markrter for Paras Agro Engg. Works. A' Nagar	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 116/137, Feb. 2004	Yes	IS:9813:1994 IS:7353:1974 IS:10221:1982	Yes	Yes	Within State	--	Wt.187.5 Kg	R		
VI		Cultivators																
A		Cultivators (Bullok Drawn)																
1		3 tyne Cultivator without beam	M.A.I.D.C. Ltd., Mumbai	Manufacturer	SSI	FMT&TIs/ SAUs	NRFMTTI, Hissar	IMP 120/520, 1997	Yes	IS 3342:1990	Yes	--	Within State	--	Wt.21.400 Kg without beam	R		
2	a	3 tyne Cultivator Wheel Type	Sai Agro Ind., Wani	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt.39.680 Kg	R		
	b	3 tyne Cultivator Wheel Type	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV,Akola	19-04-2002	No	not mentioned	Yes	_	Within State	--	Not mentioned	NR		Only Certificate. Detail test report not submitted.
3	a	Cultivator Multi Purpose 4 in One (adjustable)	Venkatesh Agro Engineering, Jalna	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	14807/30.10.2008 (2008-09)	Yes	Not mentioned	Yes	--	Within State	--	Cultivator (15-18-24) 27.200 Kg, Blade harrow - (24") 26.500 Kg, Ridger- 28.140 Kg, Seed drill (Single bowl) 30.00 Kg (Total Wt.44.350 Kg.)	R		
	b	Cultivator Multi Purpose 4 in One	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV,Akola	2009-10	Yes	Not mentioned	Yes	--	Within State	--	Wt. 21 kg. (Cultivator, Blade harrow, Ridger, Seed drill)	P	Diff. in Wt. Confirmation	
	c	Cultivator Multi Purpose 4 in One	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV,Akola	19-04-2002	No	not mentioned	Yes	_	Within State	--	Not mentioned	NR		Only Certificate. Detail test report not submitted.
New	d	Cultivator Multi Purpose 5 in One	Swastik Industries Jalgaon	Manufacturer	SSI	FMT&TIs/ SAUs	MAU, Parbhani	FMP/IT&TC IMP 18/2012	Yes	IS:3342:1990, IS:2564:1990	Yes	--	Within State	--	Wt. 66.000 kg (Seed drill, Cultivator, Blade harrow, Ridger, Twin Dawara)	R		
B		Cultivators (Tractor Drawn)																
1	a	5 Tyne Panji Cultivator Tractor operated	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 24/51/2007 March 2007	Yes	IS:4468:1997	Yes	Yes	Within State	--	Wt.240.000 Kg	R		
	b	5 Tyne Panji Cultivator Tractor operated	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 54/69, Nov.2001	Yes	IS:4468:1997	Yes	Yes	Within State	--	Wt.235.000 Kg	R		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	new	c	5 Tyne Panji Cultivator Tractor operated	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	DAE Raipur	156 Mar 2013	Yes	IS:3342:1998 IS:7565:1975 IS:4468:1993	No	Yes	Within State	--	Wt.229.000 Kg	(P)	Design Not Approved by Testing Authority & 10 Hrs. Testing	
2	a	9 Tyne Cultivator Tractor operated	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 23/50/2007, Feb. 2007	Yes	IS 6316:1999 IS:6638:1972 IS:7565:1975 IS:6023:1970 IS:4468:1997	Yes	Yes	Within State	--	Wt.225.000 Kg	(R)			
	b	9 Tyne Cultivator Tractor operated	Fulhar Sales Corpn., Ahmednagar	Marketer for Paras Agro Corporation, A'Nagar	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 106/127, Oct.2003	Yes	IS:6638:1972 IS:7565:1975 IS:6023:1970 IS:4468:1997	Yes	Yes	Within State	--	Wt.187.000 Kg	(R)			
	c	9 Tyne Cultivator Tractor operated	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 53/68, Nov.2001	Yes	IS:3342:1998 IS:4468:1997	Yes	Yes	Within State	--	Wt.295.500 Kg	(R)			
	d	9 Tyne Cultivator Tractor operated	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 144/171, Dec.2005	Yes	IS:6638:1972 IS:7565:1975 IS:6023:1970 IS:4468:1997	Yes	Yes	Within State	--	Wt.212.000 Kg	(R)			
	e	9 Tyne Cultivator Tractor operated	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	IMP 49/87, Nov.2009	Yes	IS 6316:1999 IS:6638:2001 IS:7565:1975 IS:6023:1970 IS:4468:2007 IS 6813:2000	Yes	Yes	Within State	--	Wt.222.000 Kg	(R)			
new	f	9 Tyne Cultivator Tractor operated	Agrotec Corporation, Raipur	Manufacturer	SSI	FMT&TIs/ SAUs	AITC, Raipur	116 Aug 2012	Yes	IS3342:1998 IS:6638:2001 IS:4468:2001	Yes	No	Outside state	--	Wt.221.000 Kg	(R)			
new	g	9 Tyne Cultivator Tractor operated	Bhansali Agri. Implements. Pvt. Ltd. Kopergaon A'Nagar	Manufacturer	SSI	FMT&TIs/ SAUs	M.P.K.V., Rahuri	2008-2009	Yes	Not mentioned	Yes	--	Within State	--	Wt.206.000 Kg	(R)			
VII	V Pass																		
1		V Pass Heavy Duty	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 102/121, May 2003	Yes	IS:3342:1998 IS:4468:1997	Yes	Yes	Within State	--	Wt.162.000 Kg	(R)			
VIII	Surry Ridger																		
	A) Ridger (Bullock Drawn)																		
1	a	Dandekar Type ridger MS with handle without beam	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 86/102, Nov.2002	Yes	IS:2565:1979 IS:10254:1999	Yes	Yes	Within State	--	Wt.36.500 Kg without Beam	(R)			
	b	Dandekar Type ridger MS with handle without beam	Fulhar Sales Corpn., Ahmednagar	Marketer for Paras Agro Corporation, A'Nagar	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 98/117, Feb.2003	Yes	IS:2565:1979 IS:10254:1999	Yes	Yes	Within State	--	Wt.35.500 Kg	(R)			
	c	Dandekar Type ridger MS with handle without beam	Dandekar Brothers, Sangli	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 97/116, Feb.2003	Yes	IS:2565:1979 IS:10254:1999	Yes	Yes	Within State	--	Wt.38.500 Kg	(R)			
	d	Dandekar Type ridger MS with handle (without beam)	Varun Agro Industries, Pune	Manufacturer	SSI	FMT&TIs/ SAUs	MAU, Parbhani	FMP/It & TC/IMP 11/2012, Dec.2012	Yes	IS:2565:1979 IS:10254:1999	Yes	Yes	Within State	--	Wt.36.500 Kg	(R)			
New	e	Bairam Ridger MS With Handle Without Beam	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	Oct.2012	Yes	IS:2192:1976 IS:6288:1971	Yes	--	Within State	--	Wt.35.500 Kg without Beam	(R)			
	B Surry Ridger (Tractor Drawn)																		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC, 2013-14 (R-Recommended, NR-Not Recommended, P--Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	a	Two furrow surry ridger	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	DAE Raipur	155 Mar 2013	Yes	IS:2565:1979 IS:4468:1997 IS:3342:1998	No	--	Within State	--	213.5 Kg	(R)		
New	b	Two furrow surry ridger	Bhansali Agri. Implements. Pvt. Ltd. Kopargaon ANagar	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt not Given	(P)	Wt not given in Test Report	
2	a	Three furrow surry ridger	Popular Steel Works, Kolhapur	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 159/187, June 2006	Yes	Not mentioned	Yes	Yes	Within State	--	Wt:228.500 Kg	(R)		
IX		Seed Drill																
A		Seed cum fert. Drill (Bullock Drawn)																
1	a	Seed Cum Fert. Drill (2 Bowl, 3 Coulters Adj.)	MAIDC Ltd., Mumbai	Manufacturer	Non SSI	FMT&TIs/ SAUs	NRFMTTI, Hissar	IMP-136/537, March 1998	Yes	IS:9219:1993	Yes	Yes	Within State	--	Wt.26.950 Kg with beam and 3 Coulters	(R)		
	b	Seed cum fert. Drill (2 Bowl, 3 Coulters)	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	2009-2010	Yes	not mentioned	Yes	--	Within State	--	Wt:21.350 Kg, Draft 20-25Kg	(R)		
	c	Seed cum fert. Drill (2 Bowl, 4 Coulters Adj.)	Shri Datta Engg. Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuril	639/16.1.2008	Yes	Not mentioned	Not submitted	--	Within State	--	Wt:26.00 KG	(P)	Design Not submitted	
	d	Seed Cum Fertilizer Drill (2 Bowl, 3 Coulters, Bullock drawn)	Venkatesh Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	4390/2 dt. 1/9/2010	Yes	Not mentioned	Yes	--	Within State	--	Wt:30.750 Kg	(R)		
New	e	Seed cum fert. Drill (2 Bowl, Coulters Adj.)	Shree Sant Bhagwanbaba Auto & Fab. Works, Beed	Manufacturer	SSI	FMT&TIs/ SAUs	MAU, Parbhani	IMP-2/2012	Yes	IS:3342:1998	Yes	--	Within State	--	Wt:32 Kg	(P)	Title Clearance, Field Performance Data req.	
	f	Seed Cum fert. Drill (2 Bowl, 3 Coulters Adj.)	Jagdamba Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuril	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt:30.700 Kg	(P)	Matter is Subjudice	
	g	Blade Harrow cum Seed & fert. Drill (2 Bowl, 3 Coulters Adj.)	Venkatesh Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuril	3269/2008	Yes	Not mentioned	Yes	--	Within State	--	Wt:45 Kg	(R)		
2	a	3 tyne auto Mechanical seed cum fert.drill (Bullock drawn)	Sai Agro Ind., Wani	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt:44.000 Kg	(R)		
	b	3 tyne auto Mechanical seed cum fert.drill (Bullock drawn)	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	NERFMT&TI, Sonitpur	IMP:85/125:2011	Yes	IS:6316:1993 IS:6813:2000	Yes	Yes	Within State	--	Wt:46.800 Kg	(R)		
New	c	3 tyne auto Mechanical seed cum fert.drill (Bullock drawn)	Dharti Agro Engg., Rajkot	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMT&TI, Anantpur	IMP:189/223, Nov 2007	Yes	IS:6316:1993 IS:6813:2000	Yes	No	Outside State	--	Wt:62.000 Kg with Seed and Fert.	(R)		
	d	Three tyne Seed drill cum cultivator cum blade harrow. Adjustable	Jalamkar Ind., Akola	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	2009-10	Yes	Not mentioned	Yes	--	Within State	--	Total Wt. 25.850 Kg (with seeding attachment 20.700 Kg, with cultivator 17.900 Kg, with blade harrow 19.400 Kg	(R)		
B		Seed cum fertilizer drill (Tractor drawn)																
1	a	Seed cum fertilizer drill 9 tyne 8" long	Jadhao Agro Ind., Amravati.	Manufacturer	SSI	FMT&TIs	CRFMTTI, Budani	IMP 93/906, Oct2002	Yes	IS:6316:1993 IS:6813:2000 IS:4468:1997	Yes	Yes	Within State	--	Wt:375 Kg (Without seed)	(R)		
New	b	Tractor Drawn Automatic Seed Drill 9 tyne 8" long	Anurag Enterprises, Washim	Manufacturer	SSI	FMT&TIs	MAU, Parbhani	007.2012	Yes	IS:6316:1993 IS:6813:2000 IS:4468:1997	Yes	--	Within State	--	Wt:520 Kg with seed and Fert.	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	c	Tractor Drawn Automatic Seed Drill 9 tyne 8" long	Prabhu Agro Industries, Bodhawad, Jalgaon	Manufacturer	SSI	FMT&T's	MAU, Parbhani	005..2012 Oct 2012	Yes	IS:6316:2004 IS:6813:2006 IS:4468:1997	Yes	--	Within State	--	Wt.418 Kg with seed and Fert.	(R)		
New	d	Seed cum fertilizer drill 9 tyne 8" long	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&T's/ SAUs	NERFMTTI, Sonitpur	IMP-99/143, Oct. 2011	Yes	IS:6316:1993, IS:6813:2000, IS:4468:1997	Yes	Yes	Within State	--	Wt.295 Kg (Without seed)	(R)		
New	e	Seed cum fertilizer drill 9 tyne 8" long	Benson Agro. Engg. Nashik	Marketer for Khedut Agro Engg. Rajkot	SSI	FMT&T's/ SAUs	NRFMTTI, Hissar r	IMP:334/1068, Sept 2008	Yes	IS:6316:1993, IS:6813:2000, IS:4468:1997	Yes	Yes	Outside State	--	Wt.320 Kg, with Seed & Fert 445 kg.	(R)		
New	f	Seed cum fertilizer drill 9 tyne 8" long	Dharti Agro Engg. Rajkot	Manufacturer	SSI	FMT&T's/ SAUs	SRFMTTI, Anantpur	IMP:177/210, Sept 2007	Yes	IS:6316:1993, IS:6813:2000, IS:4468:1997	Yes	Yes	Outside State	--	Wt.464.000 Kg with Seed and Fert.	(R)		
New	g	Seed cum fertilizer drill 9 tyne 8" long	Ram Durga Industries, Murtijapur, Akola	Marketer for Mausam Agro Pvt. Rajkot, Gujrat	SSI	FMT&T's/ SAUs	NERFMTTI, Sonitpur	IMP:67/107, June 2010	Yes	IS:6316:1993, IS:6813:2000, IS:4468:1998	Yes	Yes	Outside State	--	Without Seed & Fert Wt.325 Kg, With Seed & Fert. 435.00 Kg.	(R)		
new	h	Seed cum fertilizer drill 9 tyne 8" long	Bothra Foundry, Ahmednagar	Manufacturer	SSI	FMT&T's	M.P.K.V., Rahuri	Oct. 2012	Yes	IS:6316:1971, IS:6813:2006	Yes	--	Within state	--	Wt.360 Kg (with seed and fert)	(R)		
new	i	Seed cum fertilizer drill 9 tyne 8" long	Agrotec Corporation, Raipur	Manufacturer	SSI	FMT&T's/ SAUs	AITC, Raipur	139 Nov 2012	Yes	IS:6316:2004 IS:6813:2006 IS:4468:1997 IS:6813:2000	Yes	No	Outside State	--	Wt.245 Kg	(R)		
new	j	Seed cum fertilizer drill 9 tyne 8" long	Tata Steel Ltd., Jamshedpur	Marketer for Khedut Agro Engg. Rajkot	SSI	FMT&T's/ SAUs	Junagadh Agricultural University, Junagadh	JAU/CAET/FMP/2008, 22/10/2008	No	Not mentioned	Not submitted	--	Outside State	--	Wt not Mentioned in report	(NR)		Design, wt. not given detail test report not submitted
	k	Seed cum fertilizer drill 9 tyne 8" long	Bhansali Agri. Implements. Pvt. Ltd. Kopargaon ANagar	Manufacturer	SSI	FMT&T's/ SAUs	M.P.K.V., Rahuri	2008-2009	Yes	Not mentioned	Yes	--	Within state	--	Wt.350 Kg	(R)		
3	a	Seed cum fertilizer drill 11 tyne 8" long	New Swan Enterprises, Ludhiana, Punjab	Manufacturer	SSI	FMT&T's/ SAUs	Rajendra Agriculture University, Bihar	389 dt 15/10/2011	Yes	Not mentioned	No	--	Outside State	--	Wt.283 Kg	(NR)		Only photographs, detail design not submitted
new	b	Seed cum fertilizer drill 11 tyne 8" long	Mahalaxmi Enterprises, Ahmednagar	Marketer for New Swan Enterprises, Ludhiana, Punjab	SSI	FMT&T's/ SAUs	Rajendra Agriculture University, Bihar	389 dt 15/10/2011	Yes	Not mentioned	No	--	Outside State	--	Wt.283 Kg	(NR)		Only photographs, detail design not submitted, Marketer
	C	Zero Till Drill																
New	a	Zero Till Drill (9 Tyne)	Ram Durga Industries, Murtijapur, Akola	Marketer for Mausam Agro Pvt. Rajkot, Gujrat	SSI	FMT&T's/ SAUs	GAU, Junagadh, Gujrat	TTC/FMJ/B/01/07, Oct 2012	Yes	IS:6316:1993, IS:6813:2000,	Yes	Yes	Outside State	--	Wt.354 Kg with Seed & Fert.	(R)		
New	b	Zero Till Drill (9, 11, 13 Row Adj.)	Tata Steel Ltd., Jamshedpur	Marketer for Khedut Agro Engineering, Rajkot	SSI	FMT&T's/ SAUs	JAU: Gunagad, Gujrat	JAU/CAET/FMP/RK VY/383/2009, 03/08/2009	Yes	Not mentioned	Not submitted	--	Outside State	--	Not mentioned	(P)		Design not submitted and weight is not seen in report

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of S.I.T.C 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	c	Zero Till Drill (9, 11, 13 Row Adj.)	Benson Agro Engg. Nashik	Marketer for khedut Agri Engg. Rajkot.	SSI	FMT&TIs/ SAUs	GAU, Junagadh, Gujrat	CFMJ383.2009	Yes	--	Yes	Yes	Outside State	--	Wt. 275.00 Kg for 9 Row, Wt. 310.00 Kg for 11 Row , Wt. 350.00 Kg for 13 Row	P	Wt Verification	
	D	Sarate																
1		Sarate (Set of 3 HDPE pipes)	Tatiwar Agro Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PKV, Akola	HD/FPM/TR/133/09 Dt.20/7/2009	Yes	Not mentioned	Yes	---	Within State	--	Wt. of each sarate 0.94 Kg, for 3 sarate Wt.2.82 Kg	R		
	E	Planters																
1	a New	Manual Operated Rice Planter	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	AITC, Raipur	140 / Nov. 2012	Yes	Not mentioned	Yes	--	Within state		Wt.18.600 Kg	R		
new	b	Cotton Planter Manually operated	Jai Baba Tractors, Wardha	Manufacturer	SSI	FMT&TIs/ SAUs	PKV, Akola	5/2013, 08/04/2013	Yes	IS 9855:1981 IS 9856:1981 IS 11271:1985 IS 6813:2000 IS 816:1960	Yes	Yes	Within state	-	Wt. 12.00 Kg, with seed & beam	R		
1 (New)	c	Dibler (Manually Operated)	Captain Tractors Pvt. Ltd., Rajkot	Manufacturer	Non SSI	FMT&TIs/ SAUs	JAU: Gunagad:Gujrath	Dt.12/1/2010	Test/Performance-Evaluation Report	Not mentioned	Not given	--	Outside State	--	Wt.1.400 Kg in Leaflet	NR		Detail report not submitted. Design, specifications,
2	a New	Paddy Transplanter 4 Row (Walk behind Type) Self Propelled 1.74 HP	Fortune Agro Impex, Benglore	Marketer for Yung CHI Y.C.Ind. Co. Taiwan	Non SSI	FMT&TIs	SRFM TTI, Anantpur	Machine - 18/351, March 2012	Yes	As per testing authority.	IS: 9953:2002	Yes	Outside State	Taiwan	Wt.170 Kg, SFC 0.562 Kg/kWh at 1.3 kW,	P	Marketing agreement not submitted	
	b	Paddy Transplanter 4 Row (Walk behind Type) Self Propelled 2.39 HP	Greaves Cotton Ltd.T.N.	Marketer for Changzhou Mach & Equip. China	Non SSI	FMT&TIs/ SAUs	NRFMTTI, Hissar	IMP 506/1334, Feb. 2011	Yes	As per testing authority.	Yes	No	Outside State	China	Wt.163 Kg, SFC 0.399 Kg/kWh at 1.78 kW,	R		
	c	Paddy Transplanter 4 Row (Walk behind Type) Self Propelled 2.82 HP	Premier Power Equipments, Coimbtore T.N	Marketer for Nantong FLW, China	Non SSI	FMT&TIs	SRFM TTI, Anantpur	IMP 17/350, March 2012	Yes	As per testing authority.	Yes	Yes	Outside State	China	Wt.175 Kg, SFC 0.419 Kg/kWh at 2.1 kW,	R		
	d	Paddy Transplanter 4 Row (Walk behind Type) Self Propelled 3.50 HP	VST Tillers Tractors Ltd., Bangalore	Marketer for Zhongji Southern machinery Ltd. China	Non SSI	FMT&TIs/ SAUs	ANGR AU, Hyderabad	Jan-11	Yes	As per testing authority.	Only Photo	Yes	Outside State	China	Wt.160 Kg, 2.61 kW=3.50 HP	P	Report Number Req.	
	e	Paddy Transplanter 8 Row Riding Type, Self Propelled, (4.02 HP) (Model- Yanji Shakti - 2 Z T-238-8,	VST Tillers Tractors Ltd., Bangalore	Importer for Yanji Rice Transplanter, China	Non SSI	FMT&TIs	SRFM TTI, Anantpur	IMP 52/66, Aug.2001	Yes	As per testing authority.	Yes	Yes	Outside State	China	Wt.319 Kg, SFC 0.318 Kg/kWh at 3.0 kW,	R		
3	a	CRIDA Three Row Planter (Bullock Drawn)	Kale Industries Latur,	Manufacturer	SSI	FMTTI/SAU	MAU, Parbhani	IMP: 6/2012. Oct. 2012	Yes	Design given	Yes	No	within State		Wt.105.400 Kg	P	MOU Copy of CRIDA Req.	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	b	CRIDA Three Row Planter (Bullock Drawn)	MAIDC, Mumbai	Manufacturer	SSI	MOU of agency with central institute	MOU with CRIDA, 23.3.10, for 3 Years	--	--	--	--		within State	--	Wt.100.00 Kg	P	MOU Renewal	
new	c	CRIDA Three Row Planter (Bullock Drawn)	Rohit Steel Works, Pune	Manufacturer	SSI	FMTTI/SAU	CRIDA, Hyderabad	MOU With CRIDA, 24.08.2011 renewed upto 23/08/2014	No, only design	Yes	No Specifications		within State		--	NR		Test Report not Submitted. Wt not given, Private MOU Not Recommended
4	a	CRIDA Four Row Planter (Bullock Drawn)	Rohit Steel Works, Pune	Manufacturer	SSI	FMTTI/SAU	CRIDA, Hyderabad	MOU With CRIDA, 24.01.2003 for 3 years.	--	Design not given			within State		Wt.100.00 Kg	NR		Test Report not Submitted. Wt not given, Private MOU Not Recommended
	b	CRIDA Four Row Planter (Bullock Drawn)	Rohit Steel Works, Pune	Manufacturer	SSI	FMTTI/SAU	CRIDA, Hyderabad	MOU With CRIDA, 24.08.2011 renewed upto 23/08/2014	No, only design	Yes	No Specifications		within State		--	NR		Test Report not Submitted. Wt not given, Private MOU Not Recommended
New	c	CRIDA Four Row BBF Planter (Tractor Drawn)	Rohit Steel Works, Pune	Manufacturer	SSI	FMTTI/SAU	CRIDA, Hyderabad	MOU With CRIDA, 24.08.2011 renewed upto 23/08/2014	No, only design	Yes	No Specifications		within State		--	NR		Test Report not Submitted. Wt not given, Private MOU Not Recommended
	d	CRIDA Four Row Planter (Bullock Drawn)	MAIDC, Mumbai	Manufacturer	SSI	MOU of agency with central institute	MOU with CRIDA, 23.3.10, for 3 Years	--	--	--	--		within State	--	Wt.110.00 Kg	P	MOU Renewal	
5	a	CRIDA Six Row Planter (Tractor Drawn)	MAIDC, Mumbai	Manufacturer	SSI	MOU of agency with central institute	MOU with CRIDA, 23.3.10, for 3 Years	--	--	--	--		within State	--	Wt.310 Kg	P	MOU Renewal	
	b	CRIDA Six Row Planter (Bullock Drawn)	Rohit Steel Works, Pune	Manufacturer	SSI	FMTTI/SAU	CRIDA, Hyderabad	--	--	--			within State		Wt.240 Kg	NR		Test Report not Submitted. Wt not given, Private MOU Not Recommended
New	c	CRIDA Six Row Planter (Tractor Drawn)	Rohit Steel Works, Pune	Manufacturer	SSI	FMTTI/SAU	CRIDA, Hyderabad	MOU With CRIDA, 24.08.2011 renewed upto 23/08/2014	No, only design	Yes	No Specifications		within State		--	NR		Test Report not Submitted. Wt not given, Private MOU Not Recommended
	d	CRIDA Nine Row Planter (Tractor Drawn)	Rohit Steel Works, Pune	Manufacturer	SSI	FMTTI/SAU	CRIDA, Hyderabad	MOU With CRIDA, 24.01.2003 for 3 years.	--	Design not given	--		within State	--	Wt.285 Kg	NR		Test Report not Submitted. Wt not given, Private MOU Not Recommended

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
6		Four Row Broad Bed Furrow Planter (Tractor Drawn)	MAIDC, Mumbai	Manufacturer	SSI	MOU of agency with SAU	MOU with PDKV, 16.3.10, for 5 Years	--	--	--	--	--	within State	--	Wt.286.00 Kg	(R)		
7	New a	Potato Planter 2 Row	Ram Durga Industries, Murtijapur Akola	Marketer for Shera Motor & Tractor Engg. Wrks. Jalandhar	SSI	FMTTI/SAU	PAU, Ludhiana	PM -1/77,	Yes	--	--	--	Outside State	--	Wt.250.00 Kg	(NR)		Report and design not approved by authority
	New b	Potato Planter (Automatic)	Ganesh Agro Equipments Gujrat	Manufacturer	SSI	FMTTI/SAU	NERFMTTI, Sonitpur	IMP-54/92, Dec 2009	Yes	IS:11893:1997 IS 9856:1999 IS:4468:2007	Yes	Yes	Outside State	--	Wt.375.00 Kg	(R)		
8	New a	Bund Former - Model - KBF--505	SR Engineering & Services, Wardha	Manufacturer	SSI	FMTTI/SAU	MAU, Parbhani	FMP/TT&TC/24/2013, Feb 2013	Yes	IS:12337:1988, IS:3372:1965, IS:4468:1997	--	--	within State	--	Wt.155.00 Kg, No of Blades-2,	(R)		
X		Sarayantra																
1	a	Sarayantra (Bullock Drawn)	M.A.I.D.C. LTD	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 66/82, March 2002	Yes	IS:3372:1999	Yes	--	Within State	--	Wt.28.00 Kg	(R)		
	b	Sarayantra	Shri Datta Engg. Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuril	639/2008, 16.1.2008	Yes	Not mentioned	Yes	--	Within State	--	Wt.27.00 Kg	(R)		
	c	Sarayantra	Venkatesh Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2010-11	Yes	Not mentioned	Yes	--	Within State	--	Wt.27 Kg	(R)		
New	d	Sarayantra	Shyamdatta Krishi Udyog, Satara	Manufacturer	SSI	FMT&TIs/ SAUs	BSKVV, Dapoli	--	Yes	Not mentioned	Yes	--	Within State	--	Wt.25.14 Kg	(P)		Report number
	e	Sarayantra	Jagdamba Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuril	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt.27.000 Kg	(P)		Matter is Subjudice
	f	Sarayantra	Kisan Agro Industries, Pandharpur	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuril	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt.26.000 Kg	(R)		
XI		Sugarcane Interculturing Implement (Bullock Drawn)																
1		Sugarcane Interculturing & Fertilizer application (Kisan Oujar)	Kisan Agro Industries, Pandharpur	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2009 - 20010	Yes	Not mentioned	Yes	--	Within State	--	Wt.45.000 Kg	(R)		
2		Sugar Cane Bandhani Yantra/ Ridger with beam	Shriram Agril. Implements, Pune	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 131/157, June 2005	Yes	IS:2565:1979 IS 10254:1982	Yes	Yes	Within State	--	With beam Wt.34.000 Kg, Without beam Wt.24.500 Kg	(R)		
3	a	3 Tyne Cultivator (Bar Bandage) with beam	Shriram Agril. Implements, Pune	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 130/156, Jun. 2005	Yes	IS:3342:1998	Yes	Yes	Within State	--	Wt. With beam 25.500 Kg Wt. Without beam 17.000 Kg	(R)		
New	b	3 Tyne Cultivator (Bar Bandage) without beam	Fulhar Sales Corpn., Ahmednagar	Marketer for Paras Agro Corporation, A/Nagar	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 127/153, Jan. 2005	Yes	IS:3342:1998	Yes	Yes	Within State	--	Wt.21.00 Kg without Beam	(R)		
XII		Dawara (Bullock Drawn)																
1	a	Dawara set 6",9",12" with M.S.beam (Adjustable)	M.A.I.D.C. Ltd., Mumbai	Manufacturer	SSI	FMT&TIs/ SAUs	NRFMTTI, Hissar	IMP-153/575 March 1999	Yes	IS:2564 :1990	Yes	Yes	Within State	--	Wt.14.4 Kg with 305 mm blade.	(R)		
	b	Dawara set 6",9",12" with M.S.beam (Adjustable)	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	2009-2010	Yes	Yes	Yes	Yes	Within State	--	Wt.15.310 Kg	(R)		
	c	Dawara set 6",9",12" with M.S.beam (Adjustable)	Shri Datta Engg. Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	639/16.1.2008	Yes	Not mentioned	Yes	NA	Within State	--	Wt.18.5 Kg	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (P-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
new	d	Dawara set 6",9",12" with M.S.beam (Adjustable)	R.M.Industries, Amravati	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 60/76, Jan 2002	Yes	As per testing authority	Yes	No	Within State	--	Wt.14.800 Kg (with 12" blade)	(NR)		Compliance not submitted
2	a	New Dawara set 9",12",15" with M.S.beam (Adjustable)	Varun Agro Industries, Pune	Manufacturer	SSI	FMT&TIs/ SAUs	MAU, Parbhani	FMP/TI&TC, 13/2012 Dec. 2012	Yes	IS:2564:1990	Yes	--	Within State	--	Wt.12.00 Kg with 3 blade	(P)	Design Not Approved by Testing Authority& Confirm Test Hrs.	
	b	Dawara 9",12",15" with M.S.beam (Adjustable)	Venkatesh Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	3269/8.9. 2008	Yes	Not mentioned	Yes	--	Within State	--	Wt.14.900 Kg with 3 blade	(R)		
	c	Dawara set 9",12",15" with M.S.beam (Adjustable)	Shri Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	2009-10	Yes	Not mentioned	Yes	--	Within State	--	Wt.15.31 Kg with 3 blades	(P)	Incomplete Report	
3	a	Dawara Set (15" 18" 21") With MS Beam (Adjustable)	Shri Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	--	Yes	Not mentioned	Yes	--	Within State	--	Wt.15.390 Kg with 3 blades	(P)	Test Report number	
	b	Dawara Set (15" 18" 21") With MS Beam (Adjustable)	M.A.I.D.C. Ltd., Mumbai	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	439, 25.12.2011	Yes	Not mentioned	Yes	Yes	Within State	--	Wt.18.600 Kg with 3 blades	(R)		
4	a	Adjustable Folding Dawara (6" to 21" without Blade)	Jalamkar Ind., Akola	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	353 2/2/2009	Yes	Not mentioned	Yes	--	Within State	--	Wt.11.00 Kg	(P)	Report with Blade Req.	
	b	Adjustable Folding Dawara (6" to 21" with 3 Blade)	Shri Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	2009-10	Yes	Not mentioned	Yes	--	Within State	--	Wt.15.31 Kg with 3 blades	(R)		
5		U type 9" Dawara	Godavari Udyog, Nanded	Manufacturer	SSI	FMT&TIs/ SAUs	MAU, Parbhani	CAET/FMP 217, 5.11.2009	Yes	Not mentioned	Yes	--	Within State	--	Wt. 12.00 Kg, Draft 41 Kg	(R)		
6	New	Adj.Double/Single Blade Folding Dawara without Blade	Jalamkar Ind., Akola	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	747/2011, 30/03/2011	Yes	Not mentioned	Yes	--	Within State	--	Wt.14.5 Kg without Blade	(P)	Report with Blade Req.	
XIII		Wakhar (Harrow)																
1	a	U type wakhar 24" With MS beam	M.A.I.D.C. Ltd., Mumbai	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 93/112, Dec.2002	Yes	IS:2564:1979	Yes	Yes	Within State	--	Wt.24.00 Kg with Beam Wt.17.000 Kg without Beam	(R)		
	b	U type wakhar 24" With MS beam	Venkatesh Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2010-11	Yes	Not mentioned	Yes	--	Within State	--	Wt.24.450 Kg	(R)		
	c	U type wakhar 24" With MS beam	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	2009-2010	Yes	Not mentioned	Yes	--	Within State	--	Wt.19.200 Kg	(R)		
	d	U type wakhar 24" With MS beam	Shri Datta Engg. Ahmednagar	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2010-11	Yes	Not mentioned	Yes	--	Within State	--	Wt. 25.850 Kg	(R)		
	e	U type Blade Harrow 24" With MS beam	Jagdamba Agro Engineering, Jalana	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt.26.00 Kg	(P)	Matter is Subjudice	
2		U type Wakhar cum Cultivator 21" 3 tyne with beam	Godavari Udyog, Nanded	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 55/70 Nov.2001	Yes	IS:2564:1979, IS:3142:1998	Yes	--	Within State	--	Wt.with beam 29.00 Kg Wt. without beam 21.500 Kg	(R)		
3		Wakhar cum Cultivator 4 tyne with beam	Shriram Agril. Impl., Pune	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP 56/71, Nov.2001	Yes	IS:2564:1979, IS:3342:1998	Yes	Yes	Within State	--	Wt.with beam 36.00 Kg Wt. without beam 29.00 Kg	(R)		
4		Adjustable Blade Harrow 15",18",24"	Venkatesh Agro Engineering, Jalna	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt.25.100 Kg	(R)		
5	a	Adjustable Blade Harrow 24",30",36"	Venkatesh Agro Engineering, Jalna	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt.31.750 Kg	(R)		
New	b	Wakhar 18", 21", 24"	Varun Agro Industries, Pune	Manufacturer	SSI	FMT&TIs/ SAUs	MAU, Parbhani	FMP/TI&TC/12/2012, Dec.2012	Yes	IS:2264:1990	Yes	--	Within State	--	Wt.16.000 Kg	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
XIV		Fertilizer Broadcaster (ISI Mark)																
1	a	Fertilizer Broadcaster with Aluminium Hopper (ISI Mark)	Hymatic Agro Equip.Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 8858006 06/09/2013	--	IS:12337:1988	--	--	Outside State	--	---	(R)		
	b	Fertilizer Broadcaster with Aluminium Hopper (ISI Mark)	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 3084552 31/01/2015	--	IS:12337:1988	--	--	Outside State	--	---	(R)		
	c	Fertilizer Broadcaster with Aluminium Hopper (ISI Mark)	Satish Agro Ind., Nandurbar	Manufacturer	SSI	BIS	BIS	CML 7311658 28/02/2014	--	IS:12337:1988	--	--	Within State	--	---	(R)		
	d New	Fertilizer Broadcaster with Aluminium Hopper (ISI Mark)	Mitushi Enterprises, Delhi	Manufacturer	SSI	BIS	BIS	CML 3158454 19/10/2013	--	IS:12337:1988	--	--	Outside State	--	---	(R)		
	e New	Fertilizer Broadcaster with Aluminium Hopper (ISI Mark)	Adarsha Plant Protect Ltd, Anand, Gujraht	Manufacturer	SSI	BIS	BIS	CML 7780592 23/9/2013	--	IS:12337:1988	--	--	Outside State	--	---	(R)		
2	a	Fertilizer Broadcaster with Fibreglass reinforced Plastic Hopper (ISI Mark)	Hymatic Agro Equipments P. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 8858006 06/09/2013	--	IS:12337:1988	--	--	Outside State	--	---	(R)		
	b	Fertilizer Broadcaster with Fibreglass reinforced Plastic Hopper (ISI Mark)	Satish Agro Ind., Nandurbar	Manufacturer	SSI	BIS	BIS	CML 7311658 28/02/2014	--	IS:12337:1988	--	--	Within State	--	---	(R)		
New	c	Fertilizer Spreader	Mahindra and Mahindra, Mumbai	Marketer for Maschio GasPardo SpA	SSI	BIS	BSKKV, Dapoli	not mentioned	Yes	Philippines test code referred	No design only photos	--	Outside State	Italy	Wt. 75.000 Kg Fertilizer consumption 370.9 kg/hr	(P)	design with Tech. specification Req.	
XV		Urea Briquetter Machine																
1	a	Urea Briquetter Machine with 5 HP Motor	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&Tis/ SAU	NERFMTTI, Sonitpur	IMP 73/113 JULY 2010	Yes	As per testing authority	Yes	No	Within State	--	Wt.345.000 Kg	(R)		
	b	Urea Briquetter Machine with 5 HP Motor	Bhaktraj Agroteck, Pune	Manufacturer	SSI	FMT&Tis/ SAU	SRFMTTI, Anantpur	MACHINE/4/265 SEPT 2009	Yes	As per testing authority	Yes	Yes	Within State	--	Wt.346.000 Kg	(R)		
	c	Urea Briquetter Machine with 5 HP Motor	Vijay Engg. & Electricals, Pune	Manufacturer	SSI	FMT&Tis/ SAU	SRFMTTI, Anantpur	MACHINE -3/264 SEPT 2009	Yes	As per testing authority	Yes	Yes	Within State	--	Wt.350.000 Kg	(R)		
	d	Urea Briquetter Machine with 5 HP Motor	Shriram Agricultural Implements, Pune	Manufacturer	SSI	FMT&Tis/ SAU	SRFMTTI, Anantpur	MACHINE- 5/266 SEPT 2009	Yes	As per testing authority	Yes	Yes	Within State	--	Wt.346.000 Kg	(R)		
2		Urea Briquetter Applicator	Vijay Engg.& Electricals, Pune	Manufacturer	SSI	FMT&Tis/ SAU	MPKV, Rahuri	2009-10	Yes	Not mentioned	Yes	Yes	Within State	--	Wt.1.300 Kg	(R)		
3	a	Crow Bar for Fertilizer Application	Shri Enterprises, Sangli	Manufacturer	SSI	FMT&Tis/ SAU	MPKV, Rahuri	4064/ 10/08/2010	Yes	Not mentioned	Yes	--	Within State	--	Wt.1.600 Kg	(R)		
New	b	Crow Bar for Fertilizer Application	Rajmati Press Stool, Sangli	Manufacturer	SSI	FMT&Tis/ SAU	MPKV, Rahuri	2255/ 29.5.2012	Yes	Not mentioned	Yes	--	Within State	--	Wt.1.500 Kg	(R)		
New	c	Crow Bar for Fertilizer Application	Shyamdatta Krishi Udyog, Satara	Manufacturer	SSI	FMT&Tis/ SAU	KKV, Dapoli	June.. 2012	Yes	Not mentioned	Yes	--	Within State	--	Wt.2.080 Kg	(R)		
XVI		Weeder																
A		Weeder (Manually Operated)																
1	a	Cycle kolpe	Sriram Agril. Impl., Pune	Manufacturer	SSI	FMT&Tis/ SAU	SRFMTTI, Anantpur	HT- 07/109, Dec.2002	Yes	IS:14540:1998	Yes	Yes	Within State	--	Wt.8.500 Kg	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gof's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	b	Cycle kolpe	Shri Datta Engg. Ahmednagar	Manufacturer	SSI	FMT&Tis/ SAU	MPKV, Rahuri	2007-08	Yes	Not mentioned	Yes	Yes	Within State	--	Wt.7.200 Kg	(R)		
	c	Cycle kolpe	Star Enterprises, Pune	Manufacturer	SSI	FMT&Tis/ SAU	MPKV, Rahuri	2006-07	Yes	Not mentioned	Yes	Yes	Within State	--	Wt.7.100 Kg	(R)		
	d	Cycle kolpe	Ganesh Steel Works, Satara	Manufacturer	SSI	FMT&Tis/ SAU	MPKV, Rahuri	2005-06	Yes	Not mentioned	Yes	--	Within State	--	Wt.9.000 Kg	(R)		
New	e	Cycle kolpe	Shyamdatta Krishi Udyog, Satara	Manufacturer	SSI	FMT&Tis/ SAU	BSKVV, Dapoli	Jan.. /2013	Yes	Not mentioned	Yes	--	Within State	--	Wt.7.860 Kg	(R)		
	f	Cycle kolpe (Hoe)	Jagdamba Agro Engineering, Jalana	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	2008-09	Yes	Not mentioned	Yes	--	Within State	--	Wt.9.00 Kg	(P)	Matter is Subjudice	
New	g	Hand Wheel Hoe	Shri Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&Tis/ SAUs	DAE, Gauravpath Raipur	158, March 2013	Yes	IS 3185: 1965 IS 3467:1966 IS 1976:1976 IS 7927:7975	Yes	--	Within State	--	Wt. 9.50 Kg.	(R)		
New	h	T Type Small Wheel Hoe (kolpe)	Shri Enterprises, Sangli	Manufacturer	SSI	FMT&Tis/ SAU	MPKV, Rahuri	FMTTC/13/176/2013, Feb. 2013	Yes	Not mentioned	Yes	--	Within State	--	Wt. 4.300 kg.	(R)		
2		Cycle kolpe with ridger attachment	Kisan Agro Industries, Pandharpur	Manufacturer	SSI	FMT&Tis/ SAU	MPKV, Rahuri	2008 - 2009	Yes	Yes	Yes	--	Within State	--	Wt.8.60 Kg Ridger Wt. 1.0 Kg	(R)		
3		Cycle kolpe Wheel ridger	Shyamdatta Krishi Udyog, Satara	Manufacturer	SSI	FMT&Tis/ SAU	BSKVV, Dapoli	--	Yes	Yes	Yes	--	Within State	--	Wt.9.200 Kg	(R)		
4		Narayan Kolpe	Sriram Agril. Impl., Pune	Developed by Dr. N.K. Sawant, Manufacturer-Shriram Aril. Implements Pune	SSI	FMT&Tis/ SAU	MPKV, Rahuri	2006-07	Yes	Not mentioned	No	--	Within State	--	Wt.8.500 Kg	(R)		
5	a	Conoweeder	Shree Vyankateshwara Industries., Nagpur	Manufacturer	SSI	FMT&Tis/ SAU	PDKV, Akola	132/10, 23/06/2010	Yes	Not mentioned	Yes	--	Within State	--	Wt.7.965 Kg	(R)		
	b	Conoweeder	Neptune Packaging Pvt. Ltd. New Delhi	Marketer for M/S Metal Weld Engg. Pvt. Ltd. Indore	Non SSI	FMT&Tis/ SAU	UAS, Raichur	MO(cw-1),2012/01, Oct. 2012	Yes	IS: 14540:1998	Yes	no	Outside State	--	Wt.6.000 Kg	(R)		
	c	Conoweeder	Surbhi Associates, Ahmedabad-	Manufacturer	SSI	FMT&Tis/ SAU	GAU, Gujrat	4.7.2009	Certificate	Not mentioned	No	--	Outside State	--	Wt.5.000 Kg	(NR)		Only Certificate
new	d	Conoweeder	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	FMT&Tis/ SAU	JAU, Junagadh Gujrat	31-03-2012	yes	Not mentioned	No	--	Outside State	--	Wt.6.000 Kg	(NR)		Detail test report not submitted
	B	Weeder (Power Operated)																
1	A 1	Brush Cutter up to 3.5 Kw																
New	a	Brush Cutter : 0.90 Kw (Model- SP-33- W)	Premier Power Equip. Pvt Coimbtore	Marketer for	Non SSI	FMT&Tis/ SAUs	TNAU, Coimature	10/WC/2010, Nov. 2010	Yes	--	--	--	Outside State	China	Wt.7.200 Kg Tested for open field weed cutting. Petrol Engine, RPM 6500,	(NR)		Rate Not Quated

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	b	Brush Cutter : 1.24 Kw (Model KK BC 8640)	Kisan Craft Mac. Tools. Pvt. Bnglore	Marketer for	Non SSI	FMT&TIs/ SAUs	GKVK, Bangalore	14.5. 2008	Yes	RNAM	--	--	Outside State	China	Wt. 7.5 Kg Tested for open field weed cutting. 2 Stroke Petrol Engine, RPM 7500	NR		Rate Not Quated
New	c	Brush Cutter : 1.25 Kw (Model- SP-43-W)	Premier Power Equip. Pvt Coimbtore	Marketer for	Non SSI	FMT&TIs/ SAUs	TNAU, Coimture	14/WC/2011, Jan 2011	Yes	--	--	--	Outside State	China	Wt. 7.8 Kg. , Tested for open field weed cutting, 2 Stroke Petrol Engine, RPM 6500	NR		Rate Not Quated
New	d	Brush Cutter 1.27 Kw (Model - YCM-200) Shoulder type	Swarna Agri. Tech. Consultant Engg. Hyderabad	Marketer for	Non SSI	FMT&TIs/ SAUs	ANGR AU, Hyderabad	07..2008	Yes	--	--	--	Outside State	China	Wt. no given SFC not mentioned. Tested for open field weed cutting.	NR		Rate Not Quated
New	e	Brush Cutter 1.27 Kw (Model -YCM 430) Knapsack Type	Swarna Agri. Tech. Consultant Engg. Hyderabad	Marketer for	Non SSI	FMT&TIs/ SAUs	ANGR AU, Hyderabad	07..2009	Yes	--	--	--	Outside State	China	Wt. no given SFC not mentioned. Tested for open field weed cutting.	NR		Rate Not Quated
New	f	Brush Cutter r. 1.56 Kw (Model - FORTUNE FAI 500)	Fortune Agro Impex , Bnglore	Marketer for	Non SSI	FMT&TIs/ SAUs	GKVK, Bangalore	DR/TT/177/2010.11, 24.09.2010	Yes	--	--	--	Outside State	China	Wt. 8.5 Kg. , Tested for open field weed cutting. 2 Stroke Petrol Engine, RPM 9000	NR		Rate Not Quated
New	g	Brush Cutter : 1.60 Kw (Model - HG 40 F-6)	Padgiwar Agro Ind. Nagpur	Marketer for Tilak Aakriti Services Kolkata .	Non SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	Equip- 13/150, March . 2012	Yes	IS:6025:1982 IS:11467:1995	--	--	Outside State	China	Wt.7.500 Kg SFC not mentioned. Tested for open field weed cuttin, 2 Stroke Petrol Engine RPM 6000	NR		Rate Not Quated
New	h	Brush Cutter : 1.90 Kw (Model ASPEE MARUYAMA MBC-5020 H RS)	American Spring & Pres. Works. Ltd, Mumbai	Marketer for	Non SSI	FMT&TIs/ SAUs	GKVK, Bangalore	DR/TT/220/2010.11, 27.10.2011	Yes	--	--	--	Within State	China	Wt. 8.500 Kg. Tested for open field weed cutting. 2 Stroke Petrol Engine, 7500 RPM	NR		Rate Not Quated
New	i	Brush Cutter 1.90 Kw (Model ASPEE MARUYAMA - MBC-5020	American Spring & Pres. Works. Ltd, Mumbai	Marketer for	Non SSI	FMT&TIs/ SAUs	GKVK, Bangalore	DR/TT/28/2010.11	Yes	--	--	--	Within State	China	Wt. 9.500 Kg. Tested for open field weed cutting. 2 Stroke Petrol Engine, 6500 RPM	NR		Rate Not Quated
New	j	Brush Cutter 1.90 Kw (Model ASPEE MARUYAMA - MBC-4320)	American Spring & Pres. Works. Ltd, Mumbai	Marketer for	Non SSI	FMT&TIs/ SAUs	GKVK, Bangalore	DR/TT/28/2010.11	Yes	--	--	--	Within State	China	Wt. 9.200 Kg. Tested for open field weed cutting. 2 Stroke Petrol Engine, Nylon wire & 3 teeth blade cutter	NR		Rate Not Quated
New	k	Brush Cutter : 1.90 Kw (Model ASPEE MBC 5020 H PA 80)	American Spring & Pres. Works. Ltd, Mumbai	Marketer for	Non SSI	FMT&TIs/ SAUs	ANGR, AU, Hyderabad	07/2008-09, 26.04 .2011	Yes	--	--	--	Within State	China	Wt. 9.800 Kg SFC not mentioned. Tested for open field weed cutting. 2 Stroke Petrol Engine, RPM - 7500, 80 Teeth blade Cutter with paddy attachment	NR		Rate Not Quated
New	l	Brush Cutter : 1.90 Kw (Model ASPEE BC CG 430 B)	American Spring & Pres. Works. Ltd, Mumbai	Marketer for	Non SSI	FMT&TIs/ SAUs	GKVK, Bangalore	IMP-220/2010-11 27.10.2010	Yes	--	--	--	Within State	China	Wt. 9.500 Kg Tested for open field weed cutting. 2 Stroke Petrol Engine, RPM - 7500, 80 Teeth blade Cutter	NR		Rate Not Quated

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of S.I.T.C. 2013-14 (R-Recommended, NR-Not Recommended, P--Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	m	Brush cum Paddy Cutter 1.2 Kw (Model UMK 435 T U 2 ST)	Honda Siel Power Product Ltd., Mumbai	Marketer for Thai Honda Mfg. Co.Ltd Thailand	Non SSI	FMT&TIs/ SAUs	NRRFMTTI, Sonitpur	Equip.12/149, Feb 2012	Yes	IS 11467:1985 IS 6025:1982	Yes	Yes	Outside State	Thailand	Wt. 8.55 Kg.with circular disc and crop deflector, 4 stroke petrol engine, rpm 5000, SFC not mentioned	R	BoE, BoL Required	
	n	Mini Harvester (Brush Cutter) 1.2 Kw (Model FAI 300)	Fortune Agro Impex, Benglore	Marketer for Yungchi YC Industries co. Taiwan	SSI	FMT&TIs/ SAUs	CIAE, Bhopal	Not mentioned	Yes	Not mentioned	No design only photos	-	Outside State	Taiwan	Wt.9.20 Kg, 4 stroke petrol engine, rpm 9000	P	Design not Submitted	
	o	Brush Cutter : 1.25 Kw (Model GSC G 530)	Greaves Cotton Ltd., Bangalore	Importer for Changzhou Agri Mach. Imp & Exp. China	Non SSI	FMT&TIs/ SAUs	NRFMTTI, Hissar	IPM-553/1409, March 2012	Yes	IS:11467:1995	Yes	Yes	Outside State	China	Wt.8.400 Kg SFC not mentioned. Tested for open field weed cutting. 2 Stroke Petrol Engine, RPM 6500	R	BoE, BoL Required	
	p	Brush Cutter 1.42 KW (Model KAWASHIMA YCM 200)	Swarna Agritech consultants and Engineers, Hyderabad	Not mentioned	SSI	FMT&TIs/ SAUs	ANGRAU, Hyderabad	FIM/1/07/2008-09 Dt. 08/07/2008	Single page report	Not mentioned	Not Submitted	-	Outside State	-	Engine Dry Wt.4.00 Kg,	NR		Only single page report, No detail test report, design not submitted.
	q	Brush Cutter 1.50 KW (Model SM -520 Premium)	Suntec Agri Equipments (India) Pvt. Ltd., Benglore	Marketer for Shangdong Metal & Minerals Imports and Export Co. Ltd., China	SSI	FMT&TIs/ SAUs	UAS, Benglore	Not mentioned	Yes	RNAM test code referred	No	-	Outside State	China	Wt. 8.00 Kg, SFC not mentioned. 2 Stroke Petrol Engine	NR		Design not Submitted Testing Only 2 Hrs.
	r	Brush Cutter 1.70 Kw (Model Sparta -44)	Rantagiri Impex Pvt. Ltd. Benglore	Marketer for M/S Oleo-Mac Product Emack Italy	Non SSI	FMT&TIs/ SAUs	NRRFMTTI, Sonitpur	Equip.8/85, Nov 2009	Yes	IS:4358:2007 IS:11467:2007 IS: 8122:2000	Yes	Yes	Outside State	Italy	Wt. 6.8 Kg with Circular Disc Paddy Cutter Attachment, SFC not mentioned. Tested for open field weed cutting and Paddy cutting	P	Incomplate Compliance	
	A2	Brush Cutter More Than 3.5 Kw																
		No Proposal																
2	B-1	Power Weeder/ Rotary Tiller Upto 3.5 Kw																
	a	Mini Cultivator 1.4 KW (model CV 402)	Maharashtra Agro, Benglore	Marketer for Souza Sifang Agro Engineering, Benglore	SSI	FMT&TIs/ SAUs	UAS, Benglore	23-06-2009	Yes	RNAM test code referred	Design not submitted, only photos	-	Outside State	-	Dry weight 15.00 kg, 4 Stroke petrol Engine,	NR		Marketer
	b	Power weeder 1.4 KW (Model KAWASHIMA YCM 430)	Swarna Agritech consultants and Engineers, Hyderabad	Not mentioned	SSI	FMT&TIs/ SAUs	ANGRAU, Hyderabad	FIM/1/07/2008-09 Dt. 07/07/2008	Single page report	Not mentioned	Not Submitted	-	Outside State	-	Wt. no. mentioned, Petrol Engine	NR		Engine Test, Wt Not given
	c	Mini Tiller (Yard Machines 400S Diesel Tiller)	Vijay Engineering & Machinery Co.Ltd, Kolhapur	Marketer for Intellectual Farming Pvt Ltd, Pune	SSI	FMT&TIs/ SAUs	BSKVV, Dapoli	Not mentioned	Yes	RNAM test code referred	Design not submitted, only photos	-	Outside State	HongKong	4 Strple Diesel Engine, Fuel Consumption 0.697 Ltr Per Hour	NR		Engine Test & Wt. Confirmation, KW not Men. Or ISI Mark Engine

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	d	Mini Cultivator 1.4 KW (model CV 402)	Souza Sifang Agro Engineering, Benglore	Marketer for----- -----	SSI	FMT&TIs/ SAUs	UAS, Benglore	23-06-2009	Yes	RNAM test code referred	Design not submitted, only photos	-	Outside State	-	Dry weight 15.00 kg, 4 Stroke petrol Engine,	NR		Test only 5 Hrs.
	e	Paddy weeder 1.50 KW (Model V - 43)	Southern Agro Engineering Pvt Ltd. Benglore	Manufacturer	SSI	FMT&TIs/ SAUs	UAS, Benglore	DR/TT-58/2011-12 dt. 16/09/2011	Yes	Not mentioned	Not Submitted	-	Outside State	-	Wt. 16.80 Kg, 2 stroke petrol engine, RPM 6500-7000, SFC 8.33 Lit/ha	NR		No Report
	f	Power Weeder /Mini Rotary Tiller Brush Cutter 1.56 KW (Model SUN-MAX SM 5210)	Suntec Agri Equipments (India) Pvt. Ltd., Benglore	Marketer for Dorian Deake, China	SSI	FMT&TIs/ SAUs	UAS, Benglore	Not mentioned	Yes	RNAM test code referred	No	-	Outside State	China	Wt. 7.500 Kg, SFC 0.88 lit/hr. 2 Stroke Petrol Engine	NR		Design not Submitted
New	g	Power weeder Cutter 1.9 Kw Model ASPEE-PW-50 M	American Spring & Pres. Works. Malad, Mumbai	Marketer for....	Non SSI	FMT&TIs/ SAUs	ANGR, Hyderabad	26.4.2011	Yes	-	-	--	Within State	Imported	Wt. 15.000 Kg. Tyne L - 4, Petrol Engine	NR		Performance Test Report
New	h	Power weeder Cutter 1.9 Kw Model ASPEE-PW-50 P	American Spring & Pres. Works. Malad, Mumbai	Marketer for....	Non SSI	FMT&TIs/ SAUs	ANGR, Hyderabad	26.4.2011	Yes	-	-	--	Within State	Imported	Wt. 17.000 Kg. Tyne L - 4, Petrol Engine	NR		Performance Test Report
New	i	Power weeder Cutter 1.9 Kw Model ASPEE-PW-50 CY	American Spring & Pres. Works. Malad, Mumbai	Marketer for....	Non SSI	FMT&TIs/ SAUs	ANGR, Hyderabad	26.4.2011	Yes	-	-	--	Within State	Imported-	Wt. 15.000 Kg., Tyne L - 4, Petrol Engine	NR		Rate Not Couted Performance Test Report
	j	Power weeder., 2.3. Kw (Model 625/315 Deisel engine	Benson Agro Engg., Nasik	Manufacturer	SSI	FMT&TIs/ SAUs	Dr. BSKKV, Dapoli	311/621, 2012, 17 May 2012	Yes	RNAM	-	--	Within State	Indegenous	Wt.90.000Kg. Tested for interculturing, weeding and tillage operations. Tyne 24	R		
New	k	Power weeder Cutter 2.4 Kw (Model SHRACHI -308)	Bengal Tools Pvt. Ltd.- Kolkata	Marketer for	Non SSI	FMT&TIs/ SAUs	GKVK, UAS Bangalore	DR/TT/164/2011.12, 7.9.2011	Yes	-	-	--	Outside State	Imported	Wt. 40.000 Kg., Tyne 18	NR		Inadequate Report
New	l	Power weeder Cutter 2.8 Kw (Model PFTT-32)	Padgilwar Agro Industries Nagpur	Marketer fo Atul Industries, Gujrath	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	Machine 21/360, July 2012	Yes	IS: 6690:1996, IS:9980:1999, IS: 9835:2002, IS:12036:1995	-	--	Outside State	Imported -	Wt.74 Kg. SFC 0.405 Kg/KWh, Tyne 24	R	BoE BoL Required	
	m	Power tiller 2.80 kW (Mini Intercultivator) (model D -90)	e- Agro Care Machineries & Equipments, Aurangabad	Manufacturer	SSI	FMT&TIs/ SAUs	BSKKV, Dapolii	Not mentioned	Yes	RNAM test code referred	Design not submitted, only photos	-	Within State	-	Wt. 95.00 kg, 4 stroke diesel engine, No. of blades =24, SFC 0.622 lit./hr.	NR		Design not submitted, Engine Test req.
New	n	Power weeder Cutter 2.9 Kw (Model -Primo 2010)	M.N.Agro Industries, Surat, Gujrath	Manufacture	Non SSI	FMT&TIs/ SAUs	NERFMTTI, Sonitpur	RT 3/148, Feb 2012	Yes	IS:9980:1999, IS: 9835:2002,	-	--	Outside State	Engine-Honda Thailand	Wt. 57.000 Kg, SFC 0.483 Kg/KWh, Tyne- 16	R	BoE BoL Required	
	o	Rotary Tiller 2.9 KW (Model FJ 500 RD)	Honda Siel Power Product Ltd., Mumbai	Marketer for Jialing, Honda Motor Co. Ltd., Chongqing, China	Non SSI	FMT&TIs/ SAUs	NRFMTTI, Sonitpur	IMP-121/168: January 2013	Yes	IS 9935:2002, IS 9980:1999	Yes	Yes	Outside State	China	Wt. 60.00 Kg., 3600 rpm, SFC 380 gm/kWh Rotor blades J = 24	R	BoE BoL Required	
New	p	Power weeder Cutter 2.9 Kw Model WM -500)	Padgilwar Agro Industries.Nagpur	Marketer for Rekha Agri Plast. Vijaywada	SSI	FMT&TIs/ SAUs	ANGR,AU Hyderabad	05-10-2010	Yes	---	-	--	Outside State	Imported - China	Wt.55 Kg. Tyne-16	NR		No Detail Report Engine Test req.

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	q	Power Weeder 2.9 KW (Model TEXAS LILLI 532 TG)	Tata Steel Ltd., Mumbai	Marketer for Farm & Garden technologies Pvt. Ltd., Haryana	SSI	FMT&TIs/ SAUs	IIT, Kharagpur	24-Dec-12	Yes	Not mentioned	Design not submitted, only photos	-	Outside State	-	Weight of Rotor 8.00 kg, Total Wt of Machine 47.50 Kg., Toal no. of blades 16, RPM 3600	NR		Design not submitted, Engine Test req Testing Inst. Not Authorized.
	r	Rotary Tiller 3 KW (Model MH-195)	Ratnagiri Impex, Benglore	Marketer for Oneomac Product E Mark, Italy	SSI	NRFMT&IT	NRFMTTI, Hissar	IMP-551/1407 March 2012	Yes	IS 9980:1999 IS 9835:2002 IS 12036:1995 IS 6690:1996 IS 13539:1992	Yes	No	Outside State	Italy	4 Stroke Petrol Engine, SFC 0.363 Kg/kWh at 3.10KW, Wt Not Mentioned.	P	Wt not mentioned, Compliance not submitted	
New	s	Power weeder Cutter 3.33 Kw (Model 3 PT 600 D)	Premier Power Equip Pvt. Ltd. Coimbatore	Marketer for	Non SSI	FMT&TIs/ SAUs	TAU. Coimature	17-PW-2011, June 2011	Yes	---	-	--	Outside State	Imported	Wt. 120.000 Kg., Tyne 12	NR		Engine Test req.
	t	Power Weeder 3.35 kW (Model Fortune FAI-DLX 500)	Fortune Agro Impex, Benglore	Marketer for Yungchi YC Industries co. China	SSI	FMT&TIs/ SAUs	UAS, Benglore	DR/TT-217/2010-11 Dt. 11/01/2012	Yes	Not mentioned	No design only photos	-	Outside State	China	Wt. 55 Kg, 4 stroke petrol engine, rpm 3600	NR		No Desion Only Photo Engine Test Req.
New	u	Power weeder Cutter 3.36 Kw (Model GS-1WG 2.0 -50 D)	Geaves Cotton Ltd., Chennai	Marketer for	Non SSI	FMT&TIs/ SAUs	GKVK, UAS Bangalore	DR/TT/124/2012.13, 8.10. 2012	Yes	Not mentioned	Photo	--	Outside State	Imported	Wt.105 Kg. Tyne 16	NR		No DesionOnly Photo Engine Test Req.
	v	Rotary Tiller 3.36 kW (Model Fortune /FAI-105 Intercultivator)	Fortune Agro Impex, Benglore	Marketer for Yungchi YC Industries co. China	SSI	FMT&TIs/ SAUs	UAS, Benglore	DR/TT-177/2010-11 24/09/2010	Yes	Not mentioned	No design only photos	-	Outside State	China	Wt. 140 Kg, 4 stroke Diesel engine, rpm 3600	NR		No Desion Only Photo Engine Test Req.
	w	Power weeder 3.5 KW (Model TEXAS TX 601 TG)	Tata Steel Ltd., Mumbai	Marketer for Farm & Garden technologies Pvt. Ltd., Haryana	SSI	FMT&TIs/ SAUs	IIT, Kharagpur	24-Dec-12	Yes	Not mentioned	Design not submitted, only photos	-	Outside State	-	Weight of Rotor12.00 kg, Total Wt of Machine 56 Kg., Toal no. of blades J- 24, 4 Stroke Petrol Engine, RPM 3600	NR		Inst. Not Recognised Insti. By GOI
	B-2	Power Weed Cutter more than 3.5 Kw																
	a	Mini Intercultivator Power weeder 4.0 kW (Model no. D 105)	e- Agro Care Machineries & Equipments, Aurangabad	Manufacturer	SSI	FMT&TIs/ SAUs	M.P.K.V. Rahuri	Oct-12	Yes	IS 1976:1976 IS 7927:1975	Yes	-	Within State	-	Wt. 140.00 kg, 4 stroke diesel engine, 3600 RPM	NR		FMTTI Reprint Required
	b	Rotary Power weeder 4 KW (Model KK-CRT -550D)	Kisan Craft, Machine Tools Ltd, Bangalore	Marketer for-----	SSI	NRFMT&IT	NRFMTTI, Hissar	IMP549/1405 March 2012	Yes	IS 9980:1999 IS 9835:2002 IS 12036:1995 IS 6690:1996 IS 13539:1992	Yes	Yes	Outside State	China	4 Stroke Diesel Engine,3600 RPM, Wt 92 Kg,SFC-0.435 Kg/kWh	R	BoE BoL Required	
	c	Rotary Power weeder 4 KW (Model KK-CRT -550D)	Diamond Automobiles, Sangli	Marketer for Kisan Craft, Machine Tools Ltd, Bangalore	SSI	NRFMT&IT	NRFMTTI, Hissar	IMP549/1405 March 2012	Yes	IS 9980:1999 IS 9835:2002 IS 12036:1995 IS 6690:1996 IS 13539:1992	Yes	Yes	Outside State	China	4 Stroke Diesel Engine,3600 RPM, Wt 92 Kg,SFC-0.435 Kg/kWh	NR		Marketer
	d	Power Weeder / Rotary Tiller 4.404 kw (Model WEIMA 500 AM)	Padgilwar Agro Industries, Nagpur	Marketer for Rekha Agri Plast Ltd. Vijaywada	SSI	FMT&TIs	NRFMTTI, Hissar	IMP-540/1388	Yes	IS: 6690:1996, IS:9980:1999, IS: 9835:2002, IS:12036:1995	Yes	Yes	Outside State	China	Wt. 62.00 Kg. SFC 0.362Kg/kWh	R	BoE BoL Required	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gof's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	e	Power Weeder / Rotary Tiller 4.41 kw (Model- Garuda 3 PT 600)	Premier Power Euip.Coimblore	Manufacture	SSI	FMT&T's	NRFMTTI, Hissar	IMP-541/1389, Dec. 2011	Yes	IS: 6690:1996, IS:9980:1999, IS: 9835:2002, IS:12036:1995	Yes	Yes	Outside State		Wt. 98.00 Kg.SFC 0.302 Kg/KWh	R	BoE BoL Required	
	f	Power Weeder Rotary tiller 4.47 KW (Model GSIWG 4.0 100 FC Z)	Greaves Cotton Ltd., Chennai	Manufacturer	Non SSI	FMT&T's/ SAUs	UAS, Benglore	DR/TT 03/2011-12, Dt. 18/05/2011	Yes	Not mentioned	Design not submitted, only photos	-	Outside State	-	Wt 105 Kg, SFC not mentioned. 4 Stroke Diesel Engine, RPM 3600	NR		FMTTI Reprort Required
	g	Power Weeder / Rotary Tiller 4.81 kw (Model ASPEE RT-ST-75A)	American Spring & Pres. Works, Malad, Mumbai	Marketer for Flying Eagle Ind. Zone China	SSI	FMT&T's	NRFMTTI, Hissar	IMP-555/1411, April 2012	Yes	IS: 6690:1996, IS:9980:1999, IS: 9835:2002, IS:12036:1995	Yes	Yes	Within State	China	Wt. 60.00 Kg. SFC-0.454 Kg/Kwh	R	BoE BoL Required	
	h	Power Weeder 5.81 kW (Model Souza/GN-61)	Maharashtra Agro Industries,	Souza Sifang agro Engineering Pvt Ltd., Benglore	SSI	FMT&T's/ SAUs	UAS, Benglore	DR/TT-270/2010-11 Dt.07/02/2011	Yes	Not mentioned	No design only photos	-	Outside State	-	Wt. 250 Kg, 7.8 hp Diesel engine, RPM 1500	NR		FMTTI Reprort Required
	i	Power Weeder / Rotary Tiller 6.00 kw (Model BCS-MC-730)	Dhanraj Enterprises, Karad	Marketer for BCSINdia Ltd. Ludhiana	SSI	FMT&T's	NRFMTTI, Hissar	IMP-535/1380, Oct. 2011	Yes	IS: 6690:1996, IS:9980:1999, IS: 9835:2002, IS:12036:1995	Yes	Yes	Outside State	Italy	Wt. 117.00 Kg, .SFC-0.328 Kg/Kwh	R	BoE BoL Required	
	i	Rotary Power weeder 6.3 kW (Model KK-SRT-910D)	Kisan Craft, Machine Tools Ltd, Banglore	Marketer for ----- (Imported from China)	SSI	FMT&T's/ SAUs	NRFMTTI, Hissar	IMP 550/1406 Mar 2012	Yes	IS 9980:1999 IS 9835:2002 IS 12036:1995 IS 6690:1996 IS 13539:1992	Yes	Yes	Outside State	China	Wt. 176 Kg, No. of Blades =24, 1800 RPM, 4 stroke diesel engine, SFC 0.401 kg/kWh	R	BoE BoL Required	
	k	Rotary Power weeder 6.3 kW (Model KK-SRT-910D)	Diamond Automobiles, Sangli	Marketer for Kisan Craft, Machine Tools Ltd, Banglore (Imported from China)	SSI	FMT&T's/ SAUs	NRFMTTI, Hissar	IMP 550/1406 Mar 2012	Yes	IS 9980:1999 IS 9835:2002 IS 12036:1995 IS 6690:1996 IS 13539:1992	Yes	Yes	Outside State	China	Wt. 176 Kg, No. of Blades =24, 1800 RPM, 4 stroke diesel engine, SFC 0.401 kg/kWh	NR		Marketer
	l	Mini Inter Cultivator Power Weeder 6.3 kW (Model no. D 135 E)	e- Agro Care Machineris & Equipments, Aurangabad	Manufacturer	SSI	FMT&T's/ SAUs	M.P.K.V. Rahuri	Oct-12	Yes	IS 1976:1976 IS 7927:1975	Yes	-	Within State	-	Wt. 160.00 kg, 4 stroke diesel engine, 3600 RPM	NR		FMTTI Reprort Required
	m	Power Weeder (Rotary tiller) 6.71 KW (Model GSIWG 6.3-120 FCZ)	Greaves Cotton Ltd., Chennai	Manufacturer	Non SSI	FMT&T's/ SAUs	UAS, Benglore	DR/TT 03/2011-12, Dt. 18/05/2011	Yes	Not mentioned	Design not submitted, only photos	-	Outside State	-	Wt 120 Kg, SFC not mentioned. 9 HP, 4 Stroke Diesel Engine, RPM 3600	NR		FMTTI Reprort Required
	C	Leaf shredding machine (Pachat kutti) Tractor operated																
New 1	a	Sugrcane Trash shredder (T.D)	Annapurna Machine Fabrik Pvt. Ltd., Kolhapur	Manufacturer	SSI	FMT&T's/ SAU	MPKV, Rahuri	2010-11	Yes	Not mentioned	Yes	--	Within State	--	Wt. 00 Kg, 45HP & above, Blades - 152	P	Wt. not shown in Report	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	b	Sugarcane Trash Cutter (T.D)	Annapurna Machine Fabrik Pvt. Ltd., Kolhapur	Manufacturer	SSI	FMT&Tis/ SAU	UAS, Raichur	2010-11	Yes	Not mentioned	Design Not given	--	Within State	---	Wt.1035 Kg, Power required 45 HP & above, No. of Blade =151	(P)	Design not submitted	
	c	Sugarcane Trash Cutter (T.D)	Deccan Farm Equip. P. Ltd., Kolhapur	Marketer for Annapurna Machine Fabrik Pvt. Ltd., Kolhapur	SSI	FMT&Tis/ SAU	MPKV, Rahuri	2010-11	Yes	Not mentioned	Yes	--	Within State	---	Wt. ----- Kg, Power required 45 HP & above, No. of Blade =152	(NR)		Marketer
	d	Sugarcane Trash Cutter (T.D)	Deccan Farm Equip. P. Ltd., Kolhapur	Marketer for Annapurna Machine Fabrik Pvt. Ltd., Kolhapur	SSI	FMT&Tis/ SAU	UAS, Raichur	2010-11	Yes	Not mentioned	Design Not given	--	Within State	---	Wt.1035 Kg, Power required 45 HP & above, No. of Blade =151	(NR)		Marketer
new	e	Sugrcane Trash shredder (T.D)	Guru Agro Industries, Haryana	Manufacturer	SSI	FMT&Tis/ SAU	CCS Hariyana Agril. Univ., Hissar	HAU/FMPE/12/SHR 1, Sept 2012	Yes	IS:4931:2004 IS 15805:2008	Yes	Yes	Outside state	---	Wt. 990 Kg	(R)		
	f	Tractor Operated Mobile Shredder	Tirth AgroTech, Rajkot	Manufacturer	SSI	FMT&Tis/ SAU	UAS, Raichur	2010-11	Yes	IS:4468:2001 IS 4931:2004	No	---	Outside state	---	Wt. 660 Kg, Power required 50 HP & above	(P)	Design not submitted	
2		Mulcher (Model Chiara 160) Tractor operated	Mahindra and Mahindra Ltd.	Marketer for Maschi Gaspardo Italy plant in Ranjangaon	Non SSI	FMT&Tis/ SAU	MPKV, Rahuri	5572/2012 Dt. 22/10/2012	Yes	IS :6690:1981 IS 4931:1995 IS 4468:1997	Yes	-	Within State	-	Wt. 670 Kg, Size 1600 mm, No. of Rotor blades L=36, Straight =18	(R)		
XVII		Reaper machines (Self Propelled) (Harvester)																
1	a	Reaper machine (Self Propelled) Model SPR-1200	Bengal Tools Ltd., Kolkata	Marketer for Likuang Mechanical & Ind. WorksCo.Ltd. Taiwan	Non SSI	FMT&Tis	SRFMTTI, Anantpur	Machine-23/364, Aug. 2012	Yes	IS:11467:1995 IS:6025:1982 IS:10378:1982	Yes	Yes	Outside State	Taiwan	2.680 HP, SFC 0.410 Kg/kWh at 2.00 Kw, Wt.129.000 Kg, Knife 24	(R)		
New	b	Reaper machine (Self Propelled) Model MY4G-120	Greaves Cotton Ltd., TN	Importer for Changzou Machinery & Equip., China	Non SSI	FMT&Tis	SRFMTTI, Anantpur	IMP 227/276, Dec.2009	Yes	IS:11467:1995 IS:6025:1982 IS:10378:1982	Yes	Yes	Outside State	China	3.62 HP, SFC 0.481 Kg/kWh at 2.7 Kw, Wt.202.00 Kg Fixed Knife23	(R)		
New	c	Reaper machine (Self Propelled) Model YMMC:VS-4 PR (n)	VST, Tillers & Tractors Ltd. Benglore	Marketer for Yancheng Mingyue Machinery Co.Ltd. China	Non SSI	FMT&Tis	GKVK, UAS Bangalore	DR/TT/267/2011.12	Yes	IS:11467:1995 IS:6025:1982 IS:10378:1982	Yes	Yes	Outside State	China	4.02 HP, SFC 0.318 Kg/kWh at 3.0 Kw, Wt.210 Kg, Fixed Knife 25 & Moving Knife 24	(R)		
New	d	Reaper machine (Self Propelled) Model RHINO RSP-120 Walking Behind	Assam Saii Motors Pvt. Ltd. Kolkata-	Marketer for	Non SSI	FMT&Tis	SRFMTT, Anantpur	M/C/20/358, June 2012	Yes	IS:11467:1995 IS:6025:1982 IS:10378:1982	Yes	Yes	Outside State	China	3.485 HP, SFC 0.369 Kg/kWh at 2.6 Kw, Wt.210 Kg, Knife 24	(R)		
New	e	Reaper machine (Self Propelled) Model 4G 120 A	Chirag Corporation Ltd. --- Kolkata	Marketer for	Non SSI	FMT&Tis	DAE, Gauravpath Raipur	No 103/June 2012	Yes	IS:11467:1995 IS:6025:1982 IS:10378:1982	Yes	Yes	Outside State	China	4.691 HP, SFC 0. --- Kg/kWh at 3.5 Kw, Wt.235.000 Kg, Knife 23	(P)	Engine Test req.	
New	f	Reaper machine (Self Propelled) Model Vijay 4G 120 A	Vijay Engg. & Machinery Kolhapure	Manufacturer	Non SSI	FMT&Tis	MPKV, Rahuri	FMTTC/01/161/201 3, Jan 2013	Yes	IS:11467:1995 IS:6025:1982 IS:10378:1982	Yes	Yes	Within State	China	4.329 HP, SFC 0. --- Kg/kWh at 3.23 Kw, Wt.210.000 Kg, Knife 23	(P)	Engine Test req.	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside State	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	g	Reaper machine (Self Propelled) Captain Ck/CD 1000	Captain Agrotech, Rajkot	Marketer for Asha Exim Pvt. Ltd. Rajkot	SSI	FMT&Tis	NRFMTTI, Hissar	IMP 261/908, April, 2006	Yes	IS:11467:1995 IS:6025:1982 IS:10378:1982	Yes	--	Outside State	Indigenous	5.013 HP, SFC 0.278 Kg/kWh at 3.74 Kw, Wt.230.00 Kg with diesel engine	R		
2. New		Reaper Cum Binder machine (Self Propelled), Model - Standard	Dhanraj Enterprises, Karad, Satara	Marketer for BCS India Ltd. Ludhiana .	SSI	FMT&Tis	NRFMTTI, Hissar	IMP 258/895, Dec 2005	Yes	IS:11467:1995	Yes	--	Outside State	Italy	9.892 HP, SFC 0.278Kg/kWh at 7.38 KW Wt.450.00 Kg with diesel engine	R		
3. New		Fodder Harvester machine (Self Propelled) Model - Standard	Dhanraj Enterprises, Karad, Satara	Marketer for BCS India Ltd. Ludhiana .	SSI	FMT&Tis	NRFMTTI, Hissar	IMP 314/1035, July 2008	Yes	IS:11467:1995	Yes	--	Outside State	Italy	9.892 HP, SFC 0.278Kg/kWh at 7.38 Kw, Wt.300.00 Kg with 4 Stroke diesel engine	R		
XVIII	A	Sickles Serrated sickles with wooden handle																
1	a	Serrated sickles with wooden handle	Smita Ind., Pune	Manufacturer	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	HT-2/16/2003, June 2003	Yes	IS:4358:1996	Yes	Yes	Within State	--	Wt. 0.216 Kg.	R		
	b	Serrated sickles with wooden handle	Star Enterprises, Pune	Manufacturer (Taken over from Pallavi Engg., Raigad)	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	HT-01/04, March 2002	Yes	IS:4358:1996	Yes	--	Within State	--	Wt. 0.194 Kg.	R		
	c	Serrated sickles with wooden handle	Star Enterprises, Pune	Manufacturer	SSI	FMT&Tis/ SAUs	NERFMTTI, Sonitpur	HT-03/17, June 2003	Yes	IS:4358:1996	Yes	--	Within State	--	Wt. 0.220 Kg.	R		
	d	Serrated sickles with wooden handle	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&Tis/ SAUs	PKV, Akola	420/06.11.2010	Yes	Not mentioned	Yes	--	Within State	--	Wt. 0.195 Kg.	R		
	e	Serrated sickles with wooden handle	Shree Datta Engg. & Fabri. A' Nagar	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	4532/9.8.2012	Yes	Not mentioned	Yes	--	Within State	--	Wt. 0.196 kg to 0.210 Kg.	R		
	f	Serrated sickles with wooden handle	Benson Agro Engg., Nashik	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	2010-11	Yes	Not mentioned	Yes	--	Within State	--	Wt. 0.210 Kg.	R		
	g	Serrated Sickle With Wooden Handle- Star	Varun Agro Industries, Pune	Manufacturer	SSI	FMT&Tis/ SAUs	BSKVV, Dapoli	PT/FMP/BIS/01/ 2013	Yes	IS 4358:1996	Yes	--	Within State	--	Wt. 0.231 Kg.	R		
	B	Serrated Sickle With Wooden Handle (Laxmi Type)																
	a	Serrated Sickle With Wooden Handle (Laxmi Type)	Smita Ind., Pune	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	2002-03	Yes	Not mentioned	--	--	Within State	--	S-106 Wt. 0.201 Kg. S-107 Wt. 0.220 Kg. S-107 Wt. 0.223 Kg. S-107 Wt. 0.221 Kg.	R		
	b	Serrated Sickle With Wooden Handle (Laxmi Type)	Benson Agro Industries, Nashik	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	FMTTC/02/162/201 3, Jan. 2013	Yes	Not mentioned	--	--	Within State	--	Wt. 0.170 Kg. with Wooden Handle Wt. 0.130 Kg. with Plastic Handle	R		
	c	Serrated Sickle With Wooden Handle (Laxmi Type)	Varun Agro Enterprises,.....	Manufacturer	SSI	FMT&Tis/ SAUs	BSKVV, Dapoli	0.1/2013	Yes	Not mentioned	--	--	Within State	--	Wt. 0.231 Kg.	R		
	C	Khurpe																
New		Khurpe - Benson	Benson Agro Industries, Nashik	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	4171/2011, 22.9.2011	Yes	Not mentioned	--	--	Within State	--	Wt. 0.150 Kg. with Wooden Handle	R		
	D	Sugarcane set Cutting knife																
	a	Sugarcane Cutting knife	Shree Enterprises Sangli	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	169/2013, Feb 2013	Yes	Not mentioned	Yes	--	Within State	--	Wt. 0.280 Kg (+/- 50 gm)	R		
New	b	Sugarcane Set Cutting knife	Rajmati Press Stool, Sangli	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	2252/29.5.2012	Yes	Not mentioned	Yes	--	Within State	--	Wt. 1.700 Kg.	R		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLIC 2013-14 (R-Recommended, NR-NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1		Potato Digger (T.D.)	Ram Durga Industries, Murtijapur, Akola	Marketer for Sehra Motor & Tractor Engg. Works, Jalandhar	SSI	FMT&TIs	PAU, Ludhiana	IMP-55/70 July 2001	Yes	IS:8122:1994	Yes	Yes	Outside State	--	Total Wt.465.00 Kg	NR		Report not Sign by Authority
XX		Thresher																
	A	Thresher (Manually Operated)																
1	a	Coconut Decorticater (Hand Operated)	Vijay Engg. Pune.	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTT, Anantpur	HT-08/110, Dec. 2002	Yes	As per testing authority	Yes	Yes	Within State	--	Wt. 2.24 Kg	R		
New	b	Coconut Dehusker (Hand Operated)	Shree Engineering Works, Dapoli, Dist. Ratnagiri	Manufacturer	SSI	FMT&TIs/ SAUs	Dr BSKKV, Dapoli	---	Yes	As per testing authority	Yes	--	Within State	--	Wt.2.500 Kg	R		
New	c	Coconut Dehusker (Hand Operated)	Shree Engineering Miraj, Sangli	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	N0 FMTTT:04/167/2013, Feb. 2013	Yes	As per testing authority	Yes	--	Within State	--	Wt.2.100 Kg (+- 200 Gm)	R		
2		Maize Sheller	Shri Datta Engrs. & Fabricators, A' Nagar	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	Letter of Approval 621/2012	Approval Letter	--	Yes	-	Within State	--	Wt. 0.222 Kg	NR		Wt. Given in Design. Design not approved by Authority
3		Groundnut Decorticater (Hand Operated)	Kisan Agro Industries, Pandharpur	Manufacturer	SSI	FMT&TIs/ SAUs	MPKV, Rahuri	2008 - 2009	Yes	Not mentioned	Yes	--	Within State	--	Wt.16.200 Kg	R		
4	a	Paddy Thresher(Pedal Operated)	Star Enterprises, Pune	Manufacturer (Taken over Pallavi Engg., Raigad	SSI	FMT&TIs/ SAUs	NRFMTTI, Hissar	IMP 173/721, March, 2002	Yes	IS:3327:1999	Yes	Yes	Within State	--	Wt. 43.500 Kg.	R		
	b	Paddy Thresher (Pedal Operated)	Mhatre Engg. Works, Thane	Manufacturer	SSI	FMT&TIs/ SAUs	Dr BSKKV, Dapoli	2010	Yes	Not mentioned	Yes	--	Within State	--	Wt. 44.970 Kg	R		
	c	Paddy Thresher (Pedal Operated)	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs	PDKV, Akola	132/10, 23/6/2010	Yes	Not mentioned	Yes	--	Within State	--	Wt. 47.675 Kg.	R		
New	d	Paddy Thresher (Pedal Operated)	Varun Agro Industries, Pune	Manufacturer	SSI	FMT&TIs/ SAUs	Dr BSKKV, Dapoli	2012	Yes	IS 3327:1999	No design, Only photos	--	Within State	--	Wt. 37.300 Kg	R		
New	e	Paddy Thresher (Pedal Operated)	Shree Engineering Works, Dapoli, Dist. Ratnagiri	Manufacturer	SSI	FMT&TIs/ SAUs	Dr BSKKV, Dapoli	--	Yes	Not mentioned	Yes	--	Within State	--	Wt. 60 000 Kg	NR		No Report
B		Threshers (Power Operated)																
1		Groundnut Decorticater (Power Operated)	R.M. Industries, Amarawati	Manufacturer	SSI	FMT&TIs/ SAUs	SRFMTTI, Anantpur	IMP-7/75 Jan. 2002	Yes	IS: 11473: 1985	Yes	--	Within State	--	Wt.89.500 Kg with Prime Mover, Wt. 65.600 kg Without Prime Mover	R		
2		Paddy Thresher (Power l Operated) 0.5 HP, W/O Motor	Shree Engineering Works, Dapoli, Dist. Ratnagiri	Manufacturer	SSI	FMT&TIs/ SAUs	Dr BSKKV, Dapoli	2012	Yes	Not mentioned	Not given	--	Within State	--	Wt. 60.00 Kg.	R		
3		Paddy Thresher (Electric Motor Operated 7.5HP w/o motor)	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs as per IS:9020	NRFMTTI, Hissar	C-121/1160, Sept. 2009	Yes	IS:9020:2002	Yes	Yes	Within State	--	Wt.780.00 Kg	R		
4		Paddy Thresher (Tractor operated) 25 HP & Above	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&TIs/ SAUs as per IS:9020	NRFMTTI, Hissar	C-122/1161, Sept. 2009	Yes	IS:9020:2002	Yes	Yes	Within State	--	Wt. 1185 Kg, Tractor 25 HP & above	R		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gof's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	a	Pedal cum power operated cleaner and grader	M.A.I.D.C. Ltd., Mumbai	Manufacturer	0	--	MOU: CIAE: Bhopal	MOA 19.03.2010	Yes	as per MOA	Yes	--	Within State	--	Wt.110 Kg	(P)	MOU Renewal	
New	b	Grain cleaner with blower (power operated)	R. M. Industries Amarawati	Manufacturer	SSI	FMT&Tis/ SAU	Letter of DDA (Soil Conservation)	10.08.2004	No	Not Mentioned	Yes	-	Within State	-	Wt 94.770 Kg.	(NR)		Design approved by DDA (Soil Conservation)
New	c	Pedal cum power operated cleaner and grader	Venkatesh Agro Engineering, Jalana	Manufacturer	SSI	FMT&Tis/ SAU	Letter of CIAE, Bhopal	CIAE/TTD/2009/323 26/08/2009	No	Not Mentioned	No	-	Within State	-	Wt. not mentioned.	(NR)		No Private MOU Considered
2	a	Seed Dressing Drum (Hand Operated)	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&Tis/ SAUs	PDKV, Akola	210 Dt.25.1.2011	Yes	Not mentioned	Yes	--	Within State	--	Wt.24.425 Kg	(R)		
	b	Seed Dressing Drum	Captain Tractors Pvt Ltd, Rajkot	Manufacturer	SSI	FMT&Tis/ SAUs	JAU:Junagad:Gujrath	20/7/2009	Yes	Not mentioned	Yes	--	Outside State	--	Wt.14.00 Kg	(NR)		Inadequate Report Test Data Sheet
New	c	Seed Dressing Drum	Navkar Metals Ltd., Ahmedabad	Manufacturer	SSI	FMT&Tis/ SAUs	JAU:Junagad:Gujrath	1895/2012 20.12.2012	Yes	Not mentioned	Not given	--	Outside State	--	Wt.17.00 Kg	(R)		
New	d	Seed Dressing Drum	Surbhi Associates, Ahmedabad	Manufacturer	SSI	FMT&Tis/ SAU	GAU, Gujath	4.3.2009	Yes	As per institute	Yes	Yes	Outside State	--	Wt.15.0 Kg,	(NR)		Inadequate Report Test Data Sheet
New	e	Seed Dressing Drum Model ASD -20 G	Adarsh Plant Products. Ltd, Anand, Gujath	Manufacturer	SSI	FMT&Tis/ SAU	CIAE, Bhopal	1.6.2009	Yes	As per institute	Yes	Yes	Outside State	--	Wt.not given in Report	(P)	Wt not given	
3		Seed Grader cum Cleaning Machine	Captain Tractors Pvt Ltd, Rajkot	Manufacturer	SSI	FMT&Tis/ SAU	GAU , Gujath	FM-118/2012	Yes	As per institute	Yes	Yes	Outside State	--	Wt 82 Kg,	(NR)		Performance Evaluation Report
4		Gravity Sепrater - Model PGS-500 (Seed Processing)	Padsons Ind.Pvt. Ltd. Akola	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	04/11,	Yes	IS:14460: 1997	Yes	Yes	Within State	--	Wt 291.000 Kg, 1.5 HP Elec. Motor	(R)		
5		Nano Grader - (Model PGR - 500)	Padsons Ind.Pvt. Ltd. Akola	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	001/2011	Yes	IS:11041: 1984 IS:10892: 1984 IS:5718: 2000	Yes	Yes	Within State	--	Wt. 280 Kg, 1.5 HP Elec. Motor	(R)		
6	a	Spiral Grader (Manual Operated)	Padsons Ind.Pvt. Ltd. Akola	Manufacturer	SSI	FMT&Tis/ SAU	CIAE , Bhopal	Feb-13	Yes	As per institute	Yes	--	Within State	--	Wt 36.800 Kg,	(R)		
	b	Spiral Sепrater (Manual Operated)	Padgilwar Agro Industries, Nagpur	Manufacturer	SSI	FMT&Tis/ SAU	DOA, AED, Raipur	146/2013, Feb 2013	Yes	As per institute	Yes	Yes	Within State	--	Wt 25.000 Kg,	(R)		
XXIII		Processing																
1	a	Single roller Mini DALL MILL 3HP	MAIDC, Mumbai	Manufacturer		FMT&Tis/ SAUs	MOA, PDKV, Akola	MOA dated 15.3.2010	--	As per MOA	--	--	Within State	--	3 HP Single Phase motor, Capacity 7 Q/day, Wt. 270.00 Kg.	(P)	MOU Renewal	
	b	Single Roller Mini Dal Mill, 3 HP, Single phase	Deccan Farm Equip. P. Ltd. Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	MOU with PDKV, Akola, MOU dated 20.11.2010 for 5 Years	--	No, MOU	Not mentioned	Not given	--	Within State	--	Wt. 280 Kg.	(NR)		No Private MOU
	c	Mini Dal Mill, 3 HP, Single phase	Deccan Farm Equip. P. Ltd. Kolhapur	Marketer for Annapurna Machine Fabric Ltd. Kolhapur	SSI	FMT&Tis/ SAUs	PDKV, Akola	162/2012 Dt. 28/08/2012	Yes	Not mentioned	No	--	Within State	--	Wt. not mentioned.	(NR)		No detail test report, Marketer

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Govt's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC, 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	d	Mini Dal Mill, 3 HP, Single phase	Annapurna Machine Fabric Ltd. Kolhapur	Manufacturer	SSI	FMT&Tis/ SAUs	PDKV, Akola	162/2012 Dt. 28/08/2013	Yes	Not mentioned	No	--	Within State	--	Wt. not mentioned.	(NR)		No detail test report.
2		PKV Mini Dal Mill, 2/3 HP, Single phase Ele. Motor	Shriram Associates, Akola	Manufacturer	SSI	FMT&Tis/ SAUs	PDKV, Akola	23.5.2008	Yes	Not mentioned	yes	--	Within State	--	Wt.185 Kg	(P)	Testing Hours Not Recorded & Permission for Brand Name	
3		Double roller Mini DALL MILL 3HP	Shriram Associates, Akola	Manufacturer	SSI	FMT&Tis/ SAUs	MOU with PDKV, Akola	0	NO	Not mentioned	Yes	--	Within State	--		(NR)		Private MOU Not Rec.
4. New		Grinder cum Pulvarizer	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&Tis/ SAUs	MPKV, Rahuri	11.9.2007	Yes	Not mentioned	Not given	--	Within State	--	Wt. 35.00-38.00 kg. With 2 hp Single Phase Motor Red Chill, Turmaric, Spices	(P)	Wt confirmation, Testing Hours	
XXIV		Chaff cutter																
		Chaffcutter (Manual Operated)																
1	a	Chaffcutter (Manual Operated)	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	PDKV, Akola	134/10 23/06/2010	Yes	Not mentioned	Yes	--	Within State	--	Wt.74.00 Kg. with Safty Guard	(P)	Testing Hours, Material Composition, Dengerous Machinery Act.	
New	b	Chaffcutter (Manual Operated)	Jadhav Agro Ind.Pvt. Ltd.	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	NRFMTTI, Hissar	IMP 179/1734 , June 2002	Yes	IS:1511:2000 IS:7897:1996 IS:7898:1995	Yes	--	Within State	--	Wt.87.000 Kg.	(R)		
	c	Chaffcutter (Hand/ Power Operated 1 HP)	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	AITC, Raipur	152 Feb 2013	Yes	IS:1511:1979 IS:7897:1996 IS:7898:2001 IS:11459:1985 IS:15542:2005	Yes	--	Within State	--	Wt.74.00 Kg. without Motor , 94Kg. With Motor Safty Guard Provided	(R)		
2	a	Power operated chaffcutter 1HP w/o electric motor	Dandekar Brothers, Sangli	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	NRFMTTI, Hissar	IMP 176/731, Jun.2002	Yes	IS:1511:2000 IS:7897:1996 IS:7898:1995	Yes	Yes	Within State	--	1HP motor, 1440 rpm, Wt.118.00 Kg without prime mover	(R)		
	b	Power operated chaffcutter 1HP w/o electric motor	Omkar Ind., Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	IMP 8/283, May 2010	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	--	1HP motor, 1425 rpm, Wt.109.5 Kg without prime mover	(R)		
new	c	Power operated chaffcutter 1HP (Without Elect. Motor)	Varun Agro Industries, Pune	Marketer for Darshan singh & Co. Jalandhar	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	PAU, Ludhiana	217/619,	Yes	Not mentioned	Yes	--	Outside State	--	Wt. Kg without prime mover	(P)	Wt. not given	
3	a	Power operated chaffcutter 1HP (With Elect. Motor)	Proton Elect. Appliances, Aurangabad	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MPKV, Rahuri	6086/--	Yes	Not mentioned	Yes	--	Within State	--	Wt.40 Kg without Motor	(R)		
	b	Power operated chaffcutter 1HP with electric motor	Dandekar Brothers, Sangli	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	NRFMTTI, Hissar	IMP 176/731, Jun.2002	Yes	IS:1511:2000 IS:7897:1996 IS:7898:1995	Yes	Yes	Within State	--	1HP motor, 1440 rpm, Wt.118 Kg without prime mover, With	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P= Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	c	Power operated chaffcutter 1HP with electric motor	Omkar Ind., Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	IMP 8/283, May 2010	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	--	1HP motor, 1425 rpm, Wt.109.5 Kg without prime mover Wt.128.00 Kg with prime mover	(R)		
New	d	Power operated chaffcutter 1HP with electric motor	Varun Agro Industries, Pune	Marketer for Darshan singh & Co. Jalandhar	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	PAU, Ludhiana	217/619	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	--	1HP motor, 1425 rpm, Wt. Kg without prime mover, Wt. .00 Kg with prime mover	(P)	Wt. not given	
	e	Chaffcutter (Power Operated 1 HP)	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	AITC, Raipur	152 Feb 2013	Yes	IS:1511:1979 IS:7897:1996 IS:7898:2001	Yes	--	Within State	--	Wt.74.00 Kg. without Motor , 94.00 Kg. With Motor Safty Guard Provided	(R)		
4	a	Power operated chaffcutter 2 HP W/O electric motor	Omkar Ind., Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	IMP 68/84, March 2002	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	--	Within State	--	2HP motor, 1440 rpm, Wt.99.500 Kg without prime mover	(R)		
New	b	Power operated chaffcutter 2 HP without electric motor	Surya Industries, Islampur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr.BSKKV, Dapoli	1224/2012	Yes,	Not Mensioned	Yes	--	Within State	--	Wt. 95.000 Kg without prime mover , Dangerous Machines Rule 2007 Provision	(R)		
New	c	Power operated chaffcutter 2HP without electric motor	Ratnagiri Impex Pvt. Ltd.	Marketer for Shri Kripa Enterprises, Kolhapur	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr.BSKKV, Dapoli	1904/9242/2012	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	--	Within State	--	Wt. 96.600 Kg without prime mover , Dangerous Machines Rule 2007 Provision	(NR)	Marketer	
	d	Power operated chaffcutter 2HP without electric motor	Shri krupa Entrp. Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr BSKKV, Dapoli	1904/9242/2012	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	--	Within State	--	2HP motor, 1440 rpm, Wt.96.600 Kg without prime mover, Dangerous Machines Rule 2007 Provision	(R)		
New	e	Power operated chaffcutter 2HP without electric motor	Harsh Industries, Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	0010/2012	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	--	Within State	--	Wt. 100.000 Kg without prime mover , Dangerous Machines Rule 2007 Provision	(R)		
New	f	Power operated chaffcutter 2HP without electric motor	Bothra Foundry & Machinery, Ahmednager	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	0021/2012	Yes,	IS:1511:1979 IS:7897:1975 IS:11459:1985	No design, Only photos	No	Within State	--	Wt. 165.000 Kg without prime mover , Wt. 192.300 Kg with prime mover, Dangerous Machines Rule 2007 Provision	(R)		
	g	Power operated chaffcutter 2HP without electric motor	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	DAE Raipur	153 Feb 2013	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	--	Within State	--	Wt. 153.000 Kg without prime mover , Dangerous Machines Rule 2007 Provision	(R)		
New	h	Power operated chaffcutter 2HP without electric motor	Bothra Foundry & Machinery, Ahmednager	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	NERFMTTI, Sonitpur	Equip.11/134 July 2011	Yes,	IS:1511:1979 IS:7897:1975 IS:11459:1985 IS 15542:2005	Yes	Yes	Within State	--	Wt. 110.000 Kg without prime mover , Wt 135.00 Kg With Prime mover, Dangerous Machines Rule 2007 Provision	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
5	a	Power operated chaffcutter 2 HP with electric motor	Omkar Ind., Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	IMP 68/84, March 2002	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	--	Within State	--	2 HP motor, 1440 rpm, Wt:99.500 Kg without prime mover, Wt.132.00 Kg with prime mover	(R)		
	b	Power operated chaffcutter 2HP with electric motor	Shri krupa Entrp. Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	BSKKV, Dapoli	1904/9242/2012 Dt. 07/01/2012	Yes	IS:1511:1979 IS:7897:1995 IS:11459:1985 IS 15542:2005	Yes	--	Within State	--	2HP motor, 1440 rpm, Wt:96.600 Kg without prime mover Wt.122.00 Kg with prime mover, Dengerous Machines Rule 2007 Provision	(R)		
New	c	Power operated chaffcutter 2HP with electric motor	Proton Elect. Appliances, Aurangabad	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MPKV, Rahuri	6086, 12.2012	Yes,	Not Mensioned	Yes	--	Within State	--	Wt. 40 Kg without prime mover , Dengerous Machines Rule 2007 Provision	(R)		
New	d	Power operated chaffcutter 2HP with electric motor	Surya Industries, Islampur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr.BSKKV, Dapoli	1224/2012	Yes,	Not Mensioned	Yes	--	Within State	--	Wt. 95.000 Kg without prime mover 120 Kg With Prime mover, Dengerous Machines Rule 2007 Provision	(R)		
New	e	Power operated chaffcutter 2HP with electric motor	Ratnagiri Impex Pvt. Ltd Bnglore .	Marketer for Shri Kripa Enterprises, Kolhapur	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr.BSKKV, Dapoli	1904/9242/2012	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	--	Within State	--	Wt. 96.600 Kg without prime mover ,Wt. 122.00 Kg. With Prime mover, Dengerous Machines Rule 2007 Provision	(NR)		Marketer
New	f	Power operated chaffcutter 2HP with electric motor	Harsh Industries, Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	0010/2012	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	--	Within State	--	Wt. 100.000 Kg without prime mover , Wt. 134.00 Kg. With Prime mover, Dengerous Machines Rule 2007 Provision	(R)		
New	g	Power operated chaffcutter 2HP with electric motor	Bothra Foundry & Machinery, Ahmednager	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	0021/2012	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	--	Within State	--	Wt. 165.000 Kg without prime mover , Wt 192.300 Kg With Prime mover, Dengerous Machines Rule 2007 Provision	(R)		
	h	Power operated chaffcutter 2HP with electric motor	Agrotech Corporation, Raipur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	AITC, Raipur	67, Dec 2011	Yes	Not mentioned	Yes	--	Outside State		Wt. 165.000 Kg	(NR)		No Detail Test Report
New	i	Chaffcutter (Power Operated 2 HP)	Shree Venkateshwara Industries, Nagpur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	AITC, Raipur	153 Feb 2013	Yes	IS:1511:1979 IS:7897:1996 IS:7898:2001	Yes	--	Within State	--	Wt:153.00 Kg. without Prime mover , 176.00 Kg. With prime mover, Dengerous Machines Rule 2007 Provision	(R)		
6	a	Power Operated Chafcutter 3 HP w/o Electric Motor (R/F model)	Dashmesh Agril.Impl.Ind., Ahmednagar	Manufacturer	Non SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	Machine 10/285, May 2010	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	--	3HP motor, 1400 rpm, Wt:180 Kg without prime mover Wt:135.00 Kg with prime mover, Dengerous Machines Rule	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	b	Power Operated Chaffcutter 3 HP w/o Electric Motor (R/F model)	Amit Engg. Works, Dist.- Jalgaon	Manufacturer	Non SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	15/2012	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	Yes	Within State	--	3HP motor, 1400 rpm, Wt.110.000 Kg Without Motor, Dengerous Machines Rule 2007 Provision	(R)		
New	c	Power Operated Chaffcutter 3 HP w/o Electric Motor (R/F model)	Kale Industries, Latur	Manufacturer	Non SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	3-/2011,	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	Yes	Within State	--	3 HP motor, 1400 rpm, Wt.110.000 Kg Without Motor, Dengerous Machines Rule 2007 Provision	(R)		
New	d	Power operated chaffcutter 3 HP W/O electric motor (R/F)	Shri krupa Enterprises, Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr BSKKV, Dapoli	46/9.4. 2012	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	--	Within State	--	3HP motor, 1400 rpm, Wt.182.000 Kg Without Motor, Dengerous Machines Rule 2007 Provision	(R)		
New	e	Power operated chaffcutter 3 HP W/O electric motor	Varun Agro Inds. Pune	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	14/2012	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	--	Within State	--	3HP motor, 1400 rpm, Wt.182.00 Kg Without Motor	(R)		
	f	Power Operated Chaffcutter 3 HP w/o Electric Motor (R/F model)	Omkar Ind., Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	Machine 9/284, May 2010	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	--	3HP motor, 1400 rpm, Wt.182.00 Kg without prime mover	(R)		
	g	Power Operated Chaffcutter 3 HP w/o Electric Motor (R/F model)	Varun Agro Industries, Pune	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	0014/2012 Dec 2012	Yes	IS:1511:1979 IS:7897:1975 IS:11459:1985	No design, Only photos	Yes	Within State	--	3HP motor, 1400 rpm, Wt.182.00 Kg without prime mover Wt.215.00 Kg with prime mover	(P)	No design submitted,	
New	h	Power operated chaffcutter 3HP W/O electric motor	Surya Industries, Islampur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr.BSKKV, Dapoli	4. /2013	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	--	Within State	--	Wt.184.300 Kg without prime mover/Dengerous Machines Rule 2007 Provision	(R)		
New	i	Power operated chaffcutter 3HP W/O electric motor	J.R, Traders, Sangamner	Marketer for Dashamesh Agri. Ind. Sangamner	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	Machine10/285. May 2010	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	--	Within State	--	Wt.180.000 Kg without prime mover, Dengerous Machines Rule 2007 Provision	(NR)		Marketer
New	j	Power operated chaffcutter 3HP W/O electric motor	Rantagiri Impex Pvt. Ltd. Bnglore	Marketer for Shri Kripa Enterprises, Kolhapur	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr.BSKKV, Dapoli	046/2012	Yes,	IS: 2564:1979	Yes	--	Within State	--	Wt.182.000 Kg without prime mover, Dengerous Machines Rule 2007 Provision	(NR)		Marketer
New	k	Power operated chaffcutter 3 HP W/O electric motor	Harsh Industries, Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	017/2012	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	--	Within State	--	Wt.182.000 Kg without prime mover Dengerous Machines Rule 2007 Provision	(P)	Design & Details not given	
New	l	Power operated chaffcutter 3HP W/O electric motor	Bothra Foundry & Machinery, Ahmednager	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	20/2012, Jan 2013	Yes	IS:1511:1979 IS:7897:1975 IS:11459:1985	No design, Only photos	No	Within State	--	Wt.160.000 Kg without prime mover, Wt.188.300 Kg with prime mover, Dengerous Machines Rule 2007 Provision	(P)	Design not submitted, Compliance not submitted	
New	m	Power operated chaffcutter 3HP W/O electric motor	Anand Harware & Motors, Nashik	Marketer for Kirpal singh Sehmbey & Sons, Punjab	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	PAU, Ludhiana	FPM/TC/COMM/200 2/560, Jun 2003	Yes	IS:1511:1979	yes	--	Outside State	--	Wt. 218.00 Kg without Motor, Wt.260.00 Kg with Motor, Dengerous Machines Rule 2007 Provision	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	n	Power operated chaffcutter 3HP W/O electric motor	Sai Sonalika, Ahmednagar	Marketer for Kirpal singh Sehmbey & Sons, Punjab	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	PAU, Ludhiana	FPM/TC/COMM/200 2/560, Jun 2004	Yes	IS:1511:1980	yes	-	Outside State	-	Wt. 218.00 Kg without Motor, Wt.260.00 Kg with Motor, Dengerous Machines Rule 2007 Provision	(R)		
	o	Power operated chaffcutter 3HP W/O electric motor	Ranjit Industries, Ahmednagar	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	NRFMTTI, Hissar	IMP 177/732, Jun.2002	Yes	IS:1511:2000 IS 7897:1996 IS 7898:1995	yes	-	Within State		Wt. 207.00 Kg without Motor, Dengerous Machines Rule 2007 Provision	(R)		
7	a	Power Operated Chaffcutter 3 HP with Electric Motor (R/F model)	Dashmesh Agril.Impl.Ind., Ahmednagar	Manufacturer	Non SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	Machine 10/285, May 2010	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	-	3HP motor, 1400 rpm, Wt.180 Kg without prime mover, Wt.210 Kg with prime mover, Dengerous Machines Rule 2007 Provisio	(R)		
New	b	Power Operated Chaffcutter 3HP with Electric Motor (R/F model)	Shri krupa Entrp. Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	BSKKV, Dapoli	46/9.4. 2012	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	-	Within State		3HP motor, 1400 rpm, Wt.182.000 Kg without prime mover, Wt.215.00 Kg With Motor, Dengerous Machines Rule 2007 Provision	(R)		
New	c	Power Operated Chaffcutter 3 HP with Electric Motor (R/F model)	Amit Engg. Works, Dist.- Jalgaon	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	15/2012	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1986	Yes	Yes	Within State	-	3 HP motor, 1400 rpm, Wt. 110 Kg Without Motor, Wt. --- Kg With Motor Dengerous Machines Rule 2007 Provision	(P)	Wt, with Motor not given in Report	
New	d	Power Operated Chaffcutter 3 HP with Electric Motor (R/F model)	Kale Industries, Latur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	3.11	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1987	Yes	Yes	Within State	-	3HP motor, 1400 rpm, Wt.110.000 Kg Without Motor, Wt. --- Kg With MotorDengerous Machines Rule 2007 Provision	(P)	Wt, with Motor not given in Report	
New	e	Power Operated Chaffcutter 3 HP with Electric Motor (R/F model)	Varun Agro Inds. Pune	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	0014/2012 Dec 2012	Yes	IS:1511:1979 IS:7897:1975 IS:11459:1985	No design, Only photos	Yes	Within State	-	3HP motor, 1400 rpm, Wt.182.00 Kg without prime mover Wt.215.00 Kg with prime mover	(P)	No design submitted,	
New	f	Power operated chaffcutter 3HP with electric motor	Surya Industries, Islampur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr.BSKKV, Dapoli	04. 2013	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	-	Within State	-	Wt. 184.300 Kg without prime move r Wt. 210.00 Kg With Prime mover, Dengerous Machines Rule 2007 Provision	(R)		
	g	Power Operated Chaffcutter 3 HP with Electric Motor (R/F model)	Omkar Ind., Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	Machine 9/284, May 2010	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	-	3HP motor, 1400 rpm, Wt.182.00 Kg without prime mover Wt.215.00 Kg with prime mover	(R)		
New	h	Power operated chaffcutter 3HP With electric motor	J.R, Traders, Sangamner	Marketer for Dashamesh Agril. Ind. Sangamner	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	SRFMTTI, Anantpur	Machine10/285, May 2010	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	-	Within State	-	Wt.180.000 Kg without prime mover, 210.00 Kg With Prime mover, Dengerous Machines Rule 2007 Provision	(NR)		Marketer

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of S.I.T.C.2013:14 (R-Recommended, NR-Nol Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	i	Power operated chaffcutter 3HP With electric motor	Rantagiri Impex Pvt. Ltd. Bangalore	Marketer for Shri Kripa Enterprises, Kolhapur	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	Dr.BSKKV, Dapoli	046/20129.4.2012	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	--	Within State	--	Wt.182.000 Kg without prime mover, 215.00- Kg With Prime mover, Dengerous Machines Rule 2007 Provision	(NR)		Marketer
New	j	Power operated chaffcutter 3HP With electric motor	Harsh Industries, Kolhapur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	017/2012	Yes,	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	--	Within State	--	Wt.182.000 Kg without prime mover, 215.00 Kg With Prime mover, Dengerous Machines Rule 2007 Provision	(P)	Design Not given	
New	k	Power operated chaffcutter 3HP With electric motor	Bothra Foundry & Machinery, Ahmednager	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	20/2012 Jan 2012	Yes,	IS:1511:1979 IS:7897:1975 IS:11459:1985	No design only photos	--	Within State	--	Wt.160.000 Kg without prime mover, 188.300 Kg With Prime mover, Dengerous Machines Rule 2007 Provision	(P)	Design not submitted, Compliance not submitted	
	l	Power operated chaffcutter 3HP With electric motor	Anand Harware & Motors, Nashik	Marketer for Kirpal singh Sehmbe & Sons, Punjab	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	PAU, Ludhiana	FPM/TC/COMM/200 2/560, Jun 2003	Yes	IS:1511:1979	yes	--	Outside State	--	Wt. 218.00 Kg without Motor, Wt.260.00 Kg with Motor, Dengerous Machines Rule 2007 Provision	(R)		
	m	Power operated chaffcutter 3HP With electric motor	Sai Sonalika, Ahmednagar	Marketer for Kirpal singh Sehmbe & Sons, Punjab	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	PAU, Ludhiana	FPM/TC/COMM/200 2/560, Jun 2004	Yes	IS:1511:1980	yes	--	Outside State	--	Wt. 218.00 Kg without Motor, Wt.260.00 Kg with Motor, Dengerous Machines Rule 2007 Provision	(R)		
	n	Power operated chaffcutter 3HP With electric motor	Ranjit Industries, Ahmednagar	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	NRFMTTI, Hissar	IMP 177/732, Jun.2002	Yes	IS:1511:2000 IS:7897:1996 IS:7898:1995	yes	--	Within State	--	Wt. 207.00 Kg without Motor, Dengerous Machines Rule 2007 Provision	(R)		
8	a	Power Operated Chafcutter 5 HP without Electric Motor	Kale Inds., Latur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	2-2011	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	--	5 HP motor, 1400 rpm, Wt.140 Kg Without motor, Dengerous Machines Rule 2007 Provision	(R)		
	b	Power Operated Chafcutter 5 HP without Electric Motor (R/F model)	Kale Inds., Latur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	2-2011	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	--	5 HP motor, 1400 rpm, Wt.140 Kg Without motor, Dengerous Machines Rule 2007 Provision	(R)		
9	a	Power Operated Chafcutter 5 HP with Electric Motor (R/F model)	Kale Inds., Latur	Manufacturer	SSI	FMT&Tis/ Dangerous machinery Act,1983 (IS:9020)	MAU, Parbhani	2-2011	Yes	IS:1511:2000 IS:7897:1996 IS:11459:1985	Yes	Yes	Within State	--	5 HP motor, 1400 rpm, Wt.140 Kg Without motor, Dengerous Machines Rule 2007 Provision	(P)	Wt. with motoer not given	
XXV		Plant Protection Equipments (BIS mark)																
1	a	Hand Rotary Duster (Belly Mounted)	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 1649766 15/01/2014	--	IS:5135:P-I:1994	--	--	Outside State	--	0	(R)		
	b	Hand Rotary Duster (Belly Mounted)	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 3105130 14/04/2015	--	IS:5135:P-I:1994	--	--	Outside State	--	0	(R)		
	c	Hand Rotary Duster (Belly Mounted)	Satish Agro Ind., Nandurbar	Manufacturer	SSI	BIS	BIS	CML 7372274 23.04.2014	--	IS:5135:P-I:1994	--	--	Within State	--	0	(R)		
New	d	Hand Rotary Duster (Belly Mounted)	Adarsh Plant Protect Ltd. Anand, Gujrath	Manufacturer	SSI	BIS	BIS	CML 7771692 20.8.2013	--	IS:5135:P-I:1994	--	--	Outside State	--	0	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
2	a	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 1649867 15.01.2014	--	IS:3906:1995	--	--	Outside State	--	0	(R)		
	b	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Navyug Krishi Sadhan Pvt.Ltd., Thane	Manufacturer	SSI	BIS	BIS	CML 1837161 31/03/2015	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	c	Knapsack Sprayer (16 Lit.) (Inside Chamber)	N.K.Agrotech Ind., Nagpur	Manufacturer	SSI	BIS	BIS	CML 7306665 21/01/2014	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	d	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 8234873 31/01/2015	--	IS:3906:1995	--	--	Outside State	--	0	(R)		
	e	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Padgilwar Agro Ind., Nagpur	Manufacturer	Non SSI	BIS	BIS	CML 0819053 31/01/2014	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	f	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Preksha Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 2416748 30/11/2013	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	g	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Sai Agro Ind., Wani	Manufacturer	SSI	BIS	BIS	CML 2352748 31/03/2014	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	h	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Satish Agro Ind., Nandurbar	Manufacturer	SSI	BIS	BIS	CML 7220049 15.07.2013	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	i	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Mitushi Enterprises, Delhi	Manufacturer	SSI	BIS	BIS	CML 8956713 12.08.2014	--	IS:3906:1985	--	--	Outside State	--	0	(R)		
New	j	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Adarsh Plant Protect Ltd. Anand , Gujrath	Manufacturer	SSI	BIS	BIS	CML 7162162 5.1.2014	--	IS:3906:1985	--	--	Outside State	--	0	(R)		
	k	Knapsack Sprayer (16 Lit.) (Inside Chamber)	Diamond Automobiles, Sangli	Marketer for Kisan Craft Machine Tools, Benglore	SSI	BIS	NRFMTTI, Hissar	S-210/1390, Dec 2011	--	IS:3906:2006 IS 10134:2004 IS 3652:1995	--	Yes	Outside State	--	Discharge rate 580 ml/min.	(NR)		Compliance Not Given No BoE, BoL submitted BIS Certificate required
New	l	Knapsack Sprayer (16 Lit.)Plastic (Inside Chamber) Double Valve pipe High Pressure	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 8234873 31.1.2013	--	IS:3906:1985	--	--	Outside State	--	0	(NR)		No BIS Endorshment for Double Valve
3	a	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 1649867 15.01.2014	--	IS:3906:1985	--	--	Outside State	--	0	(R)		
	b	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Navyug Krishi Sadhan Pvt.Ltd., Thane	Manufacturer	SSI	BIS	BIS	CML 1837161 31/03/2015	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	c	Knapsack Sprayer (16 Lit.) (Outside Chamber)	N.K.Agrotech Ind., Nagpur	Manufacturer	SSI	BIS	BIS	CML 7306665 21/01/2014	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	d	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 8234873 31/01/2015	--	IS:3906:1985	--	--	Outside State	--	0	(R)		
	e	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Padgilwar Agro Ind., Nagpur	Manufacturer	Non SSI	BIS	BIS	CML 0819053 31/01/2014	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	f	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Preksha Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 2416748 30/11/2013	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	g	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Sai Agro Ind., Wani	Manufacturer	SSI	BIS	BIS	CML 2352748 31/03/2014	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	h	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Satish Agro Ind., Nandurbar	Manufacturer	SSI	BIS	BIS	CML 7220049 15.07.2013	--	IS:3906:1985	--	--	Within State	--	0	(R)		
	i	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Mitushi Enterprises, Delhi	Manufacturer	SSI	BIS	BIS	CML 8956713 12.08.2014	--	IS:3906:1985	--	--	Outside State	--	0	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLIC 2015-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	j	Knapsack Sprayer (16 Lit.) (Outside Chamber)	Adarsh Plant Protect Ltd. Anand , Gujrath	Manufacturer	SSI	BIS	BIS	CML 7162162 5.1.2014	--	IS:3906:1985	--	--	Outside State	--	0	(R)		
New	K	Knapsack Sprayer (13 Lit.) Plastic (Outside Chamber)	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 1649867 15.01.2014	--	IS:3906:1985	--	--	Outside State	--	0	(R)		
New	l	Knapsack Sprayer (16 Lit.) Plastic (Outside Chamber), Double Valve	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML8234873 31.1.2013	--	IS:3906:1985	--	--	Outside State	--	0	(NR)		no BIS Endorsment for Double Valve
4	a	Foot Sprayer (Single Lance)	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 1649665 15.01.2014	--	IS:3652:1995	--	--	Outside State	--	0	(R)		
	b	Foot Sprayer (Single Lance)	Navyug Krishi Sadhan Pvt.Ltd., Thane	Manufacturer	SSI	BIS	BIS	CML 1918161 31.03.2015	--	IS:3652:1995	--	--	Within State	--	0	(R)		
	c	Foot Sprayer (Single Lance)	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 8958616 13/08/2013	--	IS:3652:1995	--	--	Outside State	--	0	(R)		
	d	Foot Sprayer (Single Lance)	Preksha Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7302758 1.12.2013	--	IS:3652:1995	--	--	Within State	--	0	(R)		
	e	Foot Sprayer (Single Lance)	Mitushi Enterprises, Delhi	Manufacturer	SSI	BIS	BIS	CML 3071846 17.12.2013	--	IS:3652:1995	--	--	Outside State	--	0	(R)		
New	f	Foot Sprayer (Single Lance)	Adarsh Plant Protect Ltd. Anand , Gujrath	Manufacturer	SSI	BIS	BIS	CML7161968 5.1.2014	--	IS:3652:1995	--	--	Outside State	--	0	(R)		
5	a	Rocking Sprayer (Single Lance)	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 8574901 15.11.2013	--	IS:3062:1995	--	--	Outside State	--	0	(R)		
	b	Rocking Sprayer (Single Lance)	Navyug Krishi Sadhan Pvt.Ltd., Thane	Manufacturer	SSI	BIS	BIS	CML 1918767 31/03/2015	--	IS:3062:1995	--	--	Within State	--	0	(R)		
	c	Rocking Sprayer (Single Lance)	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 8958717 13/08/2013	--	IS:3062:1995	--	--	Outside State	--	0	(R)		
	d	Rocking Sprayer (Single Lance)	Preksha Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7293985 12/11/2013	--	IS:3062:1995	--	--	Within State	--	0	(R)		
	e	Rocking Sprayer (Single Lance)	Mitushi Enterprises, Delhi	Manufacturer	SSI	BIS	BIS	CML 3071947 17.12.2013	--	IS:3062:1995	--	--	Outside State	--	0	(R)		
New	f	Rocking Sprayer (Single Lance)	Adarsh Plant Protect Ltd. Anand , Gujrath	Manufacturer	SSI	BIS	BIS	CML 7162061 5.1.2014	--	IS:3062:1995	--	--	Outside State	--	0	(R)		
6	a	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 3012426 22.03.2014	--	IS:7593:P-I:1986	--	--	Outside State	--	Tank capacity 11.5 lit.	(R)		
	b	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	Navyug Krishi Sadhan Pvt.Ltd., Thane	Manufacturer	SSI	BIS	BIS	CML 7077272 31/03/2015	--	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 11.5 lit.	(R)		
	c	Pneumatic Power Sprayer-cum-Duster 11.0 ltr.	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 3084451 31/01/2015	--	IS:7593:P-I:1986	--	--	Outside State	--	Tank capacity 11.0 lit.	(R)		
	d	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	Padgilwar Agro Ind., Nagpur	Manufacturer	Non SSI	BIS	BIS	CML 7214963 07.06.2014	--	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 11.5 lit.	(R)		
	e	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	Preksha Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7153868 31.10.2013	--	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 11.5 lit.	(R)		
	f	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	Padson Ind., Akola	Manufacturer	SSI	BIS	BIS	CML 7107659 10/06/2013	--	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 11.9 lit.	(R)		
	g	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	Satish Agro Ind., Nandurbar	Manufacturer	SSI	BIS	BIS	CML 7201752 28.02.2014	--	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 11.5 lit.	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	h	Pneumatic Power Sprayer-cum-Duster 11.5 ltr.	Ralli Engine Ltd. Tal & Dist. Vaisad, Guj Rath.	Manufacturer	SSI	BIS	BIS	CML 3740964 10.7.2013	--	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 11.5 lit.	(R)		
	i	Pneumatic Power Sprayer-cum-Duster 11.9 ltr.	N.K.Agrotech Ind., Nagpur	Manufacturer	SSI	BIS	BIS	CML 7576694 08.12.2013	--	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 11.9 lit.	(R)		
New	j	Pneumatic Power Sprayer-cum-Duster 12.00 ltr.	Mitushi Enterprises, Delhi	Manufacturer	SSI	BIS	BIS	CML 3281352 27.2.2014	--	IS:7593:P-I:1986	--	--	Outside State	--	Tank capacity 12.00 lit.	(R)		
New	k	Pneumatic Power Sprayer-cum-Duster 13 ltr.	Satish Agro Ind., Nandurbar	Manufacturer	SSI	BIS	BIS	CML 7201752 28.02.2014	Yes	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 13 lit.	(R)		
7	a	Pneumatic Power Sprayer-cum-Duster 16 ltr.	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	BIS	BIS	CML 3012426 22.03.2014	--	IS:7593:P-I:1986	--	--	Outside State	--	Tank capacity 16 lit.	(R)		
	b	Pneumatic Power Sprayer-cum-Duster 16 ltr.	Satish Agro Ind., Nandurbar	Manufacturer	SSI	BIS	BIS	CML 7201752 28.02.2014	Yes	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 16 lit.	(R)		
New	c	Pneumatic Power Sprayer-cum-Duster 16 ltr.	Neptune Packaging Pvt. Ltd., MP	Manufacturer	SSI	BIS	BIS	CML 3084451 31.1.2015	Yes	IS:7593:P-I:1986	--	--	Outside State	--	Tank capacity 16 lit.	(R)		
New	d	Pneumatic Power Sprayer-cum-Duster 16.00 ltr.	Padgiwar Agro Ind., Nagpur	Manufacturer	Non SSI	BIS	BIS	CML 7214963 07.06.2014	--	IS:7593:P-I:1986	--	--	Within State	--	Tank capacity 16 lit.	(R)		
8	Battery Operated Knapsack Sprayer																	
New	a	Battery Operated Knapsack Sprayer, 15 Lit	Padgiwar Agro Ind. Nagpur	Manufacturer	SSI	FMTTI	NRFMTTI, Hissar	S-202 /1166, Sept.2009	Yes	IS: 11314:2004, IS: 3906: 2006	--	--	Within State	--	Tank capacity 15 lit., Wt. 6.600 Kg.	(P)	Data of Battery performance	
New	b	Battery Operated Knapsack Sprayer 16.Lit	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	FMTTI	NRFMTTI, Hissar	S-214 /1447, Oct 2012	Yes	IS:11314:2004, IS: 3906: 2006 IS 3652: 2004	--	--	Outside State	--	Tank capacity 16 lit., Wt. 5.000 Kg. Discharge rate 840 ml/min.	(P)	Data of Battery performance	
9	Imported Sprayer																	
	A	Imported Knapsak Sprayer (16 Lit.) Hand Operated																
	a	Knapsak Sprayer 16 Lit. Imported	Padgiwar Agro Ind. Nagpur	Marketer for	SSI	FMTTI	NRFMTTI, Hissar	S201/1165, Sep 2009	Yes	IS: 10134:2004, IS: 3906: 2006, IS: 3652: 1995	--	--	Within State	Imported	Tank capacity 16 lit., Wt. 2.850 Kg.	(P)	As per last SLTC meet problems occurred in threds, Nozzels and hoes connection. BIS alternatives available	
	b	Knapsak Sprayer 16 Lit. Imported	Namdeo Umaji Ind. Co. Pune	Marketer for Goizpers Coop, Spain	SSI	FMTTI	NRFMTTI, Hissar	S-215/1465, Dec. 2012	Yes	IS: 10134:2004, IS: 3906: 2006, IS: 3652: 1995	Yes	--	Within State	Imported Spain	Tank capacity 16.00 Lit, Wt. 3.200 Kg.	(P)	as above	
	B	Knapsak Power Sprayer																
New	a	Knapsak Power Sprayer	Padgiwar Agro Ind. Nagpur	Manufacturer	SSI	FMTTI	NRFMTTI, Hissar	PS-30/1930	Yes	-----	--	--	Within State	--	Tank capacity ----lit., Wt. 9.528 Kg.	(P)	Engine Test	
New	b	Knapsak Power Sprayer	Swarna Agri Tech, Hyderabad	Marketer for Yungchi Y.C. Industrial Co. Ltd., Taiwan	SSI	FMTTI	NRFMTTI, Hissar	PS-78/1355 July 2011	Yes	IS 11313:2004 IS 8548:2004	--	Yes	Outside State	--	Tank capacity 120 lit., Wt. 9.00 Kg. Discharge rate 0.975-7.38lit./min. Working Pressure 30-35 Kg/cm ²	(P)	Engine Test	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SL/TC 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	c	High Pressure Knapsack Sprayer (Model ASH-799) (with Tank 20 Lit)	Navyug Krishi Sadhan Pvt.Ltd., Thane	Manufacturer	SSI	FMTTI	Dr.BSKKV, Dapoli	--	Yes	IS:11313:2004, IS: 8548: 2004	--	--	Within State	--	Wt. 9.600 Kg. Discharge Rate 10 to 11 Lit./Min., Honda Engine 1.00 HP, Tank capacity 20 lit,	P	Engine Test	
New	d	High Pressure Knapsack Sprayer (Model ASM-779) (With Tank 20 Lit)	Navyug Krishi Sadhan Pvt.Ltd., Thane	Manufacturer	SSI	FMTTI	Dr.BSKKV, Dapoli	--	Yes	IS:11313:2004, IS: 8548: 2004	--	--	Within State	--	Wt. 9.600 Kg. Discharge Rate 10 to 11 Lit./Min., Maruyama Engine 1.00 HP, Tank capacity 20 lit,	P	Engine Test	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	c	Portable Power Operated Knapsack Sprayer																
New	a	Knapsack Power Sprayer (Model YC-82 AS) without Tank	Swarna Agri Tech, Hyderabad	Importer for YUNG CHI, Y.C Ind. Co. TAIWAN	Non SSI	FMTTI	NRFMTTI, Hissar	PS-76/1353, July 2011	Yes	IS:11313:2004, IS: 8548: 2004	--	--	Outside State	Taiwan	Wt. ----- Kg. Discharge Rate 6 to 10 Lit./Min., Engine 1.8 KW, Tank capacity Min 200 lit.	(P)	Wt and Engine Test, BoE & BOL	
New	b	Engine Operated Power Sprayer (Model YC-268 M) without Tank	Swarna Agri Tech, Hyderabad	Importer for YUNG CHI, Y.C Ind. Co. TAIWAN	Non SSI	FMTTI	NRFMTTI, Hissar	PS-77/1354, July 2011	Yes	IS:11313:2004, IS: 8548: 2004	--	--	Outside State	Taiwan	Wt. 16.5 Kg. Discharge Rate 5- to 7.2 Lit./Min., Engine 0.8 KW, Tank capacity Min 200 lit	(P)	Engine Test, BoE & BOL	
New	c	Knapsack Power Sprayer (Model Rekha-708) with Tank - 22.600 Lit	Padgiwar Agro Ind. Nagpur	Imarkrter for Rekha Agriplas Vijaywada, A.P.	Non SSI	FMTTI	NRFMTTI, Hissar	PS-30/930, Oct. 2006	Yes	IS:11313:2004, IS: 8548: 2004	--	--	Outside State	Taiwan	Wt. 9.500 Kg. Discharge Rate- 7.2 Lit./Min., Komatsu Engine 1.4 HP, Tank capacity 22.600 lit.	(P)	Engine Test, BoE & BOL	
10		Horizontal Triplex Pump (HTP) : Non ISI																
1	a	HTP Triple Piston Sprayer (Non-ISI, without Engine or Motor); Model - Jyoti HTP Sprayer-)	Diwane Agro Ind., Pune	Manufacturer	SSI	FMTT&Is/BIS	NRFMTTI, Hissar	PS-25/808, April 2004	Yes	IS:11313:1999 IS:8548:1999	--	Yes	Within State		Output capacity 2160 lit/hr, pressure 18-21 kg/cm ² , 3 HP motor or 3.4HP Engine, Wt.67.500 Kg with all accessories without fuel & chemical.	(P)	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
	b	HTP Triple Piston Sprayer Non-ISI, (without Engine or motor); (Model AV 3 PS-22)	A.V.Agrotech Ind., New Delhi	Manufacturer	Non SSI	FMTTI/Other approved institutes.	NRFMTTI, Hissar	PS-34/996, Jan 2008	Yes	IS:11313:1990	--	Yes	Outside State		Discharge rate 13- 22 lit/min, pressure 15- 35 kg/cm ² , 3HP motor, Wt.10.00 Kg	(P)	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
New	c	HTP Triple Piston Sprayer Non-ISI, (without Engine or motor); (Model - Sarswati)	Padgilwar Agro Industries, Nagpur	Marketer for Sarswati Krishi Udhog, Kernal , Haryana	SSI	FMTTI/Other approved institutes.	NRFMTTI, Hissar	PS-64/1239, May 2010	Yes	IS:11313:1990,	--	Yes	Outside State		Discharge rate 36 lit/min, 28.0 kgf/cm ² pressure, 3 HP motor, Wt.527 Kg with all Fuel, chemical, Tank)	(P)	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
New	d	HTP Triple Piston Sprayer Non-ISI, (without Engine or motor); (Model - Eagle Impex- EI 22 B2)	Padgilwar Agro Industries, Nagpur	Marketer for Eagle Impex, New Delhi	SSI	FMTTI/Other approved institutes.	NRFMTTI, Hissar	PS-50/1145, June 2009	Yes	IS:11313:1990	Yes	Yes	Outside State	Imported- China	Discharge rate 14-22 lit/min, pressure 20-45 kgf/cm ² , 3HP motor, Wt.33.00 Kg,	(P)	Last SLTC decided to get BIS for HTP Sprayer	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	e	HTP Sprayer Power operated: - Triple Piston (W/O- Engine)	Neptune Packaging Pvt. Ltd., Indore MP	Manufacturer	SSI	FMTT&Is/BIS	CIAE, Bhopal	IMP/9/1/2012, Feb 2013	Yes	IS:11313:1990, RNAM	Yes	--	Outside State		Discharge rate 30-36lit/min, pressure 0-25 Bar (kgf/cm ² , 3 HP motor, Wt. 10. Kg, without Motor	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
11		Horizontal Triplex Pump, Triple Piston with Engine or Elec. Motor (Non SIS) :																
	a	HTP Triple Piston Sprayer Non-ISI, (with Engine or motor): (Model AV 3 PS-22)	A.V.Agrotech Ind., New Delhi	Manufacturer	Non SSI	FMTTI/Other approved institutes.	NRFMTTI, Hissar	PS-34/996, Jan 2008	Yes	IS:11313:1990	--	Yes	Outside State		Discharge rate 13- 22 lit/min, pressure 15- 35 kgf/cm ² , 3 HP Engine, Wt.10.00 Kg without Engine	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
New	b	HTP Triple Piston Sprayer Non-ISI, (with Engine or motor): (Model - Eagle Impex- EI 22 B2)	Padgilwar Agro Industries, Nagpur	Marketer for Eagle Impex, New Delhi	SSI	FMTTI/Other approved institutes.	NRFMTTI, Hissar	PS-50/1145, June 2009	Yes	IS:11313:1990 IS:8548:1999	--	--	Outside State	Imported- China	Discharge rate 14 -22 lit/min, pressure 20-45 kgf/cm ² , 3HP Honda Engine, Wt.33.00 Kg,	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
New	c	HTP Triple Piston Sprayer Non-ISI, (with Engine or motor): (Model - Eagle Impex- EI 22 B2)	Padgilwar Agro Industries, Nagpur	Marketer for Eagle Impex, New Delhi	SSI	FMTTI/Other approved institutes.	NRFMTTI, Hissar	PS-51/1146, June 2009 -	Yes	IS:11313:1990 IS:8548:1999	--	--	Outside State	Imported- China	Discharge rate 14 -22 lit/min, pressure 20-45 kgf/cm ² , 3 HP Tigmax Engine, Wt.33.00 Kg,	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
New	d	HTP Triple Piston Sprayer Non-ISI, with Engine or Elec. Motor, (Model LS-30)	Naik Engineering Pvt. Ltd.Ratnagiri	Manufacturer	SSI	FMTTI/Other approved institutes.	Dr.BSKKV, Dapoli	5.2.2012	Yes	IS:11313:1990 IS:8548:1999	-	--	Within State	HTP Imported- China	Discharge rate 17-27 lit/hr, Pressure 20-40 kg/cm ² 3 HP Honda Engine, Wt. 37.710 Kg	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
New	e	HTP Triple Piston Sprayer Non-ISI, with Engine or Elec. Motor, (Model LS-22)	Naik Engineering Pvt. Ltd.Ratnagiri	Manufacturer	SSI	FMTTI/Other approved institutes.	Dr.BSKKV, Dapoli	3.2.2011	Yes	IS:11313:1990 IS:8548:1999	--	--	Within State	HTP Imported- China	Discharge rate 9.5-15 lit/hr, Pressure 20-40 kg/cm ² 1.38 HP Honda Engine, Wt. 27.00 Kg	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	f	HTP Triple Piston Sprayer Non-ISI, with Engine or Elec. motor	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	FMTTI/Other approved institutes.	CIAE, Bhopal	26.2.2012	Yes	IS:11313:1990 IS:8548:1999	--	--	Outside State	--	Discharge rate 36.74- to 38.22 lit/min, pressure 20 Bar (kgf/cm2), 3 HP Honda Engine -Wt. 18.0 Kg, HTP Wt 10.480 Kg.	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
New	g	HTP Triple Piston Sprayer (model No. GK 200) With ISI Engine or Motor	Hymatic Agro Equipments Pvt. Ltd., Noida	Manufacturer	SSI	FMTTI/Other approved institutes.	CIAE, Bhopal	26.2.2013	Yes	Not mentioned	No design only photos	--	Outside State	--	pressure 20 Bar (kgf/cm2), 3 HP 3600 RPM, Wt. 18.0 Kg,	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
New	h	HTP Sprayer Power operated: - Triple Piston (With Engine or Elec. motor), Model - OS30 AIN	Neptune Packaging Pvt. Ltd., Indore MP	Manufacturer	SSI	FMTT&Is/BIS	CIAE, Bhopal	IMP/9/1/2012, Feb 2013 Draft Report	Yes	IS:11313:2004, RNAM	Yes	--	Outside State	--	Discharge rate 30-36 lit/min, pressure 0-25 Bar (kgf/cm ²), 3 HP motor, Wt. 10.5 Kg	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
	i	HTP Power Sprayer (Model GK 30)	Suntec Agri Equipments, Bangalore	Manufacturer	SSI	FMTT&Is/BIS	GKVK, Bangalore	27-05-2011	Yes	RNAM test code	Yes	--	Outside State	--	4 Stroke Petrol Engine, Discharge rate 5 Lit/(min ²) .. Required power 3-5 HP	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
	j	HTP Power Sprayer (Model GK - PS 330 D)	Suntec Agri Equipments, Bangalore	Manufacturer	SSI	FMTT&Is/BIS	BAU, Ranchi	050/712 30/07/2012	Yes	RNAM test code	No design only photos	--	Outside State	--	4 Stroke Diesel Engine, Discharge rate 20-45 Kg/cm ² , Dry Wt. 43 Kg	P	As per Last SLTC Meeting minutes Point No.25 compliance of BIS Certification Not given for HTP Sprayer	
12	a	Tractor mounted Boom Sraayer (HTT-30 & HTT-40)	ASPEE Agro Equip., Mumbai	Manufacturer	Non SSI	FMTTI/Other approved institutes.	ANGR, Hyderabad	ANGRAU/1.7.2008-09 dt.19.2.2009	Yes	Not mentioned	--	--	Within State		Wt.149.00 Kg without Boom Assembly 35 HP Tractor, Tank capacity 400 lit, Pressure 7.03 Kg/cm ² , Discharge 36 lit/min.,	NR	Inadequate Test Report	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	b	Tractor Operated Power Srayer (Model - Sarswati)	Padgiwar Agro Ind. Nagpur	Marketer for Sarswati Krishi Udhog Karnal	SSI	FMTTI/Other approved institutes.	NRFMTTI, Hissar	PS-64/1239, May 2010	Yes	IS:8548:1990 IS:11313:1990	--	Yes	Within State		Wt. 527.00 Kg with Fuel & Chemical., 23 HP Tractor, Tank capacity 400 lit, Pressure 28 Kg/cm2, Discharge 36 lit/min.,	(R)		
New	c	Tractor Trailed Air Assested Sprayer (Model - ATB- 8)	Navyug Krishi Sadhan Pvt.Ltd., Thane	Manufacturer	SSI	FMTTI/Other approved institutes.	ANGR, AU Hyderabad	9.2.2009	Yes	--	--	--	Within State		Tank capacity 600 lit, Pressure 100 Psi Discharge 50 to 70 Lit /min.,	(NR)		Inadequate Test Report
New	d	Tractor Mounted Mist Blower sprayer (Model ATB/6)	ASPEE Agro Equip., Mumbai	Manufacturer	Non SSI	FMTTIs	NRFMTTI, Hissar	PS-29/904, March 2006	Yes	IS:8548:1990 IS:11313:1990	--	Yes	Within State		Wt. 175.00 Kg., 45 HP Tractor, Tank capacity 400 lit, Pressure 7.03 Kg/cm2, Discharge 9.5 lit/min.,	(R)		
13		Non Conventional Energy Spray Pumps - Single Piston spray pump, manually (pedal operated), working pressure 3-4kg/cm ² , discharge capacity 3.2Lit/min	Modern Technical Center, Pune	Manufacturer	SSI	FMT&TIs/ SAU	MPKV, Rahuri	2007-08	Yes	Not mentioned	Yes	--	Within State	--	Wt. 32.00 Kg, swath 120 cm, discharge 3.2 lpm, Pressure 3-4 Kg/cm2	(R)		
XXVI		Light Traps																
1		Electrically operated insect trap (Regular Model)	Fine Trap (India), Yeotmal	Manufacturer	SSI	FMTT&Is	NRFMTTI, Hissar	C-39/740, September 2002	Yes	As prepared by testing authority.	Yes	--	Within State	--	230 Volts A.C., 3000 Lumens (apa), UV with visible spectrum, Wt.2.750 Kg.	(R)		
2		Electrically operated insect trap (Economy Model)	Fine Trap (India), Yeotmal	Manufacturer	SSI	FMTT&Is	MPKV, Rahuri	No. 1875/ 31/01/2009	Yes	Not mentioned	Yes	--	Within State	--	250 Volts A.C., 300 Volts Halogen lamp and 150 Volts insect attracting bulb, Wt.0.660 Kg.	(R)		
XXVII		Electric / Diesel / Petro-kerosene Engines (BIS mark)																
1	a	3 HP Electric Monoset Pumpset Regular model with ACC	Laxmi Drucken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 1112218 15/08/2014	--	IS:9079:2002	--	--	Within State	--	--	(R)		
	b	3 HP Electric Monoset Pumpset Regular model with ACC	Ashoka India Sales Pvt. Ltd. Jalgaon	Marketer for Teckno Ind.Ahmedabad	SSI	BIS	BIS	CML 1743051 15.10.2013	--	IS:9079:2002	--	--	Outside State	--	Brand endorsement on BIS " Ashoka "	(NR)		Marketer
	c	3 HP Electric Monoset Pumpset Regular model with ACC	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7104047 31/03/2014	--	IS:9079:2002	--	--	Within State	--	--	(R)		
	d	3 HP Electric Monoset Pumpset Regular model with ACC	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7072161 28/02/2013 (Expired)	--	IS:9079:2002	--	--	Within State	--	--	(P)	Validity	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	e	3 HP Electric Monoset Pumpset Regular model with ACC	Paras Trading Co., Ahmednagar	Marketer for Jay Elec. Ind. Ahmedabad	SSI	BIS	BIS	CML 7071967 19.3.2013	--	IS:9079:2002	--	--	Outside State	--	--	NR		Rate not quoted, Duplicate BIS Enquiry By MAIDC
New	f	3 HP Electric Monoset Pumpset Regular model with ACC	Techno Ind., Ahmedabad	Manufacturer	SSI	BIS	BIS	CML 1743051 15/10/2013	--	IS:9079:2002	--	--	Outside State	--	--	R		
New	g	3 HP Electric Monoset Pumpset Regular model with ACC	Chamatkar Agency , Gondia	Marketer for Techno Ind.Ahmedabad	SSI	BIS	BIS	CML 1743051 15/10/2013	--	IS:9079:2002	--	--	Outside State	--	Brand endorsement on BIS " Chamtkar "	NR		Marketer
New	h	3 HP Electric Monoset Pumpset Regular model with ACC	Balaji and co. Gondiya	Marketer for Techno Ind.Ahmedabad (Techno Brand)	SSI	BIS	BIS	CML 1743051 15/10/2013	--	IS:9079:2002	--	--	Outside State	--	--	NR		Marketer
2	a	5 HP Electric Monoset Pumpset Regular model with ACC	Laxmi Druken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 1112218 15/08/2014	--	IS:9079:2002	--	--	Within State	--	--	R		
	b	5 HP Electric Monoset Pumpset Regular model with ACC	Ashoka India Sales Pvt. Ltd. Jalgaon	Marketer for Techno Ind.Ahmedabad	SSI	BIS	BIS	CML 1743051 15.10.2013	--	IS:9079:2002	--	--	Outside State	--	Brand endorsement on BIS " Ashoka "	NR		Marketer
	c	5 HP Electric Monoset Pumpset Regular model with ACC	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7104047 31/03/2014	--	IS:9079:2002	--	--	Within State	--	--	R		
	d	5 HP Electric Monoset Pumpset Regular model with ACC	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7072161 28/02/2013	--	IS:9079:2002	--	--	Within State	--	--	P	BIS Validity	
	e	5 HP Electric Monoset Pumpset Regular model with ACC	Paras Trading Co., Ahmednagar	Marketer for Jay Elec. Ind. Ahmedabad	SSI	BIS	BIS	CML 7071967 19.3.2013	--	IS:9079:2002	--	--	Outside State	--	--	NR		Rate not quoted, Duplicate BIS Enquiry by MAIDC
New	f	5 HP Electric Monoset Pumpset Regular model with ACC	Techno Ind., Ahmedabad	Manufacturer	SSI	BIS	BIS	CML 1743051 15/10/2013	--	IS:9079:2002	--	--	Outside State	--	--	R		
New	g	5 HP Electric Monoset Pumpset Regular model with ACC	Chamatkar Agency , Gondia	Marketer for Techno Ind.Ahmedabad	SSI	BIS	BIS	CML 1743051 15/10/2013	--	IS:9079:2002	--	--	Outside State	--	Brand endorsement on BIS " Chamtkar "	NR		Marketer
New	h	5 HP Electric Monoset Pumpset Regular model with ACC	Balaji and co. Gondiya	Marketer for Techno Ind.Ahmedabad (Techno Brand)	SSI	BIS	BIS	CML 1743051 15/10/2013	--	IS:9079:2002	--	--	Outside State	--	--	NR		Marketer
3	a	7.5 HP Electric Monoset Pumpset Regular model with ACC	Laxmi Druken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 1112218 15/08/2014	--	IS:9079:2002	--	--	Within State	--	--	R		
	b	7.5 HP Electric Monoset Pumpset Regular model with ACC	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7104047 31/03/2014	--	IS:9079:2002	--	--	Within State	--	--	R		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC, 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	c	7.5 HP Electric Monoset Pumpset Regular model with ACC	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7072161 28/02/2013	--	IS:9079:2002	--	--	Within State	--	--	(P)	BIS Validity	
	e	7.5 HP Electric Monoset Pumpset Regular model with ACC	Ashoka India Sales Pvt. Ltd. Jalgaon	Marketer for Techno Ind.Ahmedabad	SSI	BIS	BIS	CML 1743051-15/10/2013	--	IS:9079:2002	--	--	Outside State	--	Brand endorsement on BIS "Ashoka "	(NR)		Marketer
	f	7.5 HP Electric Monoset Pumpset Regular model with ACC	Paras Trading Co., Ahmednagar	Manufacturer	SSI	BIS	BIS		--	IS:9079:2002	--	--	Within State	--	--	(NR)		Rate not quoted, Duplicate BIS Enquiry by MAIDC
New	h	7.5 HP Electric Monoset Pumpset Regular model with ACC	Techno Ind., Ahmedabad	Manufacturer	SSI	BIS	BIS	CML 1743051 15/10/2013	--	IS:9079:2002	--	--	Outside State	--	--	(R)		
4	a	10 HP Electric Monoset Pumpset Regular model with ACC	Laxmi Drucken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 1112218 15/08/2014	--	IS:9079:2002	--	--	Within State	--	--	(R)		
	b	10 HP Electric Monoset Pumpset Regular model with ACC	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7104047 31/03/2014	--	IS:9079:2002	--	--	Within State	--	--	(R)		
New	c	10 HP Electric Monoset Pumpset Regular model with ACC	Techno Ind., Ahmedabad	Manufacturer	SSI	BIS	BIS	CML 1743051 15/10/2013	--	IS:9079:2002	--	--	Outside State	--	--	(R)		
	d	10 HP Electric Monoset Pumpset Regular model with ACC	Paras Trading Co., Ahmednagar	Manufacturer	SSI	BIS	BIS		--	IS:9079:2002	--	--	Within State	--	--	(NR)		Rate not quoted, Duplicate BIS Enquiry by MAIDC
	e	10 HP Electric Monoset Pumpset Regular model with ACC	Ashoka India Sales Pvt. Ltd. Jalgaon	Marketer for Techno Ind.Ahmedabad	SSI	BIS	BIS	CML 1743051-15/10/2013	--	IS:9079:2002	--	--	Outside State	--	Brand endorsement on BIS "Ashoka "	(NR)		Marketer
5	a	3 HP Openwell Submersible Pumpset Regular model with ACC	Laxmi Drucken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15/05/2015	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	b	3 HP Openwell Submersible Pumpset Regular model with ACC	Precision Engg. Works, Mumbai	Manufacturer	SSI	BIS	BIS	CML 7702875 01/02/2014	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	c	3 HP Openwell Submersible Pumpset Regular model with ACC	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7227265 13/09/2013	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	d	3 HP Openwell Submersible Pumpset Regular model with ACC	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7247069 - 7/2/2014	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	e	3 HP Openwell Submersible Pumpset Regular model with ACC	Shriram Polymers, Nasik	Manufacturer	SSI	BIS	BIS	CML 7570177 31/10/2013	--	IS 14220:1994	--	--	Within State	--	--	(P)	Enquiry By MSCMF	
	f	3 HP Openwell Submersible Pumpset Regular model with ACC	Paras Trading Co., Ahmednagar	Marketer for B M Engg. Co. Rajkot	SSI	BIS	BIS	CML 7826186 31.3.2013	--	IS:14220:1994	--	--	Outside State	--	Brand endorsement on BIS "Paras "	(NR)		Rate not quoted, Duplicate BIS Enquiry By MAIDC

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	g	3 HP Openwell Submersible Pumpset Regular model	Domain Electricals, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7890805 01/12/2013	--	IS:14220:1994	--	--	Within State	--	--	(R)		
New	h	3 HP Openwell Submersible Pumpset Regular model	Shorfs Engineering Ltd. Vadodara	Marketer for Paresh Ind. Ahmedabad	SSI	BIS	BIS	CML 7746895/ 31.5.2014	--	IS:14220:1994	--	--	Outside State	--	Brand endorsement on BIS " Pluga "	(R)		
	j	3 HP Openwell Submersible Pumpset Regular model	Ashoka India Sales Pvt. Ltd. Jalgaon	Marketer for Teckno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051- 22.02.2014	--	IS:14220:1995	--	--	Outside State	--	Brand endorsement on BIS " Ashoka "	(NR)		Marketer
New	k	3 HP Openwell Submersible Pumpset Regular model	Chamatkar Agency , Gondia	Marketer for Teckno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS 14220:1994	--	--	Outside State	--	Brand endorsement on BIS " Chamtkar "	(NR)		Marketer
New	l	3 HP Openwell Submersible Pumpset Regular model	Techno Ind., Ahmedabad	Manufacturer	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS 14220:1994	--	--	Outside State	--	--	(R)		
New	m	3 HP Openwell Submersible Pumpset Regular model	S.R. Engineering, & Services, Wardha	Marketer for Yash Mfg.Rajkot	SSI	BIS	BIS	CML 3655367/ 15.08.2013	Yes	IS 14220:1994	--	--	Outside State	--	--	(R)		
	n	3 HP Openwell Submersible Pumpset Regular model	Anand Hardwares & Motors, Nashik	Marketer for Amco Motors, Rajkot	SSI	BIS	BIS	CML 7853492 - 26/06/2013	--	IS:14220:1994			Outside State			(R)		
	o	3 HP Openwell Submersible Pumpset Regular model	Balaji and co. Gondiya	Marketer for Teckno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS 14220:1994	--	--	Outside State	--	-	(NR)		Marketer
	p	3 HP Openwell Submersible Pumpset Star Rating BEE	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7247069 - 7/2/2014	--	IS:14220:1994	--	--	Within State	--	5 Star rating BEE No.BEE/S&L/PS/SI/2009/65 823, dated 19.3.2009	(R)		
	q	3 HP Openwell Submersible Pumpset Star Rating BEE	S. R. Engineering & services, Wardha	Marketer for Yash Manufacturers, Rajkot	SSI	BIS	BIS	CML 3655367 - 15/08/2013	--	IS:14220:1994	--	--	Outside State	--	5 Star rating BEE No.BEE/S&L/YMA/SP02/018 1/10/161820 dated 4/11/2010	(R)		
	r	3 HP Openwell Submersible Pumpset Star Rating BEE	Precision Engg. Works, Mumbai	Manufacturer	SSI	BIS	BIS	CML 7702875 01/02/2014	--	IS:14220:1994	--	--	Within State	--	3 Star rating BEE No.BEE/S&L/SPS/SP02/023 5/12/106 dated 20/01/2012	(R)		
	s	3 HP Openwell Submersible Pumpset Star Rating BEE	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7227265 13/09/2013	--	IS:14220:1994	--	--	Within State	--	5 Star rating BEE No.BEE/S&L/PRO/SP02/185 /11/2512 dated 15/11/2011	(R)		
	t	3 HP Openwell Submersible Pumpset Star Rating BEE	Laxmi Drucken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15/05/2013	--	IS:14220:1994	--	--	Within State	--	5 Star rating BEE No.0707/BEE/S&L/PS/TRI/2 009/99480 dated 16/12/2009	(R)		
	u	3 HP Openwell Submersible Pumpset Star Rating BEE	Chamatkar Agency , Gondia	Marketer for Unnati Industrial Corporation, Ahmedabad	SSI	BIS	BIS	CML 7831785 27/03/2013 (Exp.)	Yes	IS 14220:1994	--	--	Outside State	--	5 Star rating BEE No.BEE/S&L/UNN/SP02/014 7/11/321 dated 18/03/2011	(P)	Enquiry By MSCMF	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Go's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
6	a	5 HP Openwell Submersible Pumpset Regular model	Laxmi Druken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15/05/2015	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	b	5 HP Openwell Submersible Pumpset Regular model	Precision Engg. Works, Mumbai	Manufacturer	SSI	BIS	BIS	CML 7702875 01/02/2014	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	c	5 HP Openwell Submersible Pumpset Regular model	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7227265 13/09/2013	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	d	5 HP Openwell Submersible Pumpset Regular model	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7247069 - 7/2/2014	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	e	5 HP Openwell Submersible Pumpset Regular model	Shriram Polymers, Nasik	Manufacturer	SSI	BIS	BIS	CML 7570177 31/10/2013	Yes	IS 14220:1994	--	--	Within State	--	--	(P)	Enquiry By MSCMF	
	f	5 HP Openwell Submersible Pumpset Regular model	Paras Trading Co., Ahmednagar	Marketer for B M Engg. Co. Rajkot	SSI	BIS	BIS	CML 7826186 31.3.2013	--	IS:14220:1994	--	--	Outside State	--	Brand endorsement on BIS "Paras "	(NR)		Rate not quoted. Duplicate BIS Enquiry By MAIDC
New	g	5 HP Openwell Submersible Pumpset Regular model	Chamatkar Agency, Gondia	Marketer for Techno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS:14220:1995	--	--	Outside State	--	Brand endorsement on BIS "Chamtkar "	(NR)		Marketer
New	h	5 HP Openwell Submersible Pumpset Regular model	Domain Electricals, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7890805 1/12/2013	Yes	IS:14220:1996	--	--	Within State	--		(R)		
New	i	5 HP Openwell Submersible Pumpset Regular model	Shorfs Engineering Ltd. Vadodara	Marketer for Pares Ind. Ahmedabad	SSI	BIS	BIS	CML 7746895/ 31.5.2014	--	IS:14220:1994	--	--	Outside State	--	Brand endorsement on BIS "Pluga "	(R)		
New	j	5 HP Openwell Submersible Pumpset Regular model	Laxmi Druken Komponents.Ltd. Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15.5.2015	--	IS:14220:1994	--	--	Within State	--	--	(R)		
New	k	5 HP Openwell Submersible Pumpset Regular model	Ashoka India Sales Pvt. Ltd. Jalgaon	Marketer for Techno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051- 22.02.2014	--	IS:14220:1995	--	--	Outside State	--	Brand endorsement on BIS "Ashoka "	(NR)		Marketer
New	l	5 HP Openwell Submersible Pumpset Regular model	Techno Ind., Ahmedabad	Manufacturer	SSI	BIS	BIS	CML 3704051- 22.02.2014	--	IS:14220:1996	--	--	Outside State	--	--	(R)		
New	m	5 HP Openwell Submersible Pumpset Regular model	S.R.Engineering, & Services, Wardha	Marketer for Yash Mfg.Rajkot	SSI	BIS	BIS	CML 3655367/ 15.08.2013	Yes	IS 14220:1994	--	--	Outside State	--	--	(R)		
	n	5 HP Openwell Submersible Pumpset Regular model	Anand Hardwares & Motors, Nashik	Marketer for Amco Motors, Rajkot	SSI	BIS	BIS	CML 7853492 - 26/06/2013	--	IS:14220:1994	--	--	Outside State	--	--	(R)		
	o	5 HP Openwell Submersible Pumpset Regular model	Balaji and co. Gondiya	Marketer for Techno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS 14220:1994	--	--	Outside State	--	--	(NR)		Marketer
New	p	5 HP Openwell Submersible Pumpset Star Rating BEE	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7247069 - 27/12/2015	--	IS:14220:1994	--	--	Within State	--	5 Star rating BEE No.BEE/S&I/SP02/SI/0117/1 3/3076, dated 5.1.2013	(R)		
	q	5 HP Openwell Submersible Pumpset Star Rating	S. R. Engineering & services, Wardha	Marketer for Yash Manufacturers, Rajkot	SSI	BIS	BIS	CML 3655367 - 15/08/2013	--	IS:14220:1994	--	--	Outside State	--	5 Star rating BEE No.BEE/S&I/YMA/SP02/018 1/11/320 dated 18/03/2011	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	r	5 HP Openwell Submersible Pumpset Star Rating BEE	Precision Engg. Works, Mumbai	Manufacturer	SSI	BIS	BIS	CML 7702875 01/02/2014	--	IS:14220:1994	--	--	Within State	--	4 Star rating BEE No.BEE/S&L/SPS/SP02/023 5/12/106 dated 20/01/2012	(R)		
	s	5 HP Openwell Submersible Pumpset Star Rating BEE	Laxmi Druken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15/05/2015	--	IS:14220:1994	--	--	Within State	--	5 Star rating BEE No.0707/BEE/S&L/PS/TRI/2 009/99480 dated 16/12/2009	(R)		
	t	5 HP Openwell Submersible Pumpset Star Rating BEE	Chamatkar Agency, Gondia	Marketer for Unnati Industrial Corporation, Ahmedabad	SSI	BIS	BIS	CML 7831785 27/03/2013 (Exp.)	Yes	IS 14220:1994	--	--	Outside State	--	5 Star rating BEE No.BEE/S&L/UNN/SP02/014 7/11/321 dated 18/03/2011	(P)	Enquiry By MSCMF	
7	a	7.5 HP Openwell Submersible Pumpset Regular model	Laxmi Druken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15/05/2015	--	IS:14220:1994	--	--	Within State	--	--	(R)		
New	b	7.5 HP Openwell Submersible Pumpset Regular model	Domain Electricals, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7890805 1/12/2013	Yes	IS:14220:1995	--	--	Within State	--	--	(R)		
New	c	7.5 HP Openwell Submersible Pumpset Regular model	Ashoka India Sales Pvt. Ltd. Jalgaon	Marketer for Tekno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051- 22.02.2014	--	IS:14220:1996	--	--	Outside State	--	Brand endorsement on BIS " Ashoka "	(NR)		Marketer
	d	7.5 HP Openwell Submersible Pumpset Regular model	Precision Engg. Works, Mumbai	Manufacturer	SSI	BIS	BIS	CML 7702875 01/02/2014	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	e	7.5 HP Openwell Submersible Pumpset Regular model	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7227265 13/09/2013	--	IS:14220:1994	--	--	Within State	--	--	(R)		
	f	7.5 HP Openwell Submersible Pumpset Regular model	Paras Trading Co., Ahmednagar	Marketer for B M Engg. Co. Rajkot	SSI	BIS	BIS	CML 7826186 31.3.2013	--	IS:14220:1994	--	--	Outside State	--	Brand endorsement on BIS " Paras "	(NR)		Rate not quoted, Duplicate BIS Enquiry by MAIDC
	g	7.5 HP Openwell Submersible Pumpset Regular model	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7247069 7/2/2014	--	IS:14220:1994	--	--	Within State	--	--	(R)		
New	h	7.5 HP Openwell Submersible Pumpset Regular model	Shorfs Engineering Ltd. Vadodara	Marketer for Pares Ind. Ahmedabad	SSI	BIS	BIS	CML 7746895/ 31.5.2014	--	IS:14220:1994	--	--	Outside State	--	Brand endorsement on BIS " Pluga "	(R)		
New	i	7.5 HP Openwell Submersible Pumpset Regular model	Techno Ind., Ahmedabad	Manufacturer	SSI	BIS	BIS	CML 3704051- 22.02.2014	--	IS:14220:1995	--	--	Outside State	--	--	(R)		
	j	7.5 HP Openwell Submersible Pumpset Regular model	Anand Hardware & Motors, Nashik	Marketer for Amco Motors, Rajkot	SSI	BIS	BIS	CML 7853492 - 26/06/2013	--	IS:14220:1994	--	--	Outside State	--	--	(R)		
	k	7.5 HP Openwell Submersible Pumpset Regular model	Chamatkar Agency, Gondia	Marketer for Tekno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS:14220:1995	--	--	Outside State	--	Brand endorsement on BIS " Chamtkar "	(NR)		Marketer

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Go's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of S.I. TC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	l	7.5 HP Openwell Submersible Pumpset Regular model	Balaji and co. Gondiya	Marketer for Teckno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS 14220:1994	--	--	Outside State	--	-	NR		Marketer
	m	7.5 HP Openwell Submersible Pumpset Star Rating BEE	Laxmi Drucken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15/05/2015	--	IS:14220:1994	--	--	Within State	--	5 Star rating BEE No.0707/BEE/S&L/PS/TRI/2 009/99480 dated 16/12/2009	R		
8	a	10 HP Openwell Submersible Pumpset Regular model	Laxmi Drucken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15/05/2015	--	IS:14220:1994	--	--	Within State	--	--	R		
	b	10 HP Openwell Submersible Pumpset Regular model	Proton Electro Motors, Aurangabad	Manufacturer	SSI	BIS	BIS	CML 7227265 13/9/2013	Yes	IS 14220:1994	--	--	Within State	--	--	R		
	c	10 HP Openwell Submersible Pumpset Regular model	Shivanand Ind., Latur	Manufacturer	SSI	BIS	BIS	CML 7247069 - 7/2/2014	--	IS:14220:1994	--	--	Within State	--	--	R		
New	d	10 HP Openwell Submersible Pumpset Regular model	Ashoka India Sales pvt. Ltd. Jalgaon	Marketer for Teckno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051- 22.02.2014	--	IS:14220:1995	--	--	Outside State	--	Brand endorsement on BIS "Ashoka"	NR		Marketer
New	e	10 HP Openwell Submersible Pumpset Regular model	Techno Ind., Ahmedabad	Manufacturer	SSI	BIS	BIS	CML 3704051- 22.02.2014	--	IS:14220:1996	--	--	Outside State	--	--	R		
	f	10 HP Openwell Submersible Pumpset Regular model	Chamatkar Agency, Gondia	Marketer for Teckno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS:14220:1995	--	--	Outside State	--	Brand endorsement on BIS "Chamatkar"	NR		Marketer
	g	10 HP Openwell Submersible Pumpset Regular model	Balaji and co. Gondiya	Marketer for Teckno Ind.Ahmedabad	SSI	BIS	BIS	CML 3704051 22/2/2014	Yes	IS 14220:1994	--	--	Outside State	--	-	NR		Marketer
	h	10 HP Openwell Submersible Pumpset Star Rating BEE	Laxmi Drucken Component, Solapur	Manufacturer	SSI	BIS	BIS	CML 7172165 15/05/2015	--	IS:14220:1994	--	--	Within State	--	5 Star rating BEE No.0707/BEE/S&L/PS/TRI/2 009/99480 dated 16/12/2009	R		
9	a New	3 HP Diesel Engine (3000) RPM	Greaves Cotton Ltd., TN	Manufacturer	SSI	BIS	BIS	CML 3457060 1.2.2014	--	IS:11170:1985	--	--	Outside State	--	SFC 300 gm/kWh at 3000 rpm	R		
	b New	3.4 HP Diesel Engine (3000) RPM	Captain Tractors Pvt.Ltd. Rajkot	Manufacturer	SSI	BIS	BIS	CML 3691169 2.1.2014	--	IS:11170:1985	--	--	Outside State	--	SFC 309 gm/kWh at 3000 rpm	R		
	c	3 HP Diesel Engine (3000 RPM)	Sourthern Agro Engine Pvt. Ltd.Chennai	Manufacturer	SSI	BIS	BIS	CML 4518564 06/11/2013	--	IS:11170:1985	--	--	Outside State	--	SFC 300 gm/kWh at 3000 rpm	R		
10	a	4 HP Diesel Engine 2600 RPM - AIR COOLED ISI With ACC.	Greaves Cotton Ltd., Chennai	Manufacturer	Non SSI	BIS	BIS	CML 3457060 1.2.2014	--	IS:11170:1985	-	--	Outside State	--	SFC 290 gm/kWh at 2600 rpm	R		
	b	4 HP Diesel Engine 2600 RPM - AIR COOLED ISI With ACC.	S.G. Enterprises,Latur	Marketer for P.M Diesels, Rajkot	Non SSI	BIS	BIS	CML 3601647 27.1.2014	--	IS:11170:1985	--	--	Outside State	--	SFC 279 gm/kWh at 2600 rpm	P	Enquiry By MSCMF	

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	c	4 HP Diesel Engine 1800 RPM - AIR COOLED ISI With ACC.	Kirloskar Oil Engines Ltd., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 7909190 19/02/2014	--	IS:11170:1986	--	--	Within State	--	SFC 272 gm/kWh at 1800 rpm	(R)		
11	A	5 HP Diesel Engine (1500/1800/2200)																
	a	5 HP Diesel Engine (1500/1800/2200) RPM	Gadre Ind., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 1636858 30/06/2014	--	IS:11170:1985	--	--	Within State	--	SFC 251 gm/kWh at 1500 rpm SFC 245 gm/kWh at 1800 rpm SFC 265 gm/kWh at 2200 rpm	(R)		
	b	5 HP Diesel Engine (1500/2600) RPM	Indra Marshal Power Pvt.Ltd., Indore, MP	Manufacturer	SSI	BIS	BIS	CML 1926867 31/05/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 251gm/kWh at 1500 rpm SFC 241gm/kWh at 2600 rpm	(R)		
	c	5 HP Diesel Engine (1500/1800) RPM	Paras Trading Company, Ahmednagar	Marketer for Parshwa Diesels Pvt. Ltd. Rajkot	SSI	BIS	BIS	CML 1838870, 30.6.2013	--	IS:11170:1985	--	--	Outside State	--	SFC 252 gm/kwh at 1500 rpm SFC 252 gm/kwh at 1800 rpm Endorshment on BUS * Paras Shakti Brand	(NR)		Rate not quoted, Duplicate BIS Enquiry by MAIDC
New	d	5 HP Diesel Engine (2600/3000) RPM	S.G. Enterprises,Latur	Marketer for P.M Diesels, Rajkot	Non SSI	BIS	BIS	CML 3601647 27.1.2014	0	IS : 11170:1985	--	--	Outside State	--	SFC 250 gm/kWh at 1500 rpm	(P)	Enquiry By MSCMF	
New	e	5 HP Diesel Engine (1500) RPM	Padgilwar Agro Industries, Nagpur	Marketer for Basant Ispat Udhvog Pvt.Ltd. Agra, U P	NON SSI	BIS	BIS	CML 2279461 31.3.2014	Yes	IS 11170:1985	--	--	Outside State	--	SFC 242 gm/kWh at 1500 rpm	(R)		
New	f	5 HP Diesel Engine (1500/2200/2600) RPM	Ashoka Engg. & Foundary, Rajkot	Manufacturer	SSI	BIS	BIS	CML 1851054 31/7/2014	0	IS 11170:1985	--	--	Outside State	--	SFC 230 gm/kWh at 1500 rpm SFC 265 gm/kWh at 2200 rpm SFC 272 gm/kWh at 2600 rpm	(R)		
	g	5 HP Diesel Engine (1500/1800/2150) RPM	Rantagiri Impex Pvt. Ltd.Benglore	Marketer for Topland Engines Pvt. Ltd. Rajkot	NON SSI	BIS	BIS	CML 1866067 30/6/2013	Yes	IS 11170:1985	--	--	Outside State	--	SFC 235 gm/kWh at 1500 rpm SFC 251 gm/kWh at 1800 rpm SFC 251 gm/kWh at 2150 rpm	(R)		
	h	5 HP Diesel Engine (1500/2200) RPM	Laxmi Oil Engines Pvt. Ltd., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 1848974 15/09/2013	--	IS:11170:1985	--	--	Within State	--	SFC 240 gm/kWh at 1500 rpm SFC 240 gm/kWh at 2200 rpm	(R)		
New	i	5 HP Diesel Engine (1500/2200) RPM	Gujarat Forgings Pvt. Ltd., Rajkot	Manufacturer	Non SSI	BIS	BIS	CML 1820851 31/07/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 236 gm/kWh at 1500 rpm SFC 275 gm/kWh at 2200 rpm	(R)		
	j	5 HP Diesel Engine (1500/2200/2600) RPM	Rocket Engg. Corpn. Ltd., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 7062461 30/09/2014	--	IS:11170:1985	--	--	Within State	--	SFC 251 gm/kWh at 1500 rpm SFC 240 gm/kWh at 2200 rpm SFC 270 gm/kWh at 2600 rpm	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	k	5 HP Diesel Engine (1500/2200/2600) RPM	Thakarashi Business Group, Kolhapur	Marketer for Rocket Engg. Corpn. Ltd., Kolhapur	SSI	BIS	BIS	CML 7062461 30/09/2014	--	IS:11170:1985	--	--	Within State	--	SFC 251 gm/kWh at 1500 rpm SFC 265 gm/kWh at 2200 rpm SFC 270 gm/kWh at 2600 rpm	(NR)		Marketer
New	l	5 HP Diesel Engine (1500/2200/2600) RPM	A.V.Agritech, HP	Manufacturer	SSI	BIS	BIS	CML 9992419 25/03/2014	--	IS:11170:1986	-	-	Outside State	--	SFC 245gm/kwh at 1500 rpm	(R)		
	B	5 HP 2600/3000 RPM																
New	a	5 HP Diesel Engine (3000) RPM	Captain Tractors Pvt. Ltd., Rajkot	Manufacturer	SSI	BIS	BIS	CML 3691169 02/01/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 309 gm/kWh at 3000 rpm	(R)		
New	b	5 HP Diesel Engine (2600) RPM	Greaves Cotton Ltd. Chennai	Manufacturer	SSI	BIS	BIS	CML 3457060 01/02/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 290 gm/kWh at 2600 rpm	(R)		
	c	5 HP Diesel Engine (1500) RPM 5 HP Diesel Engine (2600) RPM	Kirloskar Oil Engines Limited, Kolhapur and Fursungi	Manufacturer	NON SSI	BIS	BIS	CML 1708251, 30.6.2014 CML 7909190 19.2.2014	Yes	IS 11170:1985	--	--	Within State	--	SFC 239 gm/kWh at 1500 rpm SFC 272 gm/kWh at 2600 rpm	(R)		
	d	5 HP Diesel Engine (1500/2200/2600) RPM	Rocket Engg. Corpn. Ltd., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 7062461 30/09/2014	--	IS:11170:1985	--	--	Within State	--	SFC 251 gm/kWh at 1500 rpm SFC 240 gm/kWh at 2200 rpm SFC 270 gm/kWh at 2600 rpm	(R)		
New	e	5 HP Diesel Engine (1500/2200/2600) RPM	Ashoka Engg. & Foundary, Rajkot	Manufacturer	SSI	BIS	BIS	CML 1851054 31/7/2014	0	IS 11170:1985	--	--	Outside State	--	SFC 230 gm/kWh at 1500 rpm SFC 265 gm/kWh at 2200 rpm SFC 272 gm/kWh at 2600 rpm	(R)		
New	f	5 HP Diesel Engine (2600/3000) RPM	S.G. Enterprises,Latur	Marketer for P.M Diesels, Rajkot	Non SSI	BIS	BIS	CML 3601647 27.1.2014	0	IS : 11170:1985	--	--	Outside State	--	SFC 250 gm/kWh at 1500 rpm	(NR)		Marketer
	g	5 HP Diesel Engine (1500/2600) RPM	Indra Marshal Power Pvt.Ltd., Indore, MP	Manufacturer	SSI	BIS	BIS	CML 1926867 31/05/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 251gm/kWh at 1500 rpm SFC 241gm/kWh at 2600 rpm	(R)		
	h	5 HP Diesel Engine (1500/2400 RPM)	Anand Hardware & Motors, Nashik	Marketer for Standards Agro, Rajkot	SSI	BIS	BIS	CML1881467 15/03/2014	--	IS:11170:1986	--	--	Outside State	--	SFC 251gm/kWh at 1500 rpm SFC 250 gm/kWh at 2400 rpm	(R)		
	i	5 HP Diesel Engine (3000 RPM)	P.M. Diesel Pvt. Ltd., Rajkot	Manufacturer	SSI	BIS	Bis	CML7568190 13/10/2013	--	IS:11501:1986	--	--	Outside State	--	Fuel Consumption 1198 g/h	(P)	Enquiry By MSCMF	
12	A	7.5- 8 HP Diesel Engine1500-1800 RPM																
	a	7.5- 8 HP Diesel Engine 1500 RPM	Paras Trading Company , Ahmednagar	Marketer for Parshwa Diesels Pvt. Ltd. Rajkot	SSI	BIS	BIS	CML 1838870, 30.6.2013	--	IS:11170:1985	--	--	Outside State	--	SFC 252 gm/kWh at 1500 rpm Endorshment on BUS + Paras Shakti " Brand	(NR)		Rate not quoted, Duplicate BIS Enquiry by MAIDC
New	b	7.90 HP Diesel Engine 1500/1800 RPM	Gujarat Forgings Pvt.Ltd., Rajkot	Manufacturer	NON SSI	BIS	BIS	CML 1820851 31/07/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 250 gm/kWh at 1500 rpm SFC 250 gm/kWh at 1800 rpm	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of S.I.T.C 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
New	c	7.5-8 HP Diesel Engine 1500 RPM	Rantagiri Impex Pvt. Ltd. Bangalore	Marketer for Topland Engines Pvt. Ltd. Rajkot	NON SSI	BIS	BIS	CML 1866067 30/6/2013	--	IS:11170:1985	--	--	Outside State	--	SFC 251 gm/kWh at 1500 rpm	(R)			
New	d	7.90 HP Diesel Engine 1500/1800 RPM	Indra Marshal Power Pvt.Ltd., Indore MP	Manufacturer	SSI	BIS	BIS	CML 1926867 31/05/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 251 gm/kWh at 1500 rpm SFC 252 gm/kWh at 1800 rpm	(R)			
New	e	7.5 - 8 HP Diesel Engine 1800 RPM	Padgilwar Agro Industries, Nagpur	Marketer for Basant Ispat Udhog Pvt.Ltd. Agra, U P	NON SSI	BIS	BIS	CML 2279461 31.3.2014	--	IS:11170:1985	--	--	Outside State	--	SFC 248 gm/kWh at 1800 rpm	(R)			
B		2200-2600 RPM																	
	a	7.5- 8 HP Diesel Engine 2200 RPM	Laxmi Oil Engines Pvt. Ltd., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 1848974 15/09/2013	--	IS:11170:1985	--	--	Within State	--	SFC 245 gm/kWh at 2200 rpm	(R)			
	b	7.5-8 HP Diesel Engine 2200/2600 RPM	Rocket Engg. Corpn. Ltd., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 7062461 30/09/2014	--	IS:11170:1985	--	--	Within State	--	SFC 230 gm/kWh at 2200 rpm SFC 260 gm/kWh at 2600 rpm	(R)			
	c	7.5-8 HP Diesel Engine 2200/2600 RPM	Thakarashi Business Group, Kolhapur	Marketer for Rocket Engg. Corpn. Ltd., Kolhapur	SSI	BIS	BIS	CML 7062461 30/09/2014	--	IS:11170:1985	--	--	Within State	--	SFC 251 gm/kWh at 1500 rpm SFC 265 gm/kWh at 2200 rpm SFC 270 gm/kWh at 2600 rpm	(NR)		Marketer	
New	d	7.5- 8 HP Diesel Engine 2600 RPM	Kiroskar Oil Engine Pvt. Ltd.Fursungi, Pune	Manufacturer	SSI	BIS	BIS	CML 1708251 30.6.2014	--	IS:11170:1985	--	--	Within State	--	SFC 242 gm/kWh at 2600 rpm	(R)			
13	a	10 HP Diesel Engine 1500 RPM	Laxmi Oil Engines Pvt. Ltd., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 1848974 15/09/2013	--	IS:11170:1985	--	--	Within State	--	SFC 245 gm/kWh at 1500 rpm	(R)			
New	b	10 HP Diesel Engine 1500 RPM	Kiroskar Oil Engine Pvt. Ltd.Fursungi, Pune	Manufacturer	SSI	BIS	BIS	CML 1708251 30.6.2014	--	IS:11170:1985	--	--	Within State	--	SFC 251 gm/kWh at 1500 rpm	(R)			
	c	10 HP Diesel Engine 1500 RPM	Rocket Engg. Corpn. Ltd., Kolhapur	Manufacturer	SSI	BIS	BIS	CML 7062461 30/09/2014	--	IS:11170:1985	--	--	Within State	--	SFC 251 gm/kWh at 1500 rpm	(R)			
	d	10 HP Diesel Engine 1500 RPM	Thakarashi Business Group, Kolhapur	Marketer for Rocket Engg. Corpn. Ltd., Kolhapur	SSI	BIS	BIS	CML 7062461 30/09/2014	--	IS:11170:1985	--	--	Within State	--	SFC 251 gm/kWh at 1500 rpm	(NR)		Marketer	
New	e	10 HP Diesel Engine 1500/ 1800 RPM	Gujarat Forgings Pvt. Ltd., Rajkot	Manufacturer	NON SSI	BIS	BIS	CML 1820851 31/07/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 245 gm/kWh at 1500 rpm SFC 250 gm/kWh at 1800 rpm	(R)			
New	f	10 HP Diesel Engine 1500 RPM	Indra Marshal Power Pvt.Ltd., Indore, MP	Manufacturer	SSI	BIS	BIS	CML 1926867 31/05/2014	--	IS:11170:1985	--	--	Outside State	--	SFC 251 gm/kWh at 1500 rpm	(R)			
New	g	10 HP Diesel Engine 1800 RPM	Paras Trading Company, Ahmednagar	Marketer for Parshwa Diesels Pvt. Ltd. Rajkot	SSI	BIS	BIS	CML 1838870, 30.6.2013	--	IS:11170:1985	--	--	Outside State	--	SFC 252 gm/kWh at 1800 rpm, Endorshment on BUS "Paras Shakti" Brand	(NR)		Rate not quoted, Duplicate BIS Enquiry by MAIDC	
New	h	10 HP Diesel Engine 1800 RPM	Rantagiri Impex Pvt. Ltd. Bangalore	Marketer for Topland Engines Pvt. Ltd. Rajkot	NON SSI	BIS	BIS	CML 1866067 30/6/2013	--	IS:11170:1985	--	--	Outside State	--	SFC 251 gm/kWh at 1500 rpm	(R)			

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
14	a	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	Greaves Cotton Ltd. Chennai	Manufacturer	Non SSI	BIS	BIS	CML 0426842 31.3.2014	--	IS:7347:1974	--	--	Outside State	--	SFC 600 gm/kWh at 3000 rpm	(R)		
	b	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	S.G. Enterprises, Latur .	Marketer for P.M Diesels, Rajkot	Non SSI	BIS	BIS	CML 7543780 30.3.2013	--	IS:7347:1974	--	--	Outside State	--	SFC 600 gm/kWh at 3000 rpm	(NR)		Marketer
	c	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	Southern Agro Engg. Chennai	Manufacturer	Non SSI	BIS	BIS	CML 6193976 16.12.2013	--	IS:7347:1974	--	--	Outside State	--	SFC ----- gm/kWh at 3000 rpm	(R)		
	d	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	North Pole Engg. Pvt. Ltd., Rajkot	Marketer for Southern Agro Engines Pvt. Ltd.	Non SSI	BIS	BIS	CML 6193976 15.12.2013	--	IS:7347:1974	--	--	Outside State	--	SFC 700 gm/kWh at 3000 rpm	(NR)		Marketer
	e	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	Padgilwar Agro Industries, Nagpur	Marketer for Klec Agros Pvt. Ltd. Chennai	Non SSI	BIS	BIS	CML 3516959 10.07.2013	--	IS:7347:1974	--	--	Outside State	--	SFC 700 gm/kWh at 3000 rpm	(R)		
	f	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	Gujrat Forging Ltd., Rajkot	Manufacturer	Non SSI	BIS	BIS	CML 3729067 22.05.2013	--	IS:7347:1974	--	--	Outside State	--	SFC 700 gm/kWh at 3000 rpm	(P)	BIS Validity	
	g	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	P.M Diesels, Rajkot	Manufacturer	SSI	BIS	BIS	CML 7543780 30.03.2013 (EXP.)	--	IS:7347:1974	--	--	Outside State	--	SFC 600 gm/kWh at 3000 rpm	(P)	Enquiry By MSCMF	
15	a	3 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	Greaves Cotton Ltd. Chennai	Manufacturer	Non SSI	BIS	BIS	CML 0426842 31/03/2014	--	IS 7347:1974	--	--	Outside State	--	SFC 500 gm/kWh at 3000 rpm	(R)		
	b	3 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	Southern Agro Engg. Chennai	Manufacturer	Non SSI	BIS	BIS	CML 6193976 16.12.2013	--	IS 7347:1974	--	--	Outside State	--	SFC ---- gm/kWh at 3600 rpm	(R)		
	c	3 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	Gujrat Forging Ltd., Rajkot	Manufacturer	Non SSI	BIS	BIS	CML 3729067 22.05.2013	--	IS 7347:1974	--	--	Outside State	--	SFC 600 gm/kWh at 3600 rpm	(P)	BIS Validity	
	d	3 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	S.G. Enterprises, Latur .	Marketer for P.M Diesels, Rajkot	Non SSI	BIS	BIS	CML 7543780 30.03.2013 (EXP.)	--	IS 7347:1974	--	--	Outside State	--	SFC 550 gm/kWh at 3600 rpm	(NR)		Marketer
	e	3 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	North Pole Engg. Pvt. Ltd., Rajkot	Marketer for Southern Agro Engines Pvt. Ltd.	Non SSI	BIS	BIS	CML 6193976 15.12.2013	--	IS 7347:1974	--	--	Outside State	--	SFC 500 gm/kWh at 3000 rpm	(NR)		Marketer
	f	3 HP Petrol Start Diesel Run Pumpset (Engine) 3000 RPM	P. M. Diesel Pvt. Ltd. Rajkot	Manufacturer	SSI	BIS	BIS	CML 7543780 30.03.2013 (EXP.)	--	IS 7347:1974	--	--	Outside State	--	SFC 550 gm/kWh at 3000 rpm	(P)	Enquiry By MSCMF	
16	a	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	Greaves Cotton Ltd. Chennai	Manufacturer	Non SSI	BIS	BIS	CML 0426842 31.3.2014	--	IS:7347:1974	--	--	Outside State	--	SFC 700 gm/kWh at 3000 rpm	(R)		
	b	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	Gujrat Forging Ltd., Rajkot	Manufacturer	Non SSI	BIS	BIS	CML 3729067 22.05.2013	--	IS:7347:1974	--	--	Outside State	--	SFC 700 gm/kWh at 3000 rpm	(P)	BIS Validity	
	c	1.5 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	Indra Marshal Power Pvt.Ltd., Indore, MP	Manufacturer	Non SSI	BIS	BIS	CML 3252951 8.11.2014	--	IS:7347:1974	--	--	Outside State	--	SFC 600 gm/kWh at 3000 rpm	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
17	a	3 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	Greaves Cotton Ltd. Chennai	Manufacturer	Non SSI	BIS	BIS	CML 0426842 31/03/2014	--	IS 7347:1974	--	--	Outside State	--	SFC 550 gm/kWh at 3600 rpm	(R)		
	b	3 HP Petrol Start Diesel Run Pumpset (Engine) 3600 RPM	Indra Marshal Power Pvt.Ltd., MP	Manufacturer	Non SSI	BIS	BIS	CML 3252951 8.11.2014	--	IS 7347:1974	--	--	Outside State	--	SFC 600 gm/kWh at 3600 rpm	(R)		
18	a	3 HP Petrol Run Pumpset (Engine) 3600 RPM with standard accessories	Honda Siel Power Product Ltd., Noida	Manufacturer	Non SSI	BIS	BIS	CML 8631984 30/11/2013	--	IS 7347:1974	--	--	Outside State	--	SFC 465 gm/kwh at 3600 rpm	(R)		
	b	3 HP Petrol Run Pumpset (Engine) 3600 RPM Self Priming	Honda Siel Power Product Ltd., Noida	Manufacturer	Non SSI	BIS	BIS	CML 8631984 30/11/2013	--	IS 7347:1974	--	--	Outside State	--	SFC 465 gm/kwh at 3600 rpm	(R)		
XXVIII		Non Conventional Energy Pumpset																
1		Manually Operated Vanarai Water Pump	Modern Technical Centre, Pune	Manufacturer	SSI	SAUs	MPKV, Rahuri	28/3/2008	Yes	Not Mentioned	Yes	--	Within State	--	Wt.28 Kg.	(R)		
2		Manually Operated Cycle Operator Battery Charger	Modern Technical Centre, Pune	Manufacturer	SSI	SAUs	MPKV, Rahuri	28/3/2008	Yes	Not Mentioned	Yes	--	Within State	--	Wt.18.00 Kg.	(R)		
3		Bicycle Operated Floor Mill	Modern Technical Centre, Pune	Manufacturer	SSI	SAUs	MPKV, Rahuri	28/3/2008	Yes	Not Mentioned	Yes	--	Within State	--	Wt.22.00 Kg.	(R)		
XXIX		Irrigation equipment - Sprinkler pipes: Ployethylene Pipes (HDPE) BIS Mark																
1	a	63 mm dia., 3.2 kg/cm ² internal pressure	Jain Irrigation Systems Ltd. Jalgaon	Manufacturer	Non SSI	BIS	BIS	CML 7147772 31/08/2013 CML 7117662 15/10/2013	--	IS:14151:P-I:2008 IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	b	63 mm dia., 3.2 kg/cm ² internal pressure	Kothari Agri. Tech.Pvt Ltd. Solapur	Manufacturer	SSI	BIS	BIS	CML 7513468 26/09/2014	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	c	63 mm dia., 3.2 kg/cm ² internal pressure	Macknow Ind., Raipur, Chhatisgad	Manufacturer	SSI	BIS	BIS	CML 8998931 19/01/2014	--	IS:14151:P-II:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	d	63 mm dia., 3.2 kg/cm ² internal pressure	Sona Polyplast Pvt. Ltd., Kopergaon, Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7542677 28/03/2015	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	e	63 mm dia., 3.2 kg/cm ² internal pressure	Mohak Agro Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7664893 25/10/2013	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	f	63 mm dia., 3.2 kg/cm ² internal pressure	Pragati Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8474287 15/03/2014	--	IS:14151:P-II:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	g	63 mm dia., 3.2 kg/cm ² internal pressure	Shree Datta Plastic, Beed	Manufacturer	SSI	BIS	BIS	CML 7315363 29/03/2015	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	h	63 mm dia., 3.2 kg/cm ² internal pressure	Shiv Pipes, Amravati	Manufacturer	SSI	BIS	BIS	CML 7833587 03/04/2014	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	i	63 mm dia., 3.2 kg/cm ² internal pressure	Tulsi Extrusions Ltd., Jalgaon	Manufacturer	SSI	BIS	BIS	CML 7869814 24/09/2013	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	j	63 mm dia., 3.2 kg/cm ² internal pressure	Spark Irrigation Pvt. Ltd. Jalgaon	Manufacturer	NON SSI	BIS	BIS	CML 7866202 24/8/2013	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	k	63 mm dia., 3.2 kg/cm ² internal pressure	Maru Chemical Industries, Nasik	Manufacturer	SSI	BIS	BIS	CML 7448584 13/08/2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	l	63 mm dia., 3.2 kg/cm ² internal pressure	Arts Watermatics Pvt. Ltd., Parbhani	Manufacturer	SSI	BIS	BIS	CML 3773373 14/11/2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	m	63 mm dia., 3.2 kg/cm ² internal pressure	Shri Amba Fert. Pvt. Ltd. Amarawati	Manufacturer	SSI	BIS	BIS	CML 3911763 21.1.2014	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	n	63 mm dia., 3.2 kg/cm ² internal pressure	CMR Industries, Nandgaon Kh. Amarawati	Manufacturer	SSI	BIS	BIS	CML 3914668 29.1.2014	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	o	63 mm dia., 3.2 kg/cm ² internal pressure	Prem Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8964813 9.9.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	p	63 mm dia., 3.2 kg/cm ² internal pressure	Mohit Polytech Pvt. Ltd. Jaipur Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8541276 30.4.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	q	63 mm dia., 3.2 kg/cm ² internal pressure	Swastic Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8207971 15.8.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	r	63 mm dia., 3.2 kg/cm ² internal pressure	Finolex Plassion Industries Pvt. Ltd., Maval, Pune	Manufacturer	SSI	BIS	BIS	CML 3754975 25.8.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	s	63 mm dia., 3.2 kg/cm ² internal pressure	Ambika Plast & Chem (P) Ltd, Shahada, Nandurbar	Manufacturer	SSI	BIS	BIS	CML 3885788, 6.11.2013	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
New	t	63 mm dia., 3.2 kg/cm ² internal pressure	Kisan Irrigation Ltd. Pithampur, Dhar, MP.	Manufacturer	SSI	BIS	BIS	CML 8575495 23.11.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	u	63 mm dia., 3.2 kg/cm ² internal pressure	Shriram Irrigation Equip., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7563685 14.9.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	v	63 mm dia., 3.2 kg/cm ² internal pressure	Nimbus Pipes Ltd. Jaipur, Rajasthan	Manufacturer	Non SSI	BIS	BIS	CML 8741991 31.8.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	w	63 mm dia., 3.2 kg/cm ² internal pressure	Tijaria Poly Pipes Ltd. Jaipur, Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8499711 15.7.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	x	63 mm dia., 3.2 kg/cm ² internal pressure	Atharva Model Works, Pune	Marketer for Aram Plastics Pvt. Ltd., Jaipur	SSI	BIS	BIS	CML 8401664 15.01.2013 (expired)	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No endorsement
	y	63 mm dia., 3.2 kg/cm ² internal pressure	EPC Industries, Nashik	Manufacturer	SSI	BIS	BIS	CML 7147671 31.08.2013	Yes	IS : PII 14151:2008	--	--	within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	z	63 mm dia., 3.2 kg/cm ² internal pressure	Sweta Enterprises, Raipur	Manufacturer	SSI	BIS	BIS	CML 8949312 16.07.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	aa	63 mm dia., 3.2 kg/cm ² internal pressure	Shriram & Sons, Gondia	Marketer for Hind Pipe Industries, Raipur	SSI	BIS	BIS	CML8627387 26.10.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	ab	63 mm dia., 3.2 kg/cm ² internal pressure	Green Gold Irrigation Pvt. Ltd., C.G.	Manufacturer	SSI	BIS	BIS	CML 8188892 31.08.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	ac	63 mm dia., 3.2 kg/cm ² internal pressure	Chamatkar Agency, Gondia	Marketer for Modi Gold Pipes Pvt. Ltd., Nagpur	SSI	BIS	BIS	CML 3880677 18.10.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
2	a	75 mm dia, 2.5 kg/cm ² internal pressure	Jain Irrigation Systems ltd. Jalgaon	Manufacturer	Non SSI	BIS	BIS	CML 7147772 31/08/2013 CML 7117662 15/10/2013	--	IS:14151:P-I:2008 IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	b	75 mm dia, 2.5 kg/cm ² internal pressure	Kothari Agri. Tech.Pvt Ltd, Solapur	Manufacturer	SSI	BIS	BIS	CML 7513468 26/09/2014	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	c	75 mm dia, 2.5 kg/cm ² internal pressure	Macknow Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8998931 19/01/2014	--	IS:14151:P-II:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Go's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SIC 2013-14 (R-Recommended, NR-not Recommended, P- Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	d	75 mm dia, 2.5 kg/cm ² internal pressure	Sona Polyplast Pvt. Ltd., Kopergaon, Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7542677 28/03/2015	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	e	75 mm dia, 2.5 kg/cm ² internal pressure	Maru Chemical Industries, Nasik	Manufacturer	SSI	BIS	BIS	CML 7448584 13/08/2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(NR)		No endorsement
	f	75 mm dia, 2.5 kg/cm ² internal pressure	Tatiwar Agro Ind., Nagpur	Manufacturer	SSI	BIS	BIS	CML 7564788 25/09/2013	--	IS:14151:P-II:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	g	75 mm dia, 2.5 kg/cm ² internal pressure	Shriram Irrigation Equip., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7563685 14.9.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	h	75 mm dia, 2.5 kg/cm ² internal pressure	Mohak Agro Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7664893 25/10/2013	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	i	75 mm dia, 2.5 kg/cm ² internal pressure	Pragati Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8474287 15/03/2014	--	IS:14151:P-II:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	j	75 mm dia, 2.5 kg/cm ² internal pressure	Shree Datta Plastic, Beed	Manufacturer	SSI	BIS	BIS	CML 7315363 29/03/2015	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(NR)		No endorsement
	k	75 mm dia, 2.5 kg/cm ² internal pressure	Shiv Pipes, Amravati	Manufacturer	SSI	BIS	BIS	CML 7833587 03/04/2014	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	l	75 mm dia, 2.5 kg/cm ² internal pressure	Tulsi Extrusions Ltd., Jalgaon	Manufacturer	SSI	BIS	BIS	CML 7869814 24/09/2013	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
	m	75 mm dia, 2.5 kg/cm ² internal pressure	Spark Irrigation Pvt. Ltd, Jalgaon	Manufacturer	NON SSI	BIS	BIS	CML 7866202 24/8/2013	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
New	n	75 mm dia, 2.5 kg/cm ² internal pressure	Arts Watermatics Pvt. Ltd., Parbhani	Manufacturer	SSI	BIS	BIS	CML 3773373 14/11/2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 3.1Kg per pipe	(R)		
New	o	75 mm dia, 2.5 kg/cm ² internal pressure	Finolex Plassion Industries Pvt. Ltd., Maval, Pune	Manufacturer	SSI	BIS	BIS	CML 3754975 25.8.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	p	75 mm dia., 2.5 kg/cm ² internal pressure	Ambika Plastt & Chem (P) Ltd, Shahada, Nandurbar	Manufacturer	SSI	BIS	BIS	CML 3885687, 6.11.2013	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	q	75 mm dia., 2.5 kg/cm ² internal pressure	Shri Amba Fert. Pvt. Ltd. Amarawati	Manufacturer	SSI	BIS	BIS	CML 3911763 21.1.2014	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	r	75 mm dia., 2.5 kg/cm ² internal pressure	CMR Industries Nandgaon Kh, Amarawati	Manufacturer	SSI	BIS	BIS	CML 3914668 29.1.2014	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	s	75 mm dia., 2.5 kg/cm ² internal pressure	Tijaria Poly Pipes Ltd. Jaipur, Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8499711 15.7.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	t	75 mm dia., 2.5 kg/cm ² internal pressure	Prem Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8964813 9.9.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	u	75 mm dia., 2.5 kg/cm ² internal pressure	Nimbus Pipes Ltd. Jaipur, Rajasthan	Manufacturer	Non SSI	BIS	BIS	CML 8741991 31.8.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	v	75 mm dia., 2.5 kg/cm ² internal pressure	Mohit Polytech Pvt. Ltd. Jaipur Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8541276 30.4.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	w	75 mm dia., 2.5 kg/cm ² internal pressure	Kisan Irrigation Ltd. Pithampur, Dhar, MP.	Manufacturer	SSI	BIS	BIS	CML 8575495 23.11.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	x	75 mm dia., 2.5 kg/cm ² internal pressure	R.M. Drip & Spinkler Sys. Ltd. MIDC Ambad, Nashik.	Manufacturer	SSI	BIS	BIS	CML 3664469 20.9.2013	Yes	IS : PII 14151:2000	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	y	75 mm dia., 2.5 kg/cm ² internal pressure	Swastic Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8207971 15.8.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	z	75 mm dia., 2.5 kg/cm ² internal pressure	EPC Industries, Nashik	Manufacturer	SSI	BIS	BIS	CML 7147671 31.08.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	aa	75 mm dia., 2.5 kg/cm ² internal pressure	Sweta Enterprises, Raipur	Manufacturer	SSI	BIS	BIS	CML 8949312 16.07.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	ab	75 mm dia., 2.5 kg/cm ² internal pressure	Green Gold Irrigation Pvt. Ltd., C.G.	Manufacturer	SSI	BIS	BIS	CML 8188892 31.08.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	ac	75 mm dia., 2.5 kg/cm ² internal pressure	Nagar Industries, Ahmednagar	Marketer for Aqua Guard Plastics & Polymers, Gujrat	SSI	BIS	BIS	CML 7249271 11.09.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		Endorsement not submitted
	ad	75 mm dia., 2.5 kg/cm ² internal pressure	Premier Plastic Pipe Industries, C.G.	Manufacturer	SSI	BIS	BIS	CML 8986419 04.12.2012 (Exp.)	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		Endorsement not submitted
	ae	75 mm dia., 2.5 kg/cm ² internal pressure	Tatiwar Agro Ind., Nagpur	Manufacturer	SSI	BIS	BIS	CML 7564788 25.09.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	af	75 mm dia., 2.5 kg/cm ² internal pressure	Chamatkar Agency, Gondia	Marketer for Modi Gold Pipes Pvt. Ltd., Nagpur	SSI	BIS	BIS	CML 3880677 18.10.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
3	a	75 mm dia, 3.2 kg/cm² internal pressure	Jain Irrigation Systems Ltd. Jalgaon	Manufacturer	Non SSI	BIS	BIS	CML 7147772 31/08/2013 CML 7117662 15/10/2013	--	IS:14151-P-I:2008 IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	b	75 mm dia, 3.2 kg/cm ² internal pressure	Kothari Agri. Tech.Pvt.Ltd, Solapur	Manufacturer	SSI	BIS	BIS	CML 7513468 26/09/2014	--	IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	c	75 mm dia, 3.2 kg/cm ² internal pressure	Macknow Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8998931 19/01/2014	--	IS:14151-P-II:2008	--	--	Outside State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	d	75 mm dia, 3.2 kg/cm ² internal pressure	Sona Polyplast Pvt. Ltd., Kopergaon, Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7542677 28/03/2015	--	IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	e	75 mm dia, 3.2 kg/cm ² internal pressure	Maru Chemical Industries, Nasik	Manufacturer	SSI	BIS	BIS	CML 7448584 13/08/2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	f	75 mm dia, 3.2 kg/cm ² internal pressure	Tatiwar Agro Ind., Nagpur	Manufacturer	SSI	BIS	BIS	CML 7564788 25/09/2013	--	IS:14151-P-II:1999	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	g	75 mm dia, 3.2 kg/cm ² internal pressure	Mohak Agro Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7664893 25/10/2013	--	IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	h	75 mm dia, 3.2 kg/cm ² internal pressure	Pragati Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8474287 15/03/2014	--	IS:14151-P-II:2008	--	--	Outside State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	i	75 mm dia, 3.2 kg/cm ² internal pressure	Shriram Irrigation Equip., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7563685 14.9.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	j	75 mm dia, 3.2 kg/cm ² internal pressure	Shree Datta Plastic, Beed	Manufacturer	SSI	BIS	BIS	CML 7315363 29/03/2015	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	k	75 mm dia, 3.2 kg/cm ² internal pressure	Shiv Pipes, Amravati	Manufacturer	SSI	BIS	BIS	CML 7833587 03/04/2014	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	l	75 mm dia, 3.2 kg/cm ² internal pressure	Tulsi Extrusions Ltd., Jalgaon	Manufacturer	SSI	BIS	BIS	CML 7869814 24/09/2013	--	IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
	m	75 mm dia, 3.2 kg/cm ² internal pressure	Spark Irrigation Pvt. Ltd. Jalgaon	Manufacturer	NON SSI	BIS	BIS	CML 7866202 24/8/2013	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		
New	n	75 mm dia, 3.2 kg/cm ² internal pressure	Arts Watermatics Pvt. Ltd., Parbhani	Manufacturer	SSI	BIS	BIS	CML 3773373 14/11/2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.9mm, Wt. 3.7Kg per pipe	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC-2013-14 (R-Recommended, NR-Not Recommended, P-Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
New	o	75 mm dia, 3.2 kg/cm ² internal pressure	Finolex Plassion Industries Pvt. Ltd., Maval, Pune	Manufacturer	SSI	BIS	BIS	CML 3754975 25.8.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	p	75 mm dia, 3.2 kg/cm ² internal pressure	Ambika Plast & Chem (P) Ltd, Shahada, Nandurbar	Manufacturer	SSI	BIS	BIS	CML 3885687, 6.11.2013	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	q	75 mm dia, 3.2 kg/cm ² internal pressure	Shri Amba Fert. Pvt. Ltd. Amarawati	Manufacturer	SSI	BIS	BIS	CML 3911763 21.1.2014	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	r	75 mm dia, 3.2 kg/cm ² internal pressure	CMR Industries Nandgaon Kh. Amarawati	Manufacturer	SSI	BIS	BIS	CML 3914668 29.1.2014	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	s	75 mm dia, 3.2 kg/cm ² internal pressure	Tijaria Poly Pipes Ltd. Jaipur, Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8499711 15.7.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	t	75 mm dia, 3.2 kg/cm ² internal pressure	Prem Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8964813 9.9.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	u	75 mm dia, 3.2 kg/cm ² internal pressure	Nimbus Pipes Ltd. Jaipur, Rajasthan	Manufacturer	Non SSI	BIS	BIS	CML 8741991 31.8.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	v	75 mm dia, 3.2 kg/cm ² internal pressure	Mohit Polytech Pvt. Ltd. Jaipur Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8541276 30.4.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	w	75 mm dia, 3.2 kg/cm ² internal pressure	Kisan Irrigation Ltd. Pithampur, Dhar, MP.	Manufacturer	SSI	BIS	BIS	CML 8575495 23.11.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	x	75 mm dia, 3.2 kg/cm ² internal pressure	R.M. Drip & Spinkler Sys. Ltd. MIDC Ambad, Nashik.	Manufacturer	SSI	BIS	BIS	CML 3664469 20.9.2013	Yes	IS : PII 14151:2000	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	y	75 mm dia, 3.2 kg/cm ² internal pressure	Swastic Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8207971 15.8.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	z	75 mm dia, 3.2 kg/cm ² internal pressure	EPC Industries, Nashik	Manufacturer	SSI	BIS	BIS	CML 7147671 31.08.2013	Yes	IS : PII 14151:2008	--	--	within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	aa	75 mm dia, 3.2 kg/cm ² internal pressure	Sweta Enterprises, Raipur	Manufacturer	SSI	BIS	BIS	CML 8949312 16.07.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	ab	75 mm dia, 3.2 kg/cm ² internal pressure	Shriram & Sons, Gondia	Marketer for Hind Pipe Industries, Raipur	SSI	BIS	BIS	CML 8627387 26.10.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	ac	75 mm dia, 3.2 kg/cm ² internal pressure	Green Gold Irrigation Pvt. Ltd., C.G.	Manufacturer	SSI	BIS	BIS	CML 8186892 31.08.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	ad	75 mm dia, 3.2 kg/cm ² internal pressure	Nagar Industries, Ahmednagar	Marketer for Aqua Guard Plastics & Polymers, Gujrat	SSI	BIS	BIS	CML 7249271 11.09.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No endorsement submitted
	ae	75 mm dia, 3.2 kg/cm ² internal pressure	Premier Plastic Pipe Industries, C.G.	Manufacturer	SSI	BIS	BIS	CML 8966419 04.12.2012 (Exp.)	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No endorsement submitted
	af	75 mm dia, 3.2 kg/cm ² internal pressure	Tatiwar Agro Ind., Nagpur	Manufacturer	SSI	BIS	BIS	CML 7564788 25.09.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	ag	75 mm dia, 3.2 kg/cm ² internal pressure	Chamatkar Agency, Gondia	Marketer for Modi Gold Pipes Pvt. Ltd., Nagpur	SSI	BIS	BIS	CML 3880677 18.10.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Govt's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
4	a	90 mm dia, 2.5 kg/cm ² internal pressure	Jain Irrigation Systems Ltd. Jalgaon	Manufacturer	Non SSI	BIS	BIS	CML 7147772 31/08/2013 CML 7117662 15/10/2013	--	IS:14151-P-I:2008 IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(R)		
	b	90 mm dia, 2.5 kg/cm ² internal pressure	Kothari Agri. Tech.Pvt Ltd, Solapur	Manufacturer	SSI	BIS	BIS	CML 7513468 26/09/2014	--	IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(R)		
	c	90 mm dia, 2.5 kg/cm ² internal pressure	Macknow Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8998931 19/01/2014	--	IS:14151-P-II:2008	--	--	Outside State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(R)		
	d	90 mm dia, 2.5 kg/cm ² internal pressure	Sona Polyplast Pvt. Ltd., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7542677 28/03/2015	--	IS:14151-P-II:1999	--	--	Within State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(R)		
	e	90 mm dia, 2.5 kg/cm ² internal pressure	Mohak Agro Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7664893 25/10/2013	--	IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(R)		
	f	90 mm dia, 2.5 kg/cm ² internal pressure	Pragati Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8474287 15/03/2014	--	IS:14151-P-II:2008	--	--	Outside State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(NR)		No Endorsement
	g	90 mm dia, 2.5 kg/cm ² internal pressure	Shree Datta Plastic, Beed	Manufacturer	SSI	BIS	BIS	CML 7315363 29/03/2015	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(NR)		No Endorsement
	h	90 mm dia, 2.5 kg/cm ² internal pressure	Tulsi Extrusions Ltd., Jalgaon	Manufacturer	SSI	BIS	BIS	CML 7869814 24/09/2013	--	IS:14151-P-II:2008	--	--	Within State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(R)		
	i	90 mm dia, 2.5 kg/cm ² internal pressure	Maru Chemical Industries, Nasik	Manufacturer	SSI	BIS	BIS	CML 7448584 13/08/2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.6mm, Wt. 4Kg per pipe	(R)		
New	j	90 mm dia, 2.5 kg/cm ² internal pressure	Finolex Plassion Industries Pvt. Ltd., Maval, Pune	Manufacturer	SSI	BIS	BIS	CML 3754975 25.8.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	k	90 mm dia, 2.5 kg/cm ² internal pressure	Prem Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8964813 9.9.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	l	90 mm dia, 2.5 kg/cm ² internal pressure	Swastic Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8207971 15.8.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
New	m	90 mm dia, 2.5 kg/cm ² internal pressure	Ambika Plastt & Chem (P) Ltd, Shahada, Nandurbar	Manufacturer	SSI	BIS	BIS	CML 3885788, 6.11.2013	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
New	n	90 mm dia, 2.5 kg/cm ² internal pressure	Kisan Irrigation Ltd. Pithampur, Dhar, MP.	Manufacturer	SSI	BIS	BIS	CML 8575495 23.11.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
New	o	90 mm dia, 2.5 kg/cm ² internal pressure	Mohit Polytech Pvt. Ltd. Jaipur Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8541276 30.4.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	p	90 mm dia, 2.5 kg/cm ² internal pressure	Nimbus Pipes Ltd.Jaipur, Rajasthan	Manufacturer	Non SSI	BIS	BIS	CML 8741991 31.8.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	q	90 mm dia, 2.5 kg/cm ² internal pressure	Tijaria Poly Pipes Ltd. Jaipur, Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8499711 15.7.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	r	90 mm dia, 2.5 kg/cm ² internal pressure	Shri Amba Fvt. Pvt. Ltd. Amarawati	Manufacturer	SSI	BIS	BIS	CML 3911763 21.1.2014	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
	s	90 mm dia, 2.5 kg/cm ² internal pressure	EPC Industries, Nashik	Manufacturer	SSI	BIS	BIS	CML 7147671 31.08.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	t	90 mm dia, 2.5 kg/cm ² internal pressure	Sweta Enterprises, Raipur	Manufacturer	SSI	BIS	BIS	CML 8949312 16.07.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
	u	90 mm dia, 2.5 kg/cm ² internal pressure	Shriram & Sons, Gondia	Marketer for Hind Pipe Industries, Raipur	SSI	BIS	BIS	CML8627387 26.10.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC, 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
5	a	90 mm dia, 3.2 kg/cm ² internal pressure	Jain Irrigation Systems Ltd. Jalgaon	Manufacturer	Non SSI	BIS	BIS	CML 7147772 31/08/2013 CML 7117662 15/10/2013	--	IS:14151:P-I:2008 IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(R)		
	b	90 mm dia, 3.2 kg/cm ² internal pressure	Kothari Agri. Tech.Pvt Ltd. Solapur	Manufacturer	SSI	BIS	BIS	CML 7513468 26/09/2014	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(R)		
	c	90 mm dia, 3.2 kg/cm ² internal pressure	Macknow Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8998931 19/01/2014	--	IS:14151:P-II:2008	--	--	Outside State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(R)		
	d	90 mm dia, 3.2 kg/cm ² internal pressure	Sona Polyplast Pvt. Ltd., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7542677 28/03/2015	--	IS:14151:P-II:1999	--	--	Within State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(R)		
	e	90 mm dia, 3.2 kg/cm ² internal pressure	Mohak Agro Ind., Ahmednagar	Manufacturer	SSI	BIS	BIS	CML 7664893 25/10/2013	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(R)		
	f	90 mm dia, 3.2 kg/cm ² internal pressure	Pragati Ind., Raipur, Chh	Manufacturer	SSI	BIS	BIS	CML 8474287 15/03/2014	--	IS:14151:P-II:2008	--	--	Outside State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(NR)		No Endorsement
	g	90 mm dia, 3.2 kg/cm ² internal pressure	Shree Datta Plastic, Beed	Manufacturer	SSI	BIS	BIS	CML 7315363 29/03/2015	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(NR)		No Endorsement
New	h	90 mm dia, 3.2 kg/cm ² internal pressure	Tulsi Extrusions Ltd., Jalgaon	Manufacturer	SSI	BIS	BIS	CML 7869814 24/09/2013	--	IS:14151:P-II:2008	--	--	Within State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(R)		
	i	90 mm dia, 3.2 kg/cm ² internal pressure	Maru Chemical Industries, Nasik	Manufacturer	SSI	BIS	BIS	CML 7448584 13/08/2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 3.4mm, Wt. 5.2Kg per pipe	(NR)		No Endorsement
New	j	90 mm dia, 3.2 kg/cm ² internal pressure	Finolex Plassion Industries Pvt. Ltd., Maval, Pune	Manufacturer	SSI	BIS	BIS	CML 3754975 25.8.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	k	90 mm dia, 3.2 kg/cm ² internal pressure	Prem Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8964813 9.9.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	l	90 mm dia, 3.2 kg/cm ² internal pressure	Swastic Industries, Raipur	Manufacturer	SSI	BIS	BIS	CML 8207971 15.8.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
New	m	90 mm dia, 3.2 kg/cm ² internal pressure	Ambika Plast & Chem (P) Ltd, Shahada, Nandurbar	Manufacturer	SSI	BIS	BIS	CML 3885788, 6.11.2013	Yes	IS : PII 14151:1999	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
New	n	90 mm dia, 3.2 kg/cm ² internal pressure	Kisan Irrigation Ltd. Pithampur, Dhar, MP.	Manufacturer	SSI	BIS	BIS	CML 8575495 23.11.2013	Yes	IS : PII 14151:2008	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
New	o	90 mm dia, 3.2 kg/cm ² internal pressure	Mohit Polytech Pvt. Ltd. Jaipur Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8541276 30.4.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	p	90 mm dia, 3.2 kg/cm ² internal pressure	Nimbus Pipes Ltd.Jaipur, Rajasthan	Manufacturer	Non SSI	BIS	BIS	CML 8741991 31.8.2013	Yes	IS : PII 14151:2000	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	q	90 mm dia, 3.2 kg/cm ² internal pressure	Tijaria Poly Pipes Ltd. Jaipur, Rajasthan	Manufacturer	SSI	BIS	BIS	CML 8499711 15.7.2014	Yes	IS : PII 14151:1999	--	--	Outside State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(R)		
New	r	90 mm dia, 3.2 kg/cm ² internal pressure	Shri Amba Fert. Pvt. Ltd. Amarawati	Manufacturer	SSI	BIS	BIS	CML 3911763 21.1.2014	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.4 mm, Wt. 2.6Kg per pipe	(NR)		No Endorsement
	s	90 mm dia, 3.2 kg/cm ² internal pressure	EPC Industries, Nashik	Manufacturer	SSI	BIS	BIS	CML 7147671 31.08.2013	Yes	IS : PII 14151:2008	--	--	Within State	--	Wall thickness 2.9 mm, Wt. 2.6 Kg per pipe	(R)		
XXX		Bullockcarts & Cart Wheel																
1		Bullockcarts				FMT&Tis/ SAU												
	a	Bullockcarts 1 1/2 mapi (V shape)	Venkatesh Agro Engineering, Jalana	Manufacturer	SSI	FMT&Tis/ SAU	MAU , Parbhani	No 6008, Dt.9.11.09 & 336 Dt.5.3.10	Yes	IS: 12917:1990, IS:11269:1985	Yes	Yes	Within State	--	Wt. 217.380 Kg, Draft 42 Kg, Load Carrying capacity 1000kg	(R)		
	b	Bullock cart (Model - T Ring Zig Zag wheel)	Godavari Udyog, Nanded	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	5.11.2009	Yes	IS:12917:1990	Yes	--	Within State	--	Wt 225.00 Kg, Draft 47.00 Kg, Load carrying capacity 1000.00 Kg	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SITC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	c	Bullockcarts (Model-MAIDC)	M.A.I.D.C. Ltd., Mumbai	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	Dt. 05.11.2009	Yes	IS:12917:1990	Yes	--	Within State	--	Wt.240.00 Kg, Draft 47.00 Kg, Load carrying capacity 1000 Kg	(R)		
	d	BULLOCK CART - Melghat Special	Jalamkar Ind., Akola	Manufacturer	SSI	FMT&Tis/ SAU	PDKV - AKOLA	753/2011, 31.3.2011	Yes	Not mentioned	Yes	--	Within State	--	Wt.190.540 Kg, Draft 50-55 kgf, Load carrying capacity 800 Kg	(R)		
	e	Bullockcart (V Shape)	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&Tis/ SAU	PDKV, AKOLA	579 Dt. 25.1.2011	Yes	Not mentioned	Yes	--	Within State	--	Wt.222.1Kg, Draft 45-70 Kg ? Load carrying capacity 1000Kg	(R)		
New	f	Bullockcart (V shape)	Sonu Welding Works, Taloda, Nandurbar	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	5/11	Yes	IS:12917:1990, IS: 11269:1985	Yes	--	Within State	--	Wt.180 Kg, Draft 45 Kg, Load carrying capacity 1000Kg	(R)		
New	g	BULLOCK CART -(Model- Amit Steel wheel)	Amit Engg. Works, Dist- Jalgaon	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	FMP/IT&TC/IMP 1/2012, july 2012	Yes	IS:12917:1990, IS: 11269:1985	Yes	--	Within State	--	Wt.209.00 Kg, Draft 48.00 Kg, Load carrying capacity 1000.00 Kg	(R)		
New	h	Bullockcarts 1 1/2 mapi (V shape)	Jagdamba Agro Engg, Jaha	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	31.8.2009	Yes	IS:12917:1990, IS: 11269:1985	Yes	--	Within State	--	Wt.228.00 Kg, Draft 45.00 Kg, Load carrying capacity 1000.00 Kg	(P)	Matter is Subjudice	
2	Bullockcart wheel pairs																	
	a	Bullockcart wheel pairs 42"	Godavari Udyog, Nanded	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	5.11.2009	Yes	IS:12917:1990	Yes	--	Within State	--	Wt.74.00 Kg for pair	(R)		
	b	Bullockcart wheel pairs 42"	Shree Vyankateshwara Ind., Nagpur	Manufacturer	SSI	FMT&Tis/ SAU	PDKV - AKOLA	2009-10	Yes	Not mentioned	Yes	--	Within State	--	Wt.74 Kg for pair, Load carrying capacity 1000 Kg	(R)		
New	c	Bullockcart wheel pairs 42"	Amit Engg. Works, Dist- Jalgaon	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	FMP/IT&TC/IMP 1/2012, july 2012	Yes	IS:11269 :1985 IS:12917: 1990	Yes	--	Within State	--	Wt of Bollock Cart with Wheel Pair 209.00 Kg., Wt. of Wheel 77.500 Kg, Load carrying capacity 1000 Kg	(R)		
New	d	Bullockcart wheel pairs 42"	Jagdamba Agro Engineering, Jalana	Manufacturer	SSI	FMT&Tis/ SAU	MAU, Parbhani	--	Yes	Not mentioned	Yes	--	Within State	--	Wt. ----- KG	(P)	Matter is Subjudice	
	RATES NOT CALLED FOR																	
I	Green Shade Net																	
New	a	GREEN SHED NET (50% PERFORATION)	Ira Agrotech & Research Pvt. Ltd., Nagpur	Manufacturer	Non SSI	--	CIPET, Bhopal	10027A, Dt.30/6/2010	Yes	IS:1969:	--	--	Within State	--		(NR)		Not in Perview of Committee
New	b	GREEN SHED NET (75% PERFORATION)	Ira Agrotech & Research Pvt. Ltd., Nagpur	Manufacturer	Non SSI	--	CIPET, Bhopal	10027A, Dt.30/6/2010	Yes	IS:1969:	--	--	Within State	--		(NR)		Not in Perview of Committee
New	c	GREEN SHED NET (90% PERFORATION)	Ira Agrotech & Research Pvt. Ltd., Nagpur	Manufacturer	Non SSI	--	CIPET, Bhopal	10027A, Dt.30/6/2010	Yes	IS:1969:	--	--	Within State	--		(NR)		Not in Perview of Committee
II	Tree Pruner																	
New		Manually operated Tree Pruner	Padgilwar Agro Ind., Nagpur	Manufacturer	SSI	--	DAE Raipur	147, Feb 2013	Yes	IS:3494:1978 IS:4454:1975	Yes	--	Within State	--	Wt. 1.900 Kg.	(R)		

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in GoI's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLIC 2013-14 (R-Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
III		Pruning Kit																
new	a	Pruning Kit (2 Stroke Engine) (Set of Weeder, Pruner, Hedge Trimmer, Mini Cultivator)	Maharashtra Agro, Kolhapur	Marketer for Souza Sifang agro Engineering Pvt Ltd., Benglore	SSI	FMT&TIs/ SAUs	UAS, Benglore	23-06-2009	Yes	Not mentioned	Not Submitted	Yes	Outside State	--	Wt. 10.60 Kg, 2 Stroke Petrol Engine, 1.5 HP	NR		Engine Test Required
new	b	Pruning Kit (4 Stroke Engine) (Set of Weeder, Pruner, Hedge Trimmer, Mini Cultivator)	Maharashtra Agro, Kolhapur	Marketer for Souza Sifang agro Engineering Pvt Ltd., Benglore	SSI	FMT&TIs/ SAUs	UAS, Benglore	23-06-2009	Yes	Not mentioned	Not Submitted	Yes	Outside State	--	Wt. 11.50 Kg, 4 Stroke Petrol Engine, 1.5 HP	NR		Engine Test Required

Sr. No.	Sub No.	Name of implement	Name of manufacturer / Supplier	Whether manufacturer or marketer	SSI unit or non-SSI	Testing institute as mentioned in Gol's guidelines vide letter dated 14.9.2010	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing Report submitted (Y/N)	Testing done as per standard	Design & specifications given in report (Y/N)	Whether compliance given to the suggestions given in report (Y/N)	Manufacturing within State / Outside state	If imported, country of import	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report	Recommendation of SLTC 2013-14 (R=Recommended, NR=Not Recommended, P=Pending)	Reasons for pending	Reasons for NR
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
IV		Farmer Kit																
	1	Gakat	Vijay Engineers and Electricals, Pune	Marketer for Wadekar Krishi Yantriki Udyog, Thane,	SSI	SAUs,	BDR. BSKKV, Dapoli	Feb. 2013	Yes		Yes	--	Within State	_	Wt. 0.825 Kg.	P	Report number & Date	
	2	Sickle	Vijay Engineers and Electricals, Pune	Marketer for Wadekar Krishi Yantriki Udyog, Thane,	SSI	SAUs,	BDR. BSKKV, Dapoli	PP/FMP/BIS/02/2013	Yes	IS: 4358:1996	Yes	--	Within State	_	Wt. 0.175 Kg.	R		
	3	Single Bit Axe	Vijay Engineers and Electricals, Pune	Marketer for Wadekar Krishi Yantriki Udyog, Thane,	SSI	SAUs,	BDR. BSKKV, Dapoli	Feb. 2013	Yes		Yes	--	Within State	_	Wt. 0.608 Kg.	P	Report number, Date & Design	
	4	Khurapi	Vijay Engineers and Electricals, Pune	Marketer for Wadekar Krishi Yantriki Udyog, Thane,	SSI	SAUs,	BDR. BSKKV, Dapoli	Feb. 2013	Yes		Yes	--	Within State	_	Wt. 0.140 Kg.	P	Report number & Date	
	5	Bharata (Soil Handling Tool)	Vijay Engineers and Electricals, Pune	Marketer for Wadekar Krishi Yantriki Udyog, Thane,	SSI	SAUs,	BDR. BSKKV, Dapoli	Feb. 2013	Yes		Yes	--	Within State	_	Wt. 0.300 Kg.	P	Report number & Date	

सन २०१३-१४ साठी कृषि औजारांच्या तांत्रिक माहितीचा संकलीत तपशील - प्रपत्र -२ अ

महाराष्ट्रातील उत्पादक

Technical Date Sheet of Agricultural Implements for the year 2013-14

Sr. No.	Name of implement /Name of manufacturer / Supplier	Whether manufacturer or marketer	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report
1	4	5	8	9	11	16
I (A)	Plough (Bullock Drawn)					
1	Plough 6" Casting set with spare kit					
a	Bothra Foundry, Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 85/101, Nov. 2002	IS:6288:1971 IS 2192:1998	Without beam 11.7 Kg, With beam 19.4 Kg, Size 152mm
b	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 88/104, Nov.2002	IS:6288:1971 IS 2192:1998	Without beam 11.7 Kg, With beam 19.4 Kg, Size 155mm
2	Plough 8" Casting set with spare kit					
a	Bothra Foundry, Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 84/100, Nov.2002	IS:6288:1971 IS 2192:1998	Without beam 14.100 Kg , With beam 20.500 Kg, Size 202mm
b	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 87/103, Nov.2002	IS:6288:1971 IS 2192:1998	Without beam 15.900 Kg, With beam 22.300 Kg, Size 187mm
c	Shree Vyankateshwara Ind., Nagpur	Manufacturer	PKV, Akola	No.580, dt.25.1.2011	Not mentioned	Without beaml Wt.14.110 Kg, Size 200mm
3	Plough 9" Casting set with spare kit					
a	Bothra Foundry, Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 83/99, Nov.2002	IS:6288:1971 IS 2192:1998	Without beam 19.500 Kg, With beam 28.400 Kg, Size 229mm
b	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 76/92, Sept.2002	IS:6288:1971 IS 2192:1998	Without beam 17.900 Kg, With beam 25.700 Kg, Size 230mm
c	Dandekar Brothers, Sangli	Manufacturer	SRFMPTI, Anantpur	IMP 108/129, Oct.2003	IS:6288:1971 IS 2192:1998	Without beam 19.500 Kg, With beam 42.00 Kg Size 229 mm
4	Plough 11" Casting set with spare kit					
a	Bothra Foundry, Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 82/98, Nov.2002	IS:6288:1971 IS 2192:1998	Without beam 20.400 Kg, With beam 31.900 Kg, Size 280mm
b	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 75/91, Sept.2002	IS:6288:1971 IS 2192:1998	Without beam 19.500 Kg, With beam 27.300 Kg, Size 271.3mm
5	4 bullock plough 39 "					
a	Bothra Foundry, Ahmednagar	Manufacturer	NRFMTTI, Hissar	IMP 157/595, Sept.1999	IS:6459:1990 IS2192:1990	Wt.55.700 Kg, Size of plough 172 mm
6	4 bullock plough 43 "					
a	Fulhar Sales Corpn., Ahmednagar	Manufacturer	SRFMPTI, Anantpur	IMP 72/88, July 2002	IS:6459:1990 IS2192:1990	Wt.60.000 Kg, Size of plough 180mm
7	4 bullock plough 51 "					
a	Bothra Foundry, Ahmednagar	Manufacturer	NRFMTTI,Hissar	IMP 156/594, Sept.1999	IS:6459:1990 IS2192:1990	Wt.58.500 Kg,Size of plough 195 mm
b	Fulhar Sales Corpn., Ahmednagar	Manufacturer	NRFMTTI,Hissar	IMP 157/594, Sept.1999	IS:6459:1990 IS2192:1990	Wt.58.500 Kg, Size of plough 195 mm
c	Venkatesh Agro Engineering, Jalana	Manufacturer	MPKV Rahuri	4390/4/ 1.9.2010	Not mentioned	Wt.53.500 Kg w/o spare kit 56 Kg with spare kit,
8	Kokan Plough (Fabricated)					
a	Star Enterprises, Pune	Manufacturer (Taken over from Pallavi Engg., Raigad)	NERFMPTI, Sonitpur	IMP 01/01/2001, Dec.2001	IS:6288:1971 IS:2192:1998	Wt .7.300 Kg without beam, Wt 13.000 Kg with Beam, Length of share 260 mm
9(i)	Sindhu Kokan Plough (with handle)					
a	Star Enterprises, Pune	Manufacturer (Taken over from Pallavi Engg., Raigad)	BSKVV, Dapoli	No.2623, dt.9.3.2001	Not mentioned	Wt.4.400 Kg without Beam, Wt.10 Kg with Beam, Size of plough 250x200mm
9(ii)	Sindhu Kokan Plough (without handle)					
a	Star Enterprises, Pune	Manufacturer (Taken over from Pallavi Engg., Raigad)	BSKVV, Dapoli	No.2663, dt.9.3.2001	Not mentioned	Total Wt.4.400 Kg without Beam.
(B)	Mould Board Plough (Tractor Drawn)					
1	Mould Board Plough Two Furrow 35 HP					
a	Bothra Foundry, Ahmednagar	Manufacturer	MPKV,RAHURI	SEPT---2012	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.225.00 Kg, Size of plough 750 mm,

Sr. No.	Name of implement /Name of manufacturer / Supplier	Whether manufacturer or marketer	Name of the testing institute / BIS/ Agricultural University where testing is done	Test report No., date / BIS certificate No., validity	Testing done as per standard	Weight / Sp.Fuel Consumption / wall thickness as mentioned in test report
1	4	5	8	9	11	16
b	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	CRFMPTI, Budani	IMP 94 /932, March 2003	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.255.000 Kg, Size of plough 2x 300 mm
2	Mould Board Plough Three Furrow 35 HP					
a	Jadhao Agro Ind.Pvt.Ltd., Amravati	Manufacturer	CRFMPTI, Budani	IMP 92/897, Aug.2002	IS:6288:1971 IS:4468:1997 IS:10691:1983	Wt.190.000 Kg, Size of plough 320mm